



INLIGHT

Αξιότιμε Συνεργάτη,

Η εταιρία μας, με γνώμονα την εξειδίκευση και την καινοτομία, παρακολουθεί στενά τις διεθνείς εξελίξεις στον τομέα του φωτισμού εσωτερικών χώρων. Στόχος μας είναι η παροχή λύσεων υψηλής ποιότητας, προσαρμοσμένων στις ανάγκες κάθε πελάτη, καλύπτοντας ένα ευρύ φάσμα αισθητικής, από τον σύγχρονο μέχρι τον κλασικό σχεδιασμό.

Με παρουσία 45 ετών στον χώρο του φωτισμού, αποτελούμε μία από τις πλέον αξιόπιστες και καινοτόμες επιχειρήσεις στον κλάδο. Διαθέτουμε μία από τις καλύτερες γραμμές παραγωγής στην Ελλάδα, δημιουργώντας μέρος των φωτιστικών μας στις ιδιόκτητες εγκαταστάσεις μας στον Άγιο Δημήτριο Αττικής. Η τεχνογνωσία, η εμπειρία και η δέσμευσή μας για την ποιότητα διασφαλίζουν τη δημιουργία προϊόντων υψηλών προδιαγραφών που ανταποκρίνονται στις ανάγκες του σύγχρονου καταναλωτή.

Ο παρών κατάλογος αντικαθιστά όλους τους προηγούμενους και αποτελεί τον οδηγό σας για την εκπλήρωση των σύγχρονων απαιτήσεων του φωτισμού. Το 2025 αναδεικνύεται ως έτος προκλήσεων και δυνατοτήτων, με τις τεχνολογικές εξελίξεις στον τομέα του φωτός να ανοίγουν νέους ορίζοντες για πιο βιώσιμες και αποδοτικές λύσεις.

Η εταιρία διατηρεί το δικαίωμα να προβαίνει σε αλλαγές στα προϊόντα της χωρίς προηγούμενη ενημέρωση, διασφαλίζοντας πάντα την ευθυγράμμισή τους με τα ευρωπαϊκά πρότυπα ασφαλείας και τα πιστοποιητικά ποιότητας.

Η συνεχής σας εμπιστοσύνη αποτελεί για εμάς κινητήριο δύναμη για την ανάπτυξη νέων προϊόντων και την υιοθέτηση τεχνολογιών που ανταποκρίνονται στις ανάγκες του σήμερα και του μέλλοντος.

Είμαστε στη διάθεσή σας για οποιαδήποτε διευκρίνιση ή υποστήριξη χρειαστείτε.

Με εκτίμηση,
Μαρία Μωραΐτη

Dear Partner,

Our company, driven by specialization and innovation, closely follows international developments in the field of indoor lighting. Our goal is to provide high-quality solutions tailored to the needs of each customer, covering a wide range of aesthetics, from contemporary to classic design.

With 45 years of presence in the lighting industry, we are one of the most reliable and innovative companies in the sector. We operate one of the finest production lines in Greece, manufacturing a significant portion of our lighting products in our privately-owned facilities in Agios Dimitrios, Attica. Our expertise, experience, and commitment to quality ensure the creation of high-standard products that meet the demands of the modern consumer.

This catalogue supersedes all previous editions and serves as your guide to fulfilling the modern requirements of lighting. The year 2025 emerges as one of challenges and opportunities, with technological advancements in lighting opening new horizons for more sustainable and efficient solutions.

The company reserves the right to make changes to its products without prior notice, ensuring they always comply with European safety standards and quality certifications.

Your continued trust is a driving force for us to develop new products and adopt technologies that meet today's and tomorrow's needs.

We remain at your disposal for any clarification or support you may require.

Sincerely,
Maria Moraiti

INLi “Ένας κόσμος γεμάτος φως” GHT

Chandler Track 48Volt & accessories

							
13C-00011	13C-00031	13C-00021-Black	13C-00041	13C-00051	13C-00061-Black	13C-00071	13C-00081
page 21	page 21	page 22	page 23	page 23	page 23	page 24	page 25
							
13C-00091	13C-00101	13C-T001	13C-T002	TD006/TD007/ TD008/TD009	13C-A002	13C-A005	13C-A001
page 24	page 25	page 27	page 27	page 28	page 28	page 28	page 28
							
13C-D001	13C-D002	13C-A003	13C-A006	13C-A008	13C-A004	13C-A007	13C-A009
page 28	page 29	page 29	page 29	page 29	page 30	page 30	page 30
							
13C-A010	13C-A011	13C-A012	13C-A013	13C-A014	13C-A015		
page 31	page 31	page 31	page 31	page 31	page 31		

Magnetic Curved & accessories

							
TMC0011	TMC0021	TMC0031	TMC0041	TMC0051/TMC0061	TRC001	TRC002	TD010
page 34	page 34	page 35	page 35	page 36	page 37	page 37	page 38
							
TC037	TC035	TC036	TC034	TD006/TD007/ TD008/TD009			
page 38	page 38	page 38	page 38	page 38			



Magnetic 48Volt & accessories

							
TM0010/ TM0020 TM0030/ TM0040 page 41	TM0050/ TM0050 TM0070/ TM0080 page 41	TM0090 page 41	TM0100/TM0110 TM0120 page 42	TM0130 page 43	TM0140 page 44	TM0150 page 44	TR009/TR0010 page 45
							
TC024 page 45	TC025 page 45	TC027 page 45	TR005/TR006 TR005-3 page 46	TC019 page 46	TC020 page 46	TC016 page 46	TC021 page 46
							
TD001/TD002 page 47	TC017 page 47	TC018 page 47	TC038 page 47	TD006/TD007/ TD008/TD009 page 47	TD005 page 48	TMC001 page 48	




MAGNETIC ULTRA THIN 48volt & accessories

							
TMU0160-Black page 50	TMU0160-White page 50	TMU0170-Black page 50	TMU0170-White page 50	TMU0020-Black page 51	TMU0020-White page 51	TMU0030-Black page 51	TMU0030-White page 51
							
TMU0040-Black page 52	TMU0040-White page 52	TMU0050-Black page 52	TMU0050-White page 52	TMU0060-Black page 53	TMU0060-White page 53	TMU0070-Black page 53	TMU0070-White page 53
							
TMU0180-Black page 54	TMU0180-White page 54	TMU0190-Black page 54	TMU0190-White page 54	TMU0080-Black page 55	TMU0080-White page 55	TMU0090-Black page 55	TMU0090-White page 55
							
TMU0150-Black page 55	TMU0150-White page 55	TMU0100-Black page 56	TMU0100-White page 56	TMU0110-Black page 56	TMU0110-White page 56	TMU0120-Black page 56	TMU0120-White page 56


MAGNETIC ULTRA THIN 48volt & accessories

							
TMU0130-Black page 58	TMU0130-White page 58	TMU0140-Black page 58	TMU0140-White page 58	TMU0210-Black page 59	TMU0210-White page 59	TMU0250-Black page 59	TMU0250-White page 59
							
TMU0200-Black page 60	TMU0200-White page 60	TMU0240-Black page 61	TMU0240-White page 61	TMU0230-Black page 61	TMU0230-White page 61	TMU0220-Black page 62	TMU0220-White page 62
							
T04501-Black page 63	T04101-Black page 63	T04201-Black page 63	TMZ0020-Black page 65	TMZ0020-White page 65	TUS06205-Black page 65	TUS06205-White page 65	TMZ0030-Black page 65
							
TMZ0030-White page 65	T04605-Black page 66	T04605-White page 66	TMZ0010-Black page 66	TMZ0010-White page 66	T05305-Black page 67	T05305-White page 67	TMZ0050-Black page 67
							
TMZ0050-White page 67	TMZ0060-Black page 67	TMZ0060-White page 67	T04805-Black page 68	T04805-White page 68	T04905-Black page 68	T04905-White page 68	T05105-Black page 69
							
T05105-White page 69	T05205-Black page 69	T05205-White page 69	T05005-Black page 69	T05005-White page 69	T05405-Black page 70	TMZ0040-Black page 70	TMZ0040-White page 70
							
TG001 page 71	TMC002 page 71	TR007-Black/TR008-Black TR007-3-Black page 72	TR007-White/TR008-White TR007-3-White page 72	TB001-Black page 72	TB001-White page 72	TC023-Black page 72	TC023-White page 72
							
TC022-Black page 72	TC022-White page 72	TRU0011-Black/TRU0011-Black TRU0011-Black page 73	TRU0011-White/TRU0011-White TRU0011-White page 73	TC030-Black page 73	TC030-White page 73	TC031-Black page 73	TC031-White page 73

MAGNETIC ULTRA THIN 48volt & accessories

							
TC032-Black	TC032-White	TC028-Black	TC028-White	TC029-Black	TC029-White	TD003-Black/TD004-Black	TD003-White/TD004-White
page 73	page 73	page 74	page 74	page 74	page 74	page 75	page 75
							
TD006/TD007/ TD008/TD009	TC033-Black	TC033-White					
page 75	page 75	page 75					

MAGNETIC MINI 48volt & accessories

							
TMM0041-Black/TMM0051-Black TMM0061-Black	TMM0011-Black/TMM0021-Black TMM0031-Black	TMM0081-Black	TMM0091-Black	TMM0071-Black	TMM0101-Black	TRM0010-Black	TCM001-Black
page 77	page 78	page 79	page 79	page 79	page 80	page 81	page 81
							
TCM002-Black	TCM008-Black	TRM0020-Black	TCM003-Black	TCM004-Black	TCM008-Black	TRM0030-Black	TCM009
page 81	page 81	page 82	page 82	page 82	page 82	page 83	page 83
							
TCM007-Black	TCM008-Black	TDM001-Black	TD006/TD007/ TD008/TD009	TCM006-Black	TCM007-Black	TCM005-Black	
page 83	page 83	page 84	page 84	page 84	page 84	page 84	



3PHASE – 4WIRES & accessories

							
T3-06400-Black page 87	T3-06500-Black page 87	T3-06600-Black page 87	T01001-Black T01002-Black page 89	T01100-Black page 90	T01200-Black page 90	TR003-Black/ TR004-Black page 92	TC039R-Black/ TC039L-Black page 92
							
TC040-Black page 92	TC011L-Black TC011B-Black page 92	TC009-Black page 92	TC010-Black page 92	TC012-Black page 92	TC013-Black page 93	TC3-028-Black page 93	TC3-034-Black page 93
							
TC014-Black page 93	TC015-Black page 93						



1 PHASE & accessories

							
T1-06002-Black page 95	T1-06002-White page 95	T02701-Black T02702-Black page 96	T02701-White T02702-White page 96	T02601-Black T02602-Black page 96	T02601-White T02602-White page 96	T1-05400-Black page 97	T1-05400-White page 97
							
T1-05500-Black page 97	T1-05500-White page 97	T1-05600-Black page 97	T1-05600-White page 97	T1-06300-Black page 98	T1-06300-White page 98	T1-05700-Black page 98	T1-05700-White page 98
							
T1-05800-Black page 98	T1-05800-White page 98	T00700-Black page 99	T00700-White page 99	T00600-Black page 99	T00600-White page 99	T1-05900-Black page 99	T1-05900-White page 99
							
TRI-001-Black/TRI-012-Black TRI-013-Black page 101	TRI-001-White/TRI-012-White TRI-013-White page 101	TC1-035-Black page 101	TC1-035-White page 101	TC1-027-Black page 101	TC1-027-White page 101	TC1-029-Black page 101	TC1-029-White page 101

1 PHASE & accessories

							
TC1-030-Black	TC1-030-White	TC1-031-Black	TC1-031-White	TC1-034	TC1-032-Black	TC1-032-White	TC1-033-Black
page 102	page 102	page 102	page 102	page 102	page 102	page 102	page 102
							
TC1-033-White	TC008-Black	TC008-White					
page 102	page 102	page 102					




Skyline Light

	
43057-Black	43058-Black
page 104	page 104


Linear Lights

							
6072-180-Black/ 6072-150-Black	6072-180-White/ 6072-150-White	L001-Black	L001-White	L006-Black	L006-White	L003-180-Black/L003-120-Black	L003-180-White/L003-120-White
6072-120-Black/ 6072-90-Black	6072-120-White/ 6072-90-White	page 107	page 107	page 107	page 107	L003-90-Black	L003-90-White
page 106	page 106					page 107	page 107
							
L005							
page 107							

Pendant Lights

							
6073-60-White 6073-80-White page 109	6073-60-Black 6073-80-Black page 109	4059 page 124	4060 page 124	4061 page 125	4053 page 126	4067 page 127	4054 page 128
							
4062 page 143	4064 page 143	4063 page 144	4065 page 145	4471 page 146	4472 page 146	4066 page 148	4066-7 page 149
							
4066-10 page 150	6095-B-Black page 156	6095-B-Golden page 156	6095-B-Silver page 156	6095-AA-Black 6095-AB-Black page 158	6095-AA-Silver 6095-AB-Silver page 158	6095-AA-Golden 6095-AB-Golden page 158	6095-C-Black page 160
							
6095-C-Golden page 160	6095-C-Silver page 160	6095-A-Black page 161	6095-A-Silver page 161	6095-A-Golden page 161	6107 page 164	6097 page 165	6105 page 166
							
6085 page 167	6083 page 168	6084 page 169	6075-Black page 170	6075-White page 170	6076-Black page 171	6076-White page 171	6080 page 172
							
6181-Chrome page 180	6182-Chrome page 181	6092-A-Chrome 6092-B-Chrome page 184	6093-Chrome page 185	6099-Chrome page 186	6101-Chrome page 187	6102-Chrome page 187	6098-Golden page 188
							
6100-Golden page 189	6102-Golden page 189	6082-Golden page 193	6082-Chrome page 193	6081-Black page 193	6150-Black page 195	6151-Chrome page 195	6151-Golden page 195
							
6043 page 196	6052 page 197	6057 page 198	6058-Black page 199	6059-Golden page 199	6059-Chrome page 199	4019-Golden page 200	4018-Black page 200

Pendant Lights

							
4018-White page 200	6023-Black page 204	6023-White page 204	4051 page 206	4077-1 page 212	4077R-5-Golden page 212	4077-5-Golden page 212	4077-10-Golden page 213
							
4075-Black page 214	4075-3R-Black page 214	4075-3-Black page 214	4071-Smoky page 216	4078-Smoky page 217	4069-Smoky page 218	4068-Smoky page 219	4070-Smoky page 221
							
4072 page 222	4073 page 224	4055 page 227	42024-A-Golden 42024-B-Golden page 256	42023-A-Black 42023-B-Black page 256	42023-A-White 42023-B-White page 256	42041 page 265	4076 page 268
							
4058 page 269	4041-A page 271	4041-B page 271	4041-C page 271	4042 page 272	4047-A page 273	4047-B page 273	4048-A page 275
							
4048-B page 275	4048-C page 275	4030 page 276	4029-A page 277	4029-B page 277	4502 page 278	4504 page 279	4503 page 279
							
4421 page 280	4382-Black page 281	4382-White page 281	4381-1-Black 4381-1-White page 282	4381-2-Black 4381-2-White page 282	5307-4 page 283	5307-6 page 283	4025-B page 286
							
4027-A page 287	4027-B page 287	5318-1 page 288	5318-5 page 289	5318-3 page 289	4388 page 290	4389 page 290	4387-Black page 291
							
4387-White page 291	4017-Black page 292	4017-White page 292	4505-Black page 293	4505-White page 293	4052-Black page 294	4052-White page 294	4418-White page 297

Pendant Lights



4418-Black
page 297



4400-2/Rail Black
page 298



4400-2/Rail White
page 298



4400-3/Rail Black
page 298



4400-3/Rail White
page 298



4400-Black
page 298



4400-White
page 298



4400-2/Rosette Black
page 299



4400-2/Rosette White
page 299



4400-3/Rosette Black
page 299



4400-3/Rosette White
page 299



4024-White
page 300



4024-Black
page 300



4024-2/Rosette Black
page 300



4024-2/Rosette White
page 300



4024-3/Rosette Black
page 300



4024-3/Rosette White
page 300



4024-2/Rail Black
page 301



4024-2/Rail White
page 301



4024-3/Rail Black
page 301



4024-3/Rail White
page 301



4057-A
page 304



4057-B
page 304



4057-C
page 304



4056-A
page 305



4056-B
page 305



4514-3/Rosette Black
page 309



4514-4/Rosette Black
page 309



4514-Black
page 309



4514-3/Rail Black
page 310



4514-4/Rail Black
page 310



5315-3-Black
page 311



5012-3-White
page 311



5315-4-Black
page 311



5012-4-White
page 311



5315-6-Black
page 312



5012-6-White
page 312



5315-8-Black
page 312



5012-8-White
page 312



5315-12-Black
page 313



5012-12-White
page 313



5016-3-Black
page 314



5013-3-White
page 314



5016-4-Black
page 314



5013-4-White
page 314



5016-6-Black
page 315



5013-6-White
page 315




4023-Black
page 316



4021-Black
page 317




4050-White
page 317



6167-4
page 318



6167-2
page 318



6167-6
page 319



6062
page 320



6063
page 321



6061-Black
page 323



6036-6
page 324



6087-6
page 325



4515-3-Chrome
page 326



4016-3-Golden
page 326



4515-4-Chrome
page 326



4016-3-Golden
page 326














4016-1-Chrome
page 327



4515-1-Golden
page 327

Pendant Lights

							
4515-3-Rail Chrome page 327	4016-3-Rail Golden page 327	4515-4-Rail Chrome page 327	4016-4-Rail Golden page 327	5321-4 Chrome page 328	5316-4 Golden page 328	5321-6 Chrome page 328	5316-6 Golden page 328
							
5316-3 Golden page 329	5321-3 Chrome page 329	5316-8 Golden page 329	5321-8 Chrome page 329	5315-3 Golden page 330	5314-3 Chrome page 330	5315-6 Golden page 330	5314-6 Chrome page 330
							
5015-4 Golden page 331	5015-4 Chrome page 331	4022-Golden page 332	4022-Chrome page 332	4023-Chrome page 333	4023-Golden page 333	4253-B/4253-C/ 4253-D page 335	6129-2-Golden page 336
							
6129-3-Golden page 336	6129-4-Golden page 337	6129-6-Golden page 337	6129-3-Nickel page 338	6129-2-Nickel page 338	6129-4-Nickel page 339	6129-6-Nickel page 339	4474-Nickel Satin page 340
							
4474-3-Nickel satin page 340	4474-3-Nickel satin page 340	4474-5-Nickel satin page 341	4474-5-Rail/Nickel satin page 341	4474-4-Black page 342	4474-5-Black page 342	4474-5-Rail/Black page 343	4474-3-Black page 343
							
4474-Black page 343	4074 page 344	4079 page 346	4080 page 346	4081 page 346	4355-A/4355-B page 350	4040 page 351	4039-A page 352
							
4039-B page 353	4409-B page 354	4409-C page 354	4409-A page 355	4034 page 356	4035 page 356	4036 page 357	4037 page 358
							
4038 page 359	5300-5 page 388	5300-3 page 389	5010-6 page 390	5010-3 page 391	5311-8 page 392	5311-6 page 393	5311-3 page 393


Pendant Lights

							
5309-8 page 394	5309-6 page 394	5309-3 page 395	5276-8 page 396	5276-6 page 397	5276-3 page 397	5304-5 page 398	5304-3 page 399
							
5304-6 page 400	5304-8 page 401	6069-12 page 403	6068-12 page 404	6068-8 page 405	6068-4 page 405	5314-3-Amber page 406	5314-6-Amber page 406
							
5314-8-Amber page 407	5314-4-Fine page 408	5314-6-Fine page 409	5314-8-Fine page 409	5314-6-Fine page 410	5314-3-Fine page 410	5314-6-Fine page 411	5244-3 page 414
							
5244-8 page 415	5244-6 page 416	5244-12+6 page 417					

Spots

							
X00170-BW page 110	X00170-Black page 110	X00180-BW page 110	X00180-Black page 110	X00190-Black page 111	X00190-White page 111	X00200-Black page 111	X00200-White page 111
							
X00210-Black page 111	X00210-White page 111	X00220-White page 112	X00220-Black page 112	X00230-White page 112	X00230-Black page 112	X00240-White page 113	X00240-Black page 113
							
X00250-White page 113	X00250-Black page 113	X00260-White page 114	X00260-Black page 114	X00270-White page 114	X00270-Black page 114	X00280-White page 115	X00280-Black page 115

Spots

							
X00290-White page 115	X00290-Black page 115	X00310-White page 116	X00310-Black page 116	X00310-WB page 116	X00300-White page 116	X00300-Black page 116	X00320-White page 117
							
X00320-Black page 117	X00320-WB page 117	X00330-White page 117	X00330-Black page 117	X00330-WB page 117	43278 page 118	43285 page 119	43277 page 119
							
42025-Black page 120	42025-White page 120	42026-Black page 120	42025-White page 120	X00340-Black page 121	X00340-White page 121	X0010-Black page 121	X0010-White page 121
							
X00350-Black page 122	X00350-White page 122	X0009 page 123	X0008 page 123	X0011 page 130	X0012 page 130	X0013 page 130	X0002 page 131
							
X0006 page 131	X0014 page 132	X0015 page 132	X0016 page 132	X0001 page 133	X0007 page 133	X0005 page 133	9081-6-Black page 360
							
9086-6-White page 360	9081-1-Black page 361	9086-1-White page 361	9081-4-Black page 361	9086-4-White page 361	9082-1-Golden page 362	9087-1-Golden page 362	9082-4-Silver page 362
							
9087-4-Silver page 362	9082-6-Golden page 363	9087-6-Silver page 363	9077-1 page 364	9077-2 page 364	9077-3 page 364	9078-2 page 365	9078-3 page 365
							
9075-1 page 366	9075-2 page 366	9075-3 page 366	9075-4 page 366	9076-2 page 367	9076-3 page 367	9076-4 page 367	9079-1 page 368

Spots



9079-2	9079-3	9079-4	9064-1	9064-2	9064-3	9065-2	9065-3
page 368	page 369	page 369	page 370	page 370	page 370	page 371	page 371



42154-A/42154-B	43366	43420-1-Chrome	43420-2-Chrome	43420-3-Chrome	43420-4-Chrome	43422-1-Black	43422-2-Black
page 371	page 371	page 374	page 374	page 374	page 374	page 375	page 375



43422-4-Black
page 375

Floor lamps



45022	45025-Black	45025-Golden	45025-Chrome	45012	45032	45033	45031
page 175	page 176	page 176	page 176	page 205	page 208	page 211	page 226





45023	45364-Black	45364-White	45029	45027	45030-Golden	45015-Black	45016-Chrome
page 249	page 285	page 285	page 302	page 303	page 307	page 317	page 333



45016-Golden
page 333

Wall Lights

							
43049-A page 134	43049-B page 134	43049-C page 134	43052 page 135	43345 page 136	43050 page 136	43415 page 136	43375 page 137
							
43032 page 137	43343 page 138	43390 page 138	43389 page 139	43388 page 139	43033 page 140	43414 page 140	43404 page 141
							
43401 page 141	43051 page 141	43053 page 141	43054 page 142	43055 page 142	43421 page 147	43374 page 147	43034 page 174
							
6158 page 174	43061-Golden page 201	43061-Black page 201	43061-White page 201	43014-White page 203	43014-Black page 203	43015-Golden page 203	43015-Chrome page 203
							
43060 page 214	43056-Black page 228	43056-Golden page 228	43046 page 230	43048 page 230	43043 page 232	43047 page 233	43042 page 234
							
43045 page 235	43062 page 236	43041-Black page 237	43041-White page 237	43418-Black page 238	43418-White page 238	43037-Black page 239	43037-White page 239
							
43036-Black page 240	43036-White page 240	43040-Black page 241	43040-White page 241	43351-Black page 281	43351-White page 281	43367-Black page 282	43367-White page 282
							
43368-Black page 284	43368-Black page 284	43402-Black page 288	43044-Black page 308	43030-Black page 316	43030-White page 316	43031-Golden page 332	43031-Chrome page 332

Wall Lights




							
43059 page 344	1047-A/1047-B page 376	1043-A/1043-B page 377	1045 page 378	1046 page 380	1049-Black page 380	1041 page 380	1048-Black page 380
							
1039 page 381	1050-Black page 381	1044-A page 382	1044-B page 382	1044-C page 382	1025 page 383	43022 page 384	43348 page 388
							
43023 page 391	43371 page 392	43369 page 395	43308-1 page 396	43356-2 page 398	43356-1 page 399	43035 page 403	43391-2-Amber page 406
							
43391-2-Fine page 409	43391-2-Amber page 410	43218 page 413	43250 page 414				

Table lamps


							
3020 page 175	3047-Black page 177	3047-Golden page 177	3047-Chrome page 177	3012 page 205	3062 page 209	3063 page 210	3061 page 223
							
3050 page 226	3438-Black page 281	3438-White page 281	3439-Black page 282	3439-White page 282	3433-Black page 284	3433-White page 284	3051 page 302
							
3052-Golden page 306	3016-Black page 317	3041-White page 317	3017-Golden page 332	3017-Chrome page 332	3060 page 348	3043 page 352	3432 page 355

Table lamps

							
3024	3025	3026	3027	3028	3425	3427	3445
page 356	page 356	page 357	page 358	page 359	page 385	page 288	page
							
3443	3404	3468	3431	3045	3015	3044	
page 395	page 396	page 399	page 419	page 421	page 422	page 423	

Rechargeable

							
3055	3033	3058	3035	3056	3037	3031	3030
page 424	page 425	page 426	page 427	page 428	page 429	page 430	page 431
							
3053	3057	3059	3036	3038	3040		
page 432	page 433	page 434	page 436	page 438	page 439		

Ceiling Lights

							
6073-60-White 6073-80-White	6073-60-Black 6073-80-Black	42155-A 42155-B	6109	6108	6112	6110	6094-B-Black
page 109	page 109	page 147	page 152	page 153	page 154	page 155	page 162

Ceiling Lights



6094-B-Golden	6094-B-Silver	6094-A-Golden	6094-A-Silver	6094-A-Black	6111-A-Black 6111-B-Black	6158	6038-Chrome
page 162	page 162	page 163	page 163	page 163	page 173	page 174	page 178



42013A/ 42013B/ 42013C	6091-Crome	42027-Black	42028-Golden	42028-Chrome	42043-Black	42043-White	42044-A-Black 42044-B-Black
page 179	page 183	page 190	page 190	page 190	page 242	page 242	page 243



42044-A-White 42044-B-White	42040-White	42040-Gray	42040-Black	42037	42038	42029	42036-A/B/C/D/E Black
page 243	page 244	page 244	page 244	page 246	page 247	page 248	page 250



42036-A/B/C/D/E White	42033-Black	42033-Gray	42033-White	42030-Black	42030-White	42031-Golden	42020-A-Black 42020-B-Black
page 250	page 253	page 253	page 253	page 254	page 254	page 254	page 257



42020-A-White 42020-B-White	42021-A-Golden 42021-B-Golden	42035A/B/C/D-Black	42035A/B/C/D-Gray	42035A/B/C/D-White	42034-Black	42034-White	42034-Gray
page 257	page 257	page 258	page 258	page 258	page 259	page 259	page 259



42179-A, 42179-B	42171	42172	42016-A/ 42016-B/ 42016-C	42042	42039	6089	6120-4
page 260	page 261	page 261	page 262	page 264	page 267	page 322	page 386



6120-6	5201-A/B/C	5292-A/B/C
page 386	page 412	page 413

The image displays a sophisticated track lighting system against a solid grey background. The system consists of several black tracks of varying lengths and orientations. One track is curved, while others are straight. Adjustable spotlights are mounted on these tracks using cylindrical sliders. One spotlight is shown with its beam of light directed downwards. The design is clean and industrial, with a focus on geometric forms and functional adjustability.

CHANDLER TRACK

Chandler Track 48Volt





● No. 13C-00011

Power	12W
Lumens	890Lm
Temperature	3000K
Beam angle	30°
Material	Aluminum
Dimension	4x12,5cm
	25-43-50







● No. 13C-00031

Power	12W
Lumens	1020Lm
Temperature	3000K
Beam angle	30°
Material	Aluminum
Dimension	6x12,5cm
	25-48-00







Chandler Track 48Volt





● No. 13C-00021


Power	12W
Lumens	950Lm
Temperature	3000K
Beam angle	24°
Material	Aluminum
Dimension	4,8x15x22cm
	25-52-00



CRI >90

Chandler Track 48Volt








CRI
>90

● No. 13C-00041

Power	10W
Lumens	870Lm
Temperature	3000K
Beam angle	30°
Material	Aluminum
Dimension	3,4x6,5x13,5cm
	25-44-00








CRI
>90

● No. 13C-00051

Power	20W
Lumens	1740Lm
Temperature	3000K
Beam angle	30°
Material	Aluminum
Dimension	3,4x6,5x26,8cm
	25-69-50







CRI
>90

● No. 13C-00061

Power	12W
Lumens	810Lm
Temperature	3000K
Beam angle	105°
Material	Aluminum
Dimension	3,4x6,5x26,8cm
	25-52-00



Chandler Track 48Volt





● No. 13C-00071

Power	4W
Lumens	350Lm
Temperature	3000K
Beam angle	110°
Material	Aluminum
Dimension	10x15cm
	25-46-00



CRI >90





● No. 13C-00081

Power	15W
Lumens	1140Lm
Temperature	3000K
Beam angle	110°
Material	Aluminum
Dimension	20,5x28,3m
	25-93-50



CRI >90



Chandler Track 48Volt





● No. 13C-00091

Power	7W
Lumens	530Lm
Temperature	3000K
Beam angle	24°
Material	Aluminum
Dimension	9x10,2m
	25-52-50



CRI >90





● No. 13C-00101

Power	7W
Lumens	530Lm
Temperature	3000K
Beam angle	24°
Material	Aluminum
Dimension	9x10,2m
	25-56-00





CRI >90





Chandler Track 48Volt



Chandler Track 48Volt

-Driver για τοποθέτηση εξωτερικά



● No. TD006

48Volt driver
300W
25-57-00

● No. TD007

48Volt driver
400W
25-73-00

● No. TD008

48Volt driver
200W
25-41-70

● No. TD009

48Volt driver
100W
25-34-50



● No.13C-A002

Feeder with 1.5m
electricity cable, for
single track.

Τροφοδότης
με καλώδιο
ρεύματος 1,5 m.
για μονή ράγα.
25-31-50



● No. 13C-A005

Feeder with
electricity cable
1.5m for double
layer.

Τροφοδότης
με καλώδιο
ρεύματος 1,5 m,
για δύο επίπεδα.
25-63-00



● No.13C-A001

Cylinder Box of
Power supply.
Κυλινδρική βάση
για driver.
25-22-00



● No. 13C-D001

Driver external or on
Cylinder Box.

Driver για
τοποθέτηση είτε
εξωτερικά είτε σε
κυλινδρική βάση.
25-41-00

Chandler Track 48Volt



● No. 13C-D002
200W
Driver on-track
with plug cable
1,5m.
driver για
τοποθετηση
στη ραγα με
καλωδιο 1,5m
25-91-50



● No.13C-A003
Holder with
conductor,
for single track.
Στήριγμα με
αγωγό,
για μονή ράγα.
25-28-50



● No. 13C-A006
Holder without
electricity cable
1.5m for double
layer
Στήριγμα με
αγωγό, για δύο
επίπεδα.
25-60-00



● No. 13C-A008
Connector for double
layer track from track to
track with conductor.
Στήριγμα με αγωγό απο
ράγα σε ράγα
για δύο επίπεδα.
25-53-00

Chandler Track 48Volt



● No. 13C-A004

Holder, for single track.

Στήριγμα για μονή ράγα.

25-25-50





● No. 13C-A007

Holder for double layer.

Στήριγμα για δύο επίπεδα.

25-47-50





● No. 13C-A009

Holder for double layer track from track to track without conductor.

Στήριγμα απο ράγα σε ράγα για δύο επίπεδα.

25-41-00





Chandler Track 48Volt



● No. 13C-A010
Adjustable Suspenders
50+50cm.
Ρυθμιζόμενη
ανάρτηση.
25-05-00



● No. 13C-A011
Ceiling Plate.
Μικρή βάση
σροφής.
25-03-50



● No. 13C-A012
Hanging Wire.
Set of 2pcs.
Συρματόσχοινα
κρέμασης. Σετ
των 2 τεμαχίων.
25-06-00




● No. 13C-A013
Connector between
two straight tracks
with copper.
Συνδετήρας
μεταξύ δύο ραγών
με χαλκό.
25-03-50




● No. 13C-A014
End cap.
Τερματικό
καπάκι.
25-00-70



● No. 13C-A015
Connector between
two straight tracks
without copper.
Συνδετήρας
μεταξύ δύο ραγών
χωρίς χαλκό.
25-01-60








MAGNETIC CURVED

MAGNETIC CURVED 48 Volt



● No. TMC0011-Black


Power	6W
Lumens	400Lm
Temperature	3000K
Beam angle	120°
Dimension	2,2x2,5x18,5cm
	25-38-05





● No. TMC0021-Black

Power	12W
Lumens	800Lm
Temperature	3000K
Beam angle	120°
Dimension	2,2x2,5x36cm
	25-55-00









● No. TMC0031-Black

Power	6W
Lumens	480Lm
Temperature	3000K
Beam angle	36°
Dimension	2,2x2,5x18,5cm
	25-42-00



● No. TMC0041-Black

Power	12W
Lumens	960Lm
Temperature	3000K
Beam angle	36°
Dimension	2,2x2,5x36cm
	25-57-06





● No. TMC0051-Black

Power	12W
Lumens	1020Lm
Temperature	3000K
Beam angle	36°
Dimension	4,8x11,5cm
	25-51-00



● No. TMC0061-Black

Power	20W
Lumens	1900Lm
Temperature	3000K
Beam angle	36°
Dimension	5,8x14,5cm
	25-60-08

MAGNETIC CURVED 48 Volt

Tracks



MAGNETIC CURVED 48volt

Accessories



● No. TD010
100W
25-50-00



No. TC037

Hanging wire 2m. for
curved magnetic track.
Set of 2 pieces
25-05-20



● No. TC035

Flexible connector for
curved magnetic track
48Volt
25-10-00



● No. TC036

Clip connector for curved
magnetic track 48Volt
25-01-05



● No. TC034

Connector for curved
magnetic track 48Volt
to power
25-06-05

External driver



No. TD006

48Volt driver
300W
25-57-00

No. TD007


48Volt driver
400W
25-73-00

No. TD008

48Volt driver
200W
25-41-70

No. TD009

48Volt driver
100W
25-34-50



MAGNETIC

MAGNETIC 48volt






● No. TM0010-Black

Power	18W
Lumens	1190Lm
Temperature	3CCT
Beam angle	120°
Dimension	32,8x2,2x4,3cm 25-14-00



● No. TM0020-Black

Power	24W
Lumens	1590Lm
Temperature	3CCT
Beam angle	120°
Dimension	43,5x2,2x4,3cm 25-17-00



● No. TM0030-Black

Power	30W
Lumens	1980Lm
Temperature	3CCT
Beam angle	120°
Dimension	54,3x2,2x4,3cm 25-19-50



● No. TM0040-Black

Power	40W
Lumens	2640Lm
Temperature	3CCT
Beam angle	120°
Dimension	60x2,2x4,3cm 25-23-00








● No. TM0050-Black

Power	12W
Lumens	980Lm
Temperature	3CCT
Beam angle	36°
Dimension	22x2,2x4,3cm 25-13-50



● No. TM0060-Black

Power	18W
Lumens	1440Lm
Temperature	3CCT
Beam angle	36°
Dimension	32,8x2,2x4,3cm 25-16-00



● No. TM0070-Black

Power	24W
Lumens	1920Lm
Temperature	3CCT
Beam angle	36°
Dimension	43,5x2,2x4,3cm 25-19-50



● No. TM0080-Black

Power	30W
Lumens	2400Lm
Temperature	3CCT
Beam angle	36°
Dimension	54,3x2,2x4,3cm 25-22-00








adjustable

● No. TM0090-Black

Power	12W
Lumens	960Lm
Temperature	3CCT
Beam angle	36°
Dimension	34,4x2,2x6,8cm 25-21-00



MAGNETIC 48volt



● No. TM0100-Black

Power	10W
Lumens	850Lm
Temperature	3CCT
Beam angle	36°
Dimension	10x5x15,3cm 25-17-50



● No. TM0110-Black

Power	20W
Lumens	1700Lm
Temperature	3CCT
Beam angle	36°
Dimension	11,5x6x14cm 25-24-00




● No. TM0120-Black

Power	30W
Lumens	2550Lm
Temperature	3CCT
Beam angle	36°
Dimension	15,5x7x20,8cm 25-29-00




MAGNETIC 48volt




MAGNETIC 48volt

Οι φωτεινές γωνίες λειτουργούν
σαν μεταφορά τροφοδοσίας.
Lighting corners can be used
as connector adapter to the tracks.




● No. TM0140-Black

Power	24W
Lumens	1585Lm
Temperature	3CCT
Beam angle	120°
Dimension	30x22x25cm 25-36-00




Οι φωτεινές γωνίες λειτουργούν
σαν μεταφορά τροφοδοσίας.
Lighting corners can be used
as connector adapter to the tracks.



● No. TM0150-Black


Power	24W
Lumens	1585Lm
Temperature	3CCT
Beam angle	120°
Dimension	30x22x25cm 25-36-00



MAGNETIC 48volt

Recessed








● No. TR009-Black

1m recessed
Megnetic track
& cover
25-18-50

● No. TR0010-Black

2m recessed
Megnetic track
& cover
25-35-50










● No. TC024-Black

"L" connector for
recessed magnetic track.
Needed 4pcs joint
connectors.
25-08-50









● No. TC025-Black

Internal connector
(celling to wall)
for recessed magnetic
track.
Needed 4pcs joint
connectors.
25-08-50





No. TC027

Recessed Track
Joint connector
Set of two
25-00-60

MAGNETIC 48 volt

Mounted



● No. TR005-Black


Mounted magnetic track 1m with end cap & cover
25-18-00

● No. TR006-Black

Mounted magnetic track 2m with end cap & cover
25-34-00



● No. TR005-3-Black

Mounted magnetic track 3m with end cap & cover
25-53-00



● No. TC019-Black

Connector "L" shape.
Needed 2pcs clips.
25-07-50



● No. TC020-Black

Internal connector
(between ceiling and wall).
Needed 2pcs clips
25-07-50



● No. TC016-Black

Clip connector
25-01-50



● No. TC021-Black

Wire rops for hanging rails 2 meters long set of 2 pcs
25-05-20

MAGNETIC 48volt

Accessories



● No. TD001-Black


Power Supply

100W
48V driver
25-40-00


● No. TD002-Black

Power Supply

200W
48V driver
25-63-50



25cm



30 cm





● No. TC017-Black

Soft connector
adapter
25-07-00





● No. TC018-Black

Strong connector
adapter
25-08-00





● No. TC038-Black

Connector for magnetic
track 48Volt to power
25-06-00



External driver



No. TD006

48Volt driver
300W
25-57-00

No. TD007

48Volt driver
400W
25-73-00

No. TD008

48Volt driver
200W
25-41-70

No. TD009

48Volt driver
100W
25-34-50



MAGNETIC 48volt

Accessories

-Με τη λειτουργία **Group Control** μπορούμε να έχουμε έλεγχο των προϊόντων που τροφοδοτούνται απο τον **Tuya driver**. Ο έλεγχος που μας δίνεται μέσω της εφαρμογής **Tuya app** και του **Group Controller** είναι ως προς την απόχρωση και την ένταση φωτισμού του συνόλου των προϊόντων που τροφοδοτούνται απο το κάθε driver. Για τη σωστή λειτουργία του driver , πρέπει πρώτα να γίνει η σύνδεσή του μέσω της εφαρμογής απο κινητή συσκευή και έπειτα μπορεί να λειτουργήσει και μέσω του controller

-With the **Group Control** function we can control the products powered by the **Tuya driver**. The control that is given to us through the **Tuya app** and the **Group Controller** is for color temperature and dimming of all products powered by each driver. For the driver to function properly, it must first be connected via the mobile device application and then it can also operate via the controller.



● No. TD005-Black

Power Supply

200W
48V driver
25-61-00

30 cm

Powered by
tuya
used for
group control





● No. TMC001

Group Controller

25-12-80

Powered by
tuya
used for
group control



**MAGNETIC
UTRA THIN**


MAGNETIC ULTRA THIN 48volt





adjustable





● No. TMU0160-Black
○ No. TMU0160-White


Power	20W
Lumen	1500Lm
Temp.	3CCT
Beam angle	24°
Dimension	45x2,6x4,8cm
	25-32-00





adjustable






● No. TMU0170-Black
○ No. TMU0170-White

Power	20W
Lumen	1400Lm
Temp.	3CCT
Beam angle	150°
Dimension	62x2,6x4,8cm
	25-32-00

MAGNETIC ULTRA THIN 48volt









● No. TMU0020-Black

○ No. TMU0020-White

Power	15W
Lumen	1125Lm
Temp.	3CCT
Beam angle	24°
Dimension	33,8x2,6x2,4cm
	25-25-00









● No. TMU0030-Black

○ No. TMU0030-White

Power	25W
Lumen	1880Lm
Temp.	3CCT
Beam angle	24°
Dimension	55,5x2,6x2,4cm
	25-36-00



MAGNETIC ULTRA THIN 48volt





● No. TMU0040-Black
○ No. TMU0040-White

Power	7W
Lumen	470Lm
Temp.	3CCT
Beam angle	150°
Dimension	23x2,6x2,4cm 25-15-50






● No. TMU0050-Black
○ No. TMU0050-White

Power	10W
Lumen	660Lm
Temp.	3CCT
Beam angle	150°
Dimension	31,5x2,6x2,4cm 25-17-00



MAGNETIC ULTRA THIN 48volt



48volt
MAGNETIC
ULTRA
THIN

bridge
LED

3CCT
by switch

● No. TMU0060-Black

○ No. TMU0060-White

61.5 cm

25.4 mm

Power

Lumen

Temp.

Beam angle

Dimension

20W


1330Lm

3CCT

150°

61,5x2,6x2,4cm

25-25-50



48volt
MAGNETIC
ULTRA
THIN

bridge
LED

3CCT
by switch

● No. TMU0070-Black

○ No. TMU0070-White

91.5 cm

25.4 mm

Power

Lumen

Temp.

Beam angle

Dimension

30W

1980Lm

3CCT


150°

91,5x2,6x2,4cm

25-35-00




MAGNETIC ULTRA THIN 48volt





● No. TMU0180-Black
○ No. TMU0180-White

Power	24W
Lumen	1600Lm
Temp.	3CCT
Beam angle	120°
Dimension	30x2,6x2,4cm 25-36-00









● No. TMU0190-Black
○ No. TMU0190-White

Power	24W
Lumen	1600Lm
Temp.	3CCT
Beam angle	120°
Dimension	30x2,6x2,4cm 25-36-00



MAGNETIC ULTRA THIN 48volt





● No. TMU0080-Black
○ No. TMU0080-White


Power	6W
Lumen	510Lm
Temp.	3CCT
Beam angle	24°
Dimension	8x7,5cm
	25-24-00





● No. TMU0090-Black
○ No. TMU0090-White

Power	6W
Lumen	510Lm
Temp.	3CCT
Beam angle	24°
Dimension	12,2x2,6x5,5cm
	25-19-00





● No. TMU0150-Black
○ No. TMU0150-White

Power	6W
Lumen	510Lm
Temp.	3CCT
Beam angle	180°
Dimension	10x10cm
	25-38-00

MAGNETIC ULTRA THIN 48volt





15.2 cm
5 cm
8.5 cm

● No. TMU0100-Black

○ No. TMU0100-White

Power	7W
Lumen	600Lm
Temp.	3CCT
Beam angle	24°
Dimension	5x15,2x9,5cm
	25-17-00







16.9 cm
5 cm
10 cm


● No. TMU0110-Black

○ No. TMU0110-White

Power	9W
Lumen	770Lm
Temp.	3CCT
Beam angle	24°
Dimension	5x10x16,9cm
	25-21-00







21.3 cm
7 cm
11.5 cm

● No. TMU0120-Black

○ No. TMU0120-White


Power	30W
Lumen	2550Lm
Temp.	3CCT
Beam angle	24°
Dimension	7x11,5x21,3cm
	25-38-00





MAGNETIC ULTRA THIN 48volt





● No. TMU0130-Black

○ No. TMU0130-White

Power	9W
Lumen	760Lm
Temp.	3CCT
Beam angle	24°
Dimension	4,4x16cm
	25-21-00







● No. TMU0140-Black

○ No. TMU0140-White

Power	2*9W
Lumen	1530Lm
Temp.	3CCT
Beam angle	24°
Dimension	4,4x16cm
	25-35-00



MAGNETIC ULTRA THIN 48volt



MAGNETIC ULTRA THIN 48volt




MAGNETIC ULTRA THIN 48volt




MAGNETIC ULTRA THIN 48volt



MAGNETIC ULTRA THIN 48volt



Soft




50 cm



● No. T04501-Black

Power	8W
Lumen	560Lm
Temp.	3000K
Beam angle	360°
Dimension	50cm
	25-47-00





2.5cm
8.7cm
30cm



● No. T04101-Black

Power	10W
Lumens	700Lm
Temp.	3000K
Beam angle	180°
Dimension	30x8,7cm
	25-23-50





2.5cm
8.7cm
80 cm



● No. T04201-Black



Power	20W
Lumens	1440Lm
Temp.	3000K
Beam angle	180°
Dimension	80x8,7cm
	25-31-00

MAGNETIC ULTRA THIN

Powered by



MAGNETIC ULTRA THIN 48volt






Powered by



● No. TMZ0020-Black
○ No. TMZ0020-White

Power	10W
Lumen	660Lm
Temp.	3000-6000K
Beam angle	150°
Dimension	31,5x2,6x2,4cm
	25-35-00






Powered by



● No. TUS06205-Black
○ No. TUS06205-White

Power	20W
Lumens	1600Lm
Temp.	3000K-6000K
Beam angle	150°
Dimension	61,5x2,4cm
	25-52-50






Powered by



● No. TMZ0030-Black
○ No. TMZ0030-White

Power	30W
Lumen	1900Lm
Temp.	3000-6000K
Beam angle	150°
Dimension	91,5x2,6x2,4cm
	25-55-00

MAGNETIC ULTRA THIN 48volt






Powered by



● No. T04605-Black
○ No. T04605-White



Power	12W
Lumens	960Lm
Temp.	3000K-6000K
Beam angle	24°
Dimension	23x2,4cm
	25-39-00






Powered by



● No. TMZ0010-Black
○ No. TMZ0010-White




Power	25W
Lumen	1880Lm
Temp.	3000-6000K
Beam angle	24°
Dimension	55,5x2,6x2,4cm
	25-50-00



MAGNETIC ULTRA THIN 48volt





● No. T05305-Black

○ No. T05305-White

Power	6W
Lumens	420Lm
Dimension	3000K-6000K
Temp.	180°
Beam angle	10x10cm
Material	Aluminum & plastic
	25-54-00

48volt

MAGNETIC

ULTRA


THIN

Powered by

tuya

zigbee





● No. TMZ0050-Black

○ No. TMZ0050-White

Power	6W
Lumen	420Lm
Temp.	3000-6000K
Beam angle	180°
Dimension	10x10cm
	25-56-00

48volt

MAGNETIC

ULTRA


THIN

Powered by

tuya

zigbee





● No. TMZ0060-Black

○ No. TMZ0060-White

Power	6W
Lumen	480Lm
Temp.	3000-6000K
Beam angle	24°
Dimension	3x30cm
	25-42-00

48volt

MAGNETIC

ULTRA


THIN

Powered by

tuya

zigbee


MAGNETIC ULTRA THIN 48volt





● No. T04805-Black
○ No. T04805-White

Power	12W
Lumens	960Lm
Temp.	3000K-6000K
Beam angle	24°
Dimension	23x8cm
	25-56-00





● No. T04905-Black
○ No. T04905-White

Power	5W
Lumens	350Lm
Temp.	3000K-6000K
Beam angle	150°
Dimension	12,2x8cm
	25-48-00



MAGNETIC ULTRA THIN 48volt





Powered by



● No. T05105-Black
○ No. T05105-White

Power

Lumen

Temp.

Beam angle

9W

720Lm

3000-6000K

24°

4,4x16cm

25-40-00





Powered by



● No. T05205-Black
○ No. T05205-White

Power

Lumens

Temperature

Beam angle

Dimension

2*9W

1440Lm

3000K-6000K

24°

4,4x16cm

25-83-00





Powered by



● No. T05005-Black
○ No. T05005-White

Power

Lumens

Temp.

Beam angle

Dimension

5W

480Lm

3000K-6000K

24°

12,2x5,5cm

25-53-00

MAGNETIC ULTRA THIN 48volt






Powered by



● No. T05405-Black

Power	20W
Lumens	1440Lm
Temp.	3000K-6000K
Beam angle	180°
Material	60x8,7cm
	25-53-00





Powered by



● No. TMZ0040-Black
○ No. TMZ0040-White


Power	6W
Lumen	510Lm
Temp.	3000-6000K
Beam angle	24°
Dimension	8x7,5cm
	25-39-00



MAGNETIC ULTRA THIN 48volt



TG001 SMART is the control center of ZigBee device or Bluetooth device. Users can add ZigBee devices or Bluetooth devices to design and implement home.




Download smart life or tuya app on IOS or Android device.
Make sure the mobile device is connected to a Wifi network within the coverage of.

Το TG001 Smart gateway αποτελεί κέντρο ελέγχου για Zigbee ή Bluetooth συσκευές. Οι χρήστες μπορούν να προσθέσουν συσκευές Zigbee ή Bluetooth σχεδιάζοντας, δημιουργώντας και προγραμματίζοντας ένα έξυπνο σπίτι.



Κατεβάστε την εφαρμογή smart life ή tuya σε ios ή Android συσκευή.
Βεβαιωθείτε ότι η mobile συσκευή σας είναι συνδεδεμένη στο Wifi δίκτυο στο οποίο θα συνδέσετε και το TG001 Smart Gateway. Φροντίστε το TG001 Smart Gateway να βρίσκεται εντός της ακτίνας κάλυψης του Wifi δικτύου.



Find the corresponding gateway in the gateway central control page, such as wireless Module gateway.

Open the “my home” page of Smart life app, and click on the top right corner of the page Add button “+” to add your wifi network.

Then press your wifi network to operate with.

Βρείτε την αντίστοιχη πύλη στην κεντρική σελίδα ελέγχου πύλης.
Ανοίξτε το “my home” εικονίδιο από την εφαρμογή Smart life, και πατήστε πάνω δεξιά στη σελίδα το κουμπί “+” για να το προσθέσετε το δίκτυο σας.



No. TG001

Description	Smart Gateway
Power input	DC 5V1A
Working temperature	-10°C -55°C
Working humidity	Wifi ZigBee Bluetooth
Product size	72mm*70mm*28mm
	25-48-00

Controller



-Το κοντρόλ λειτουργεί και χωρίς το zigbee gateway.
Μπορούν να δημιουργηθούν έως και πέντε ομάδες φωτιστικών
-Controller can be used also without zigbee gateway.
Up to five groups of luminaires can be created

● No. TMC002

Zigbee controller
Για χρήση και controller και εφαρμογής απαιτείται να γίνει συντονισμός και του controller στην εφαρμογή.
Με παρατεταμένο πάτημα του ON/OFF αναβασβήνει το λαμπάκι και μπαίνει σε λειτουργία αναγνώρισης (από την εφαρμογή)
To use both Controller and application, require coordination of the controller in the app. With a long press of “ON/OFF” the light flashes and it enters recognition mode (from the application).

25-14-50

MAGNETIC ULTRA THIN 48volt

Mounted track and accessories



● No. TR007-Black
○ No. TR007-White


ultra thin magnetic
surface mounted
track 1M with cover
25-08-50

● No. TR008-Black
○ No. TR008-White

ultra thin magnetic
surface mounted
track 2M with cover
25-16-40


● No. TR007-3-Black
○ No. TR007-3-White

ultra thin magnetic
surface mounted
track 3M with cover
25-24-60



● No. TB001-Black
○ No. TB001-White

Ultra thin surface
mounted wire
storage box
25-03-90



● No. TC023-Black
○ No. TC023-White

adjustable
connector
25-06-60



● No. TC022-Black
○ No. TC022-White



90 degree
vertical connector
25-04-40

Recessed track and accessories




MAGNETIC ULTRA THIN 48volt

Used for recessed track



MAGNETIC ULTRA THIN 48volt

On track use



- No. TD003-Black
- No. TD003-White

48 volt driver
100W
25-35-40

- No. TD004-Black
- No. TD004-White

48 volt driver
200W
25-45-50



External driver



- No. TD006

48Volt driver
300W
25-57-00

- No. TD007


48Volt driver
400W
25-73-00

- No. TD008

48Volt driver
200W
25-41-70


- No. TD009

48Volt driver
100W
25-34-50



- No. TC033-Black
- No. TC033-White

Module to connect
external driver to track
25-02-50



MAGNETIC MINI

MAGNETIC MINI 48volt

CRI
>90

OSRAM



● No. TMM0041-Black

Power	6W
Lumens	450Lm
Temperature	3000K
Beam angle	120°
Dimension	30x1,6cm 25-15-20

1,6 cm

30 cm

● No. TMM0051-Black

Power	12W
Lumens	900Lm
Temperature	3000K
Beam angle	120°
Dimension	60x1,6cm 25-30-50

1,6 cm

60 cm

● No. TMM0061-Black

Power	18W
Lumens	1350Lm
Temperature	3000K
Beam angle	120°
Dimension	90x1,6cm 25-49-00

1,6 cm

90 cm



MAGNETIC MINI 48volt

CRI >90

OSRAM

No. TMM0011-Black

Power6W

Lumens510Lm

Temperature3000K

Beam angle24°

Dimension30x1,6cm

25-25-00

No. TMM0021-Black

Power12W

Lumens1020Lm

Temperature3000K

Beam angle24°

Dimension60x1,6cm

25-50-20

No. TMM0031-Black

Power18W

Lumens1530Lm

Temperature3000K

Beam angle24°

Dimension90x1,6cm

25-68-90



MAGNETIC MINI 48volt




CRI
>90

OSRAM

● No. TMM0081-Black

Power	6W
Lumens	510Lm
Temperature	3000K
Beam angle	24°
Dimension	10,3x8,5cm
	25-27-00






CRI
>90

OSRAM

● No. TMM0091-Black

Power	12W
Lumens	1020Lm
Temperature	3000K
Beam angle	24°
Dimension	20,3x8,3cm
	25-40-50





CRI
>90

OSRAM


● No. TMM0071-Black

Power	7W
Lumens	630Lm
Temperature	3000K
Beam angle	24°
Dimension	3,5x8,7cm
	25-21-00






MAGNETIC MINI 48volt



MAGNETIC MINI 48volt


Surface track and accessories



● **No. TRM0010-Black**
Surface 2m mini
magnetic track
with cover & caps
25-26-00



● **No. TCM001-Black**
Surface 90° Horizontal
connector needed 2 joint
connectors
25-04-50




● **No. TCM002-Black**
Surface 90° Vertical
Connector needed
2 joint connectors
25-05-00



● **No. TCM008-Black**
Joint connector for
magnetic mini track
1 pcs
25-01-70

MAGNETIC MINI 48volt

Recessed track and accessories



● No. TRM0020-Black
Recessed 2m mini
magnetic track
with cover & caps
25-28-00



● No. TCM003-Black
Recessed 90° Hor-
izontal connector
needed 2 joint
connectors
25-04-50



● No. TCM004-Black
Recessed 90°
Vertical Connector
needed 2 joint
connectors
25-05-00



● No. TCM008-Black
Joint connector for
magnetic mini track
1 pcs
25-01-70

MAGNETIC MINI 48volt

Pendant track



● No. TRM0030-Black

Pendant mini magnetic track 2m with caps.
Light Up-down
25-35-00



No. TCM009

Hanging wire 2,5m long. Set of two
25-08-00



● No. TCM007-Black

Flexible power module
25-10-00



● No. TCM008-Black

Joint connector for magnetic mini track
1 pcs
25-01-70



MAGNETIC MINI 48volt



● **No. TDM001-Black**
Driver 150W 48Volt
25-30-00

External driver



● **No. TD006**
48Volt driver
300W
25-57-00

● **No. TD007**
48Volt driver
400W
25-73-00

● **No. TD008**
48Volt driver
200W
25-41-70

● **No. TD009**
48Volt driver
100W
25-34-50



● **No. TCM006-Black**
Input power module
25-05-00




● **No. TCM007-Black**
Flexible power
module
25-10-00



● **No. TCM005-Black**
Straight power
module
25-06-50





3PHASE
4WIRES



● No. T3-06400-Black

Power	30W
Lumens	2400Lm
Temperature	3CCT adjustable
Beam angle	10-60°
Dimension	15,7x6,8cm
	25-48-00



● No. T3-06500-Black


Power	30W
Lumens	2400Lm
Temperature	3CCT adjustable
Beam angle	24°
Dimension	10,3x13,6cm
	25-39-90



● No. T3-06600-Black

Power	30W
Lumens	2550Lm
Temperature	3CCT adjustable
Beam angle	36°
Dimension	13,5x7cm
	25-30-50








● No. T01001-Black

Power	10W
Lumens	850Lm
Temperature	3000K
Dimension	10x10,5cm
	25-23-00



● No. T01002-Black


Power	10W
Lumens	850Lm
Temperature	4000K
Dimension	10x10,5cm
	25-23-00

3PHASE - 4WIRES




● No. T01100-Black

Bulb Dimension	1xGU10
	5,4x30cm 25-23-00




● No. T01200-Black

Bulb Dimension	1xGU10
	6,6x21cm 25-14-00



3PHASE - 4WIRES



- No. TR003-Black
1m track with power feed and end cap
25-12-00
- No. TR004-Black
2m track with power feed and end cap
25-24-00



- No. TC039R-Black
Right power source
25-02-80
- No. TC039L-Black
Left power source
25-02-80



- No. TC040-Black
End cup
25-00-40



- No. TC011L-Black
Connector left corner
25-04-80
- No. TC011R-Black
Connector right corner
25-04-80



- No. TC009-Black
Connector straight
25-02-50




- No. TC010-Black
Connector straight
25-04-80



- No. TC012-Black
Connector flex corner
25-10-50

3PHASE - 4WIRES



● No. TC013-Black
Connector shape
"T"
25-09-00



● No. TC3-028-Black
Connector corner
25-12-00




● No. TC3-034-Black
3 Phase / 4 Wires
Track adaptor
25-04-70



● No. TC014-Black
Wire ropes for
hanging rails 2m
long set 2 pcs
25-10-00



● No. TC015-Black
Base for track
lights used for
T3-06500, T3-06600,
T01100, T01200,
T01001, T01002
25-10-00



1PHASE



1 PHASE

EPISTAR



- No. T1-06002-Black
- No. T1-06002-White



Power	40W
Lumens	2800Lm
Temperature	4000K
Beam	120°
Dimension	60x3,3cm
	25-35-00





3.3cm
47.5cm

● No. T02701-Black
○ No. T02701-White

Power	35W
Lumens	2100Lm
Temperature	3000K
Beam	120°
Dimension	47,5x3,3cm 25-22-00

● No. T02702-Black
○ No. T02702-White

Power	35W
Lumens	2100Lm
Temperature	4000K
Beam	120°
Dimension	47,5x3,3cm 25-22-00





3.3cm
34.7cm

● No. T02601-Black
○ No. T02601-White

Power	20W
Lumens	1200Lm
Temperature	3000K
Beam	120°
Dimension	34,7x3,3cm 25-15-00

● No. T02602-Black
○ No. T02602-White

Power	20W
Lumens	1200Lm
Temperature	4000K
Beam	120°
Dimension	34,7x3,3cm 25-15-00





● No. T1-05400-Black

○ No. T1-05400-White

Power	10W
Lumens	850Lm
Temperature	3CCT adjustable
Beam Angle	36°
Dimension	7x17cm
	25-18-00





● No. T1-05500-Black

○ No. T1-05500-White

Power	20W
Lumens	1700Lm
Temperature	3CCT adjustable
Beam Angle	36°
Dimension	6x11,5cm
	25-23-00





● No. T1-05600-Black

○ No. T1-05600-White

Power	30W
Lumens	2550Lm
Temperature	3CCT adjustable
Beam Angle	36°
Dimension	7x13,5
	25-27-80



● No. T1-06300-Black
○ No. T1-06300-White

Power	20W
Lumens	1600Lm
Temperature	3CCT adjustable
Beam angle	10-60°
Dimension	5,8x15,2cm 25-46-50



● No. T1-05700-Black
○ No. T1-05700-White

Power	10W
Lumens	850Lm
Temperature	3CCT adjustable
Beam Angle	36°
Dimension	5,6x7cm 25-15-50



● No. T1-05800-Black
○ No. T1-05800-White

Power	20W
Lumens	1800Lm
Temperature	3CCT adjustable
Beam Angle	36°
Dimension	20,1x8,5x4,7cm 25-49-80

1 PHASE





● No. T00700-Black
○ No. T00700-White

Bulb Dimension	1xGU10
	8x14cm
	25-08-50





● No. T00600-Black
○ No. T00600-White

Bulb Dimension	1xGU10
	8x14cm
	25-08-50





● No. T1-05900-Black
○ No. T1-05900-White


Bulb Material Dimension	GU10
	Aluminum
	6x9,7cm
	25-08-50



1 PHASE







● No. TR1-0011-Black

○ No. TR1-0011-White

Suerface track 1M

25-06-50

● No. TR1-0012-Black

○ No. TR1-0012-White

Suerface track 2M

25-12-60


● No. TR1-0013-Black

○ No. TR1-0013-White

Suerface track 3M

25-18-50






● No. TC1-035-Black

○ No. TC1-035-White

One Phase/2 wiresStaight connectorfor track rail

25-02-50






● No. TC1-027-Black

○ No. TC1-027-White

1 phase / 2 wires mini straight connector for track rail

25-01-80







● No. TC1-029-Black

○ No. TC1-029-White

1 phase / 2 wires "L" connector


25-01-90

1 PHASE



● No. TC1-030-Black
○ No. TC1-030-White

1 phase / 2 wires
"T" connector
25-02-90



● No. TC1-031-Black
○ No. TC1-031-White

1 phase / 2 wires
"+" connector for track rail
25-03-90



● No. TC1-034

Track rail
Suspension wire 2m
25-05-00




● No. TC1-032-Black
○ No. TC1-032-White

1 phase / 2 wires
track adaptor
25-01-00




● No. TC1-033-Black
○ No. TC1-033-White

Surface round base.
Used for TC1-033,
T1-05400, T1-05500,
T1-05600, T1-05700,
T1-05900, T1-00600,
T1-00700
25-01-50



● No. TC008-Black
○ No. TC008-White

Base for track lights.
Used for all spotlights
25-03-60



Skyline Light




Packing View




● No. 43057-Black


Power 9,6W/meter
Lumen 110Lm/Watt
Dimmable By controller/Step Dimmable
Temp. 3000K
Dimension 4 meters long
25-81-60



● No. 43058-Black


Power 9,6W/meter
Lumen 110Lm/Watt
Dimmable By controller/Step Dimmable
Temp. 3000K
Dimension 10 meters long
25-193-00






Linear Lights

LED
-Γραμμικό φωτιστικό από αλουμίνιο. Υπάρχει δυνατότητα τοποθέτησης ως κρεμαστό φωτιστικό ή φωτιστικό οροφής. Περιλαμβάνονται εξαρτήματα κρέμασης. Το κάθε προϊόν περιλαμβάνει έναν ευθεία συνδεσμο στο εσωτερικό του. Για ένωση με άλλο φωτιστικό ή γωνία
-Linear Led aluminum light. Can be installed as a pendant lamp or ceiling light. Included hanging accessories. Each item included one straight connector
1IP20 | 3CCT | Non Dimmable



● No. 6072-180-Black ○ No. 6072-180-White		● No. 6072-150-Black ○ No. 6072-150-White		● No. 6072-120-Black ○ No. 6072-120-White		● No. 6072-90-Black ○ No. 6072-90-White		
Power	60W	Power	50W	Power	40W	Power	30W	
Lumen	6600Lm	Lumen	5500Lm	Lumen	4400Lm	Lumen	3300Lm	
Temp.	3CCT	Temp.	3CCT	Temp.	3CCT	Temp.	3CCT	
Material	aluminum	Material	aluminum	Material	aluminum	Material	aluminum	
Dimension	180cm	Dimension	150cm	Dimension	120cm	Dimension	90cm	
	25-155-00		25-130-00		25-100-00		25-95-00	



● No. L001-Black

○ No. L001-White

Connector straight
for linear light

25-06-50




● No. L006-Black

○ No. L006-White

Connector L shape
for linear light

25-06-50



Power

Temp.

Dimension

Description

Material

10W

3CCT

L shape connector

aluminum

25-80-00

3CCT

by switch



● No. L003-180-Black

○ No. L003-180-White

Linear recessed frame for
linear 180cm

25-59-70

● No. L003-120-Black

○ No. L003-120-White

Linear recessed frame for
linear 120cm


25-43-00

● No. L003-90-Black

○ No. L003-90-White

Linear recessed frame for
linear 90cm

25-36-00





No. L005

Accessory to install linear
light on the wall

25-10-00



LED
-Κυκλικό φωτιστικό.Υπάρχει δυνατότητα τοποθέτισης ως κρεμαστό φωτιστικό ή φωτιστικό οροφής.Περιλαμβάνονται εξαρτήματα κρέμασης.
-Round led light.Can be installed as a pendant or ceiling light.Included hanging accessories.
IP20 | 3CCT | Non Dimmable



● No. 6073-60-Black

○ No. 6073-60-White

Power

Lumen

Temp.

Material

Dimension

68W

5450Lm

3CCT

metal & acrylic

60x9cm

25-124-50

3CCT

By switch

9cm

60cm

● No. 6073-80-Black

○ No. 6073-80-White

Power

Lumen

Temp.

Material

Dimension

88W

7000Lm

3CCT

metal & acrylic

80x9cm

25-177-00

3CCT

By switch

9cm

80cm

Downlight



CRI
>90

No. X00170WB

Power	5W
Lumens	400Lm
Temperature	3CCT
Beam angle	25°
Material	Aluminum
Dimension	4,3x8,7cm
	25-23-10

4.3cm

8.7cm



No. X00170B

Power	5W
Lumens	400Lm
Temperature	3CCT
Beam angle	25°
Material	Aluminum
Dimension	4,3x8,7cm
	25-23-10

Cutout size:3,5cm



CRI
>90

No. X00180WB

Power	10W
Lumens	800Lm
Temperature	3CCT
Beam angle	25°
Material	Aluminum
Dimension	8,5x10,2cm
	25-28-50

8.5cm

10.2cm




No. X00180B

Power	10W
Lumens	800Lm
Temperature	3CCT
Beam angle	25°
Material	Aluminum
Dimension	8,5x10,2cm
	25-28-50

Cutout size:7,8cm

Downlight



CRI
>90

○ No. X00190W

Power	3*3W
Lumens	720Lm
Temperature	3CCT
Beam angle	15°
Material	Aluminum
Dimension	3,2x6,2x3,9cm
	25-19-00

● No. X00190B

Power	3*3W
Lumens	720Lm
Temperature	3CCT
Beam angle	15°
Material	Aluminum
Dimension	3,2x6,2x3,9cm
	25-19-00



CRI
>90

○ No. X00200W

Power	3*6W
Lumens	1440Lm
Temperature	3CCT
Beam angle	15°
Material	Aluminum
Dimension	3,2x10,8x3,9cm
	25-28-00

● No. X00200B

Power	3x6W
Lumens	1440Lm
Temperature	3CCT
Beam angle	15°
Material	Aluminum
Dimension	3,2x10,8x3,9cm
	25-28-00



CRI
>90

○ No. X00210W

Power	3*12W
Lumens	2880Lm
Temperature	3CCT
Beam angle	15°
Material	Aluminum
Dimension	3,2x20,5x3,9cm
	25-47-00


● No. X00210B

Power	3x12W
Lumens	2880Lm
Temperature	3CCT
Beam angle	15°
Material	Aluminum
Dimension	3,2x20,5x3,9cm
	25-47-00

Downlight

Trimless

CRI
>90



○ No. X00220W

Power	5W
Lumens	400Lm
Temperature	3CCT
Beam angle	15°
Material	Aluminum
Dimension	6,5x7,5cm
	25-16-00



● No. X00220B

Power	5W
Lumens	400Lm
Temperature	3CCT
Beam angle	15°
Material	Aluminum
Dimension	6,5x7,5cm
	25-16-00

CRI
>90



○ No. X00230W

Power	7W
Lumens	560Lm
Temperature	3CCT
Beam angle	24°
Material	Aluminum
Dimension	8,1x6,5cm
	25-25-50



● No. X00230B

Power	7W
Lumens	560Lm
Temperature	3CCT
Beam angle	24°
Material	Aluminum
Dimension	8,1x6,5cm
	25-25-50



Downlight



CRI
>90

○ No. X00240W

Power	7W
Lumens	560Lm
Temperature	3CCT
Beam angle	24°
Material	Aluminum
Dimension	7x7,7cm
	25-15-00



Cutout size:6,5cm

● No. X00240B

Power	7W
Lumens	560Lm
Temperature	3CCT
Beam angle	24°
Material	Aluminum
Dimension	7x7,7cm
	25-15-00



CRI
>90

○ No. X00250W

Power	10W
Lumens	800Lm
Temperature	3CCT
Beam angle	24°
Material	Aluminum
Dimension	9,3x9,45cm
	25-19-30



Cutout size:8,5cm

● No. X00250B

Power	10W
Lumens	800Lm
Temperature	3CCT
Beam angle	24°
Material	Aluminum
Dimension	9,3x9,45cm
	25-19-30

Downlight Mounted



11.7cm
11.7cm
5.5cm

CRI
>90

○ No. X00260W

Power

Lumens

Temperature

Beam angle

Material

Dimension

8W

640Lm

3CCT

24°

Aluminum

11,7x11,7x5,5cm

25-18-00

● No. X00260B

Power

Lumens

Temperature

Beam angle

Material

Dimension

8W

640Lm

3CCT

24°

Aluminum

1,7x11,7x5,5cm

25-18-00



22.6cm
11.7cm
5.5cm

CRI
>90

○ No. X00270W

Power

Lumens

Temperature

Beam angle

Material

Dimension

2*8W

1280Lm

3CCT

24°

Aluminum

11,7x22,6x5,5cm

25-36-00

● No. X00270B

Power

Lumens

Temperature

Beam angle

Material

Dimension

2*8W

1280Lm

3CCT

24°

Aluminum

11,7x22,6x5,5cm

25-36-00

Downlight Mounted



CRI
>90

○ No. X00280W

Power	3*8W
Lumens	1920Lm
Temperature	3CCT
Beam angle	24°
Material	Aluminum
Dimension	11,7x32,8x5,5cm
	25-55-50

● No. X00280B

Power	3*8W
Lumens	1920Lm
Temperature	3CCT
Beam angle	24°
Material	Aluminum
Dimension	11,7x32,8x5,5cm
	25-55-50



CRI
>90

○ No. X00290W

Power	4*8W
Lumens	2560Lm
Temperature	3CCT
Beam angle	24°
Material	Aluminum
Dimension	22,6x22,6x5,5cm
	25-73-00

● No. X00290B

Power	4*8W
Lumens	2560Lm
Temperature	3CCT
Beam angle	24°
Material	Aluminum
Dimension	22,6x22,6x5,5cm
	25-73-00

Downlight



○ No. X00310W


Bulb	GU10
Material	Aluminum & plastic
Dimension	9cm 25-02-20

● No. X00310B

Bulb	GU10
Material	Aluminum & plastic
Dimension	9cm 25-02-20

● No. X00310WB

Bulb	GU10
Material	Aluminum & plastic
Dimension	9cm 25-02-20






○ No. X00300W

Bulb	GU10
Material	Aluminum
Dimension	10cm 25-05-90

● No. X00300B

Bulb	GU10
Material	Aluminum
Dimension	10cm 25-05-90




Downlight



○ No. X00320W

Bulb	GU10
Material	Aluminum & plastic
Dimension	9,3cm 25-02-90



9,3cm

adjustable

Cutout size:7,5cm

● No. X00320B

Bulb	GU10
Material	Aluminum & plastic
Dimension	9,3cm 25-02-90


○ No. X00320WB

Bulb	GU10
Material	Aluminum & plastic
Dimension	9,3cm 25-02-90



○ No. X00330W

Bulb	GU10
Material	Aluminum & plastic
Dimension	9,3x17,3cm 25-05-90



15cm

9,3cm

adjustable


Cutout size:7,5x15cm

● No. X00330B

Bulb	GU10
Material	Aluminum & plastic
Dimension	9,3x17,3cm 25-05-90

● No. X00330WB

Bulb	GU10
Material	Aluminum & plastic
Dimension	9,3x17,3cm 25-05-90



Downlight



No. 43278-Nickel Matte

No. 43278-Gold

No. 43278-Brass

No. 43278-White

No. 43278-Black

No. 43278-Chrome

Bulb

Material

Dimension

1xGU10

Metal

9x9cm

25-03-00

IP20

9cm

adjustable

Cut size 70x70mm

Downlight



No. 43285

Bulb	1xGU10
Material	metal
Dimension	9,5x9,5cm 25-03-50

IP20

9,5cm

adjustable

Cut size 70mm



● No. 43277-Nickel satin
● No. 43277-Gold
● No. 43277-Brass
● No. 43277-White
● No. 43277-Black
● No. 43277-Chrome

Bulb	1xGU10
Material	Metal
Dimension	9x9cm 25-03-00

IP20

9cm

adjustable

Cut size 70mm



Downlight





○ No. 42025-White

Bulb

Material

Dimension

GU10

Metal

7,8x10cm

25-14-80

● No. 42025-Black

Bulb

Material

Dimension

GU10

Metal

7,8x10cm

25-14-80

IP20





○ No. 42026-White

Bulb

Material

Dimension

GU10

Metal

7,8x10cm

25-16-80

● No. 42026-Black

Bulb

Material

Dimension

GU10

Metal

7,8x10cm


25-16-80

IP20

120



Downlight



○ No. X00340W


Bulb	GU10
Material	Aluminum
Dimension	8,5cm
	25-03-90



6cm

● No. X00340B

Bulb	GU10
Material	Aluminum
Dimension	8,5cm
	25-03-90



Cutout size:7cm

IP20



○ No. X0010-White

Bulb	GU10
Material	Metal
Dimension	8cm
	25-05-80




adjustable

8cm

● No. X0010-Black

Bulb	GU10
Material	Metal
Dimension	8cm
	25-05-80



Cutout size:7cm

IP20



Downlight



○ No. X00350W

Bulb	GU10
Material	Aluminum & glass
Dimension	8,4cm
	25-04-90



8.5cm

● No. X00350B

Bulb	GU10
Material	Aluminum & glass
Dimension	8,4cm
	25-04-90



Cutout size:6cm

IP44

122



Downlight



IP44

○ No. X0009-White

Bulb

Material

Dimension

GU10

Aluminum & glass

8x8cm

25-08-50

● No. X0009-Black

Bulb

Material

Dimension

GU10

Aluminum & glass

8x8cm

25-08-50

○ No. X0009-Chrome

Bulb

Material

Dimension

GU10

Aluminum & glass

8x8cm

25-08-50

8cm

Cutout size:7cm



IP44

○ No. X0008-White

Bulb

Material

Dimension

GU10

Aluminum & glass

8cm

25-07-90

● No. X0008-Black

Bulb

Material

Dimension

GU10

Aluminum & glass

8cm

25-07-90

○ No. X0008-Chrome

Bulb

Material

Dimension

GU10

Aluminum & glass

8cm

25-07-90

8cm

Cutout size:7cm



ACOUSTIC LIGHT



● No. 4059

Bulb	1xE27
Material	Acoustic
Dimension	50x12cm
	25-89-00

2m
12cm
50cm



● No. 4060

Bulb	1xE27
Material	Acoustic
Dimension	43x25cm
	25-55-00

2m
25cm
43cm



ACOUSTIC LIGHT



● No. 4061

Bulb1xE27

MaterialAcoustic

Dimension50x30cm

25-75-00

2m

30cm

50cm



-Κρεμαστό φωτιστικό οροφής από fiberglass
-Pendant light made of fiberglass

IP20 | E27

● No. 4053-D		● No. 4053-C		● No. 4053-B		● No. 4053-A	
Bulb	1xE27	Bulb	1xE27	Bulb	1xE27	Bulb	1xE27
Material	Fiberglass	Material	Fiberglass	Material	Fiberglass	Material	Fiberglass
Dimension	30cm	Dimension	40cm	Dimension	50cm	Dimension	60cm
	25-80-00		25-125-80		25-177-70		25-260-40
							



-Κρεμαστό φωτιστικό οροφής από fiberglass
-Pendant light made of fiberglass
IP20 | E27


● No. 4067-D		● No. 4067-C		● No. 4067-B		● No. 4067-A	
Bulb	1xE27	Bulb	1xE27	Bulb	1xE27	Bulb	1xE27
Material	Fiberglass	Material	Fiberglass	Material	Fiberglass	Material	Fiberglass
Dimension	30cm	Dimension	40cm	Dimension	50cm	Dimension	60cm
	25-80-00		25-125-80		25-177-70		25-260-40
							

-Κρεμαστό φωτιστικό οροφής από fiberglass
-Pendant light made of fiberglass
IP20 | E27



● No. 4054

Bulb	1xE27
Material	Fiberglass
Dimension	38x55cm
	25-190-00





Plaster



○ No. X0011

Bulb	1xGU10
Material	Plaster
Dimension	8x8x5cm
	25-03-80

Cutout size:8,3x8,3cm



○ No. X0012

Bulb	2xGU10
Material	Plaster
Dimension	15x8x5cm
	25-06-80

Cutout size:15,3x8,3cm



○ No. X0013

Bulb	3xGU10
Material	Plaster
Dimension	22x8x5cm
	25-09-90

Cutout size:22,3x8,3cm



Plaster



○ No. X0002

Bulb	1xGU10
Material	Plaster
Dimension	13x4,4cm 25-05-40

13cm
4,4cm

Cutout size:13cm



○ No. X0006

Bulb	1xGU10
Material	Plaster
Dimension	10x3cm 25-03-40

10cm
3cm


Cutout size:10,3cm

Plaster



○ No. X0014

Bulb	1xGU10
Material	Plaster
Dimension	12x12x5cm 25-05-80




Cutout size:12,3x12,3cm




○ No. X0015

Bulb	2xGU10
Material	Plaster
Dimension	21x12x5cm 25-11-30




Cutout size:22,8x12,3cm



○ No. X0016

Bulb	3xGU10
Material	Plaster
Dimension	31x12x5cm 25-16-70




Cutout size:33,3x12,3cm

Plaster



○ No. X0001

Bulb	1xGU10
Material	Plaster
Dimension	12x12cm 25-05-40




Cutout size:12,3x12,3cm



○ No. X0007

Bulb	2xGU10
Material	Plaster
Dimension	21,5x12cm 25-11-30




Cutout size:21,8x12,1cm




○ No. X0005

Bulb	1xGU10
Material	Plaster
Dimension	12x12cm 25-03-40




Cutout size:10,3x10,3cm

Plaster




○ No. 43049-A

Bulb	2xE14
Material	Plaster
Dimension	45x9x7cm
	25-43-00




○ No. 43049-B

Bulb	2xE14
Material	Plaster
Dimension	36x9x7cm
	25-35-40




○ No. 43049-C

Bulb	1xE14
Material	Plaster
Dimension	22x9x7cm
	25-22-80



Plaster



○ No. 43052

Power	8W
Lumens	800Lm
Temp.	3000K
Material	Plaster
Dimension	25x4,5cm
	25-56-50

25cm

Plaster



○ No. 43345


Bulb
Material
Dimension

1xE14
Plaster
30x12cm
distance from the wall 11cm
25-26-00

30cm

12cm

18cm



○ No. 43050

Bulb
Material
Dimension

1xE14
Plaster
31x15x9,5cm
25-33-00

31cm

9,5cm



○ No. 43415

Bulb
Material
Dimension

1xG9
Plaster
20x12cm
distance from the wall 10cm
25-24-00

20cm

12cm

8,5cm

Plaster



○ No. 43375

Bulb
Material
Dimension

1xE14
Plaster
20x11cm

distance from the wall 10cm
25-31-00



○ No. 43032

Bulb
Material
Dimension

1xE14
Plaster
27,5x12,5cm


25-26-50

Plaster




○ No. 43343

Bulb	1xE14
Material	Plaster
Dimension	23x18x9,5cm 25-30-00



○ No. 43390

Bulb	1xE14
Material	Plaster
Dimension	28x9,5cm distance from the wall 10cm 25-31-00



Plaster



○No. 43389

Bulb

Material

Dimension

2xE14

Plaster

52x13cm

distance from the wall 10cm

25-43-00

52cm

13cm



○No. 43388

Bulb

Material

Dimension

1xE14

Plaster

29x19cm

distance from the wall 10cm

25-33-00

29cm

19cm

Plaster




○ No. 43033

Bulb	2xGU10
Material	Plaster
Dimension	7,5x16cm
	25-23-00



○ No. 43414

Bulb	1xG9
Material	Plaster
Dimension	11,5x11,5cm
	25-18-00



Plaster



○ No. 43404

Bulb

Material

Dimension

2xGU10


Plaster

10x25cm

25-25-80

25cm

10cm



○ No. 43051

Bulb

Material

Dimension

1xG9

Plaster

10x6x16cm

25-20-50

16cm

10cm



○ No. 43053

Bulb

Material

Dimension

1xE14

Plaster

21,5x11,5x28,5cm

25-27-00

28,5cm


21,5cm

Plaster



○ No. 43054

Bulb	1xE14
Material	Plaster
Dimension	35x9x7cm 25-34-00



○ No. 43055

Bulb	2xGU10
Material	Plaster
Dimension	22x16x6cm 25-27-50





Plaster



○ No. 4064

Bulb 1xGU10
Material Plaster
Dimension 30x7,5cm
25-36-80



○ No. 4062

Bulb 1xE27
Material Plaster
Dimension 15x22cm
25-49-00






Plaster

○ No. 4063

Bulb	1xE27
Material	Plaster
Dimension	60x24cm
	25-162-50






Plaster

○ No. 4065

Bulb	1xE27
Material	Plaster
Dimension	30x18,5cm 25-63-40






Plaster


○ No. 4471

Bulb 1xE27
Material Plaster
Dimension 16x28cm
25-43-70



○ No. 4472

Bulb 1xE27
Material Plaster
Dimension 15x28cm
25-46-00




Plaster




○ No. 42155-A

Bulb	4xE27
Material	Plaster
Dimension	10x50cm 25-79-00



○ No. 42155-B


Bulb	3xE27
Material	Plaster
Dimension	10x40cm 25-62-90





○ No. 43421

Bulb	1xG9
Material	Plaster
Dimension	13x15cm 25-22-00



○ No. 43374

Bulb	2xE14
Material	Plaster
Dimension	12x32cm 25-39-50





LED
-Κρεμαστό φωτιστικό από μαύρο μέταλλο
-Pendant ceiling light made of black metal
IP20 | 3000K | Non Dimmable

● No. 4066-Black

Power

Lumen

Temp.

Material

Dimension

4W

400Lm

3000K

metal

9x200cm

25-27-50

9 cm

15 cm

200 cm

50 cm

15 cm

3.2 cm

9 cm

15 cm

200 cm

50 cm

15 cm


3.2 cm

148

LED
-Κρεμαστό φωτιστικό από μαύρο μέταλλο
-Pendant ceiling light made of black metal
IP20 | 3000K | Non Dimmable

● No. 4066-7-Black

Power	7*4W
Lumen	2800Lm
Temp.	3000K
Material	metal
Dimension	40x200cm
	25-150-50





LED
-Κρεμαστό φωτιστικό από μαύρο μέταλλο
-Pendant ceiling light made of black metal
IP20 | 3000K | Non Dimmable



● **No. 4066-10-Black**

Power	10*4W
Lumen	4000Lm
Temp.	3000K
Material	metal
Dimension	75x200cm
	25-225-50

Technical drawing of the light fixture showing dimensions: 75 cm width, 4 cm height, 200 cm length, 50 cm rod length, 3.2 cm rod diameter, and 1 cm gap between rods.






LED
-Φωτιστικό οροφής από μέταλλο και ακρυλικό
-Ceiling light made with metal and acrylic
IP20 | 3CCT by switch | Non Dimmable

● No. 6109

Power	90W
Lumen	9900Lm
Temp.	3CCT
Material	Metal & acrylic
Dimension	80x80cm 25-220-00






LED
-Φωτιστικό οροφής από μέταλλο και ακρυλικό
-Ceiling light made with metal and acrylic
IP20 | 3CCT by switch | Non Dimmable

● No. 6108

Power	100W
Lumen	11000Lm
Temp.	3CCT
Material	Metal & acrylic
Dimension	120x80cm
	25-230-00





LED
-Φωτιστικό οροφής από μέταλλο και ακρυλικό
-Ceiling light made with metal and acrylic
IP20 | 3CCT by switch | Non Dimmable

● No. 6112

Power	72W & 3*3W
Lumen	8000Lm
Temp.	3CCT
Material	Aluminum & acrylic
Dimension	64x64cm
	25-195-00

64cm
64cm
3CCT
by switch



LED
 -Φωτιστικό οροφής από μέταλλο και ακρυλικό
 -Ceiling light made with metal and acrylic
IP20 | 3CCT by switch | Non Dimmable

● No. 6110



Power	35W
Lumen	3500Lm
Temp.	3CCT
Material	Metal & acrylic
Dimension	50x50cm
	25-130-00

LED
-Κρεμαστό φωτιστικό οροφής από αλουμίνιο και ακρυλικό
-Pendant light made of aluminum and acrylic
IP20 | 3CCT by switch on base | 3 Step Dimmable




- No. 6095-B-Black
- No. 6095-B-Silver
- No. 6095-B-Golden

Power	50W
Lumen	5500Lm
Temp.	3CCT
Dimmable	3step Dimmable
Material	aluminum & acrylic
Dimension	80cm
	25-142-00





LED
-Κρεμαστό φωτιστικό οροφής από αλουμίνιο και ακρυλικό
-Pendant light made of aluminum and acrylic
IP20 | 3CCT by switch on base | 3 Step Dimmable



● No. 6095-AA-Black

● No. 6095-AA-Silver

● No. 6095-AA-Golden

Power

Lumen

Temp.

Dimmable

Material

Dimension

45W

4500Lm

3CCT

No

aluminum & acrylic

100cm

25-210-00

100 cm

3CCT
by switch

2 Ways of installations
included in the box

Option 1

Option 2

● No. 6095-AB-Black

● No. 6095-AB-Silver

● No. 6095-AB-Golden

Power

Lumen

Temp.

Dimmable

Material

Dimension

36W

3600Lm

3CCT

No

aluminum & acrylic

80cm

25-160-00

80 cm

3CCT
by switch

2 Ways of installations
included in the box

Option 1

Option 2





LED
-Κρεμαστό φωτιστικό οροφής από αλουμίνιο και ακρυλικό
-Pendant light made of aluminum and acrylic
IP20 | 3CCT by switch on base | 3 Step Dimmable



3CCT

by switch

3 Step Dimmable

● No. 6095-C-Black

● No. 6095-C-Silver

● No. 6095-C-Golden

Power

Lumen

Temp.

Dimmable

Material

Dimension

30W

3100Lm

3CCT

3step Dimmable

aluminum & acrylic

60cm

25-75-00

60 cm

2 Ways of installations
included in the box

Option 1

Option 2

160



LED
-Κρεμαστό φωτιστικό οροφής από αλουμίνιο και ακρυλικό
-Pendant light made of aluminum and acrylic
IP20 | 3CCT by switch on base | 3 Step Dimmable



3CCT
by switch

3 Step Dimmable

● No. 6095-A-Black

● No. 6095-A-Silver

● No. 6095-A-Golden

Power

Lumen

Temp.

Dimmable

Material

Dimension

60W

6600Lm

3CCT

3step Dimmable

aluminum & acrylic

60cm

25-176-00

80 cm

60 cm

40 cm

2 Ways of installations
included in the box

Option 1

Option 2

161



LED
-Φωτιστικό οροφής από αλουμίνιο και ακρυλικό
-Ceiling light made of aluminum and acrylic
IP20 | 3CCT by switch on base | 3 Step Dimmable





● No. 6094-B-Black

● No. 6094-B-Silver

● No. 6094-B-Golden

Power

Lumen

Temp.

Dimmable

Material

Dimension

40W

4000Lm

3CCT

3step Dimmable

aluminum & acrylic


70cm

25-145-00

23 cm

45 cm

35 cm



162



LED
-Φωτιστικό οροφής από αλουμίνιο και ακρυλικό
-Ceiling light made of aluminum and acrylic
IP20 | 3CCT by switch on base | 3 Step Dimmable

No. 6094-A-Black

No. 6094-A-Silver

No. 6094-A-Golden

Power

60W

Lumen

6000Lm

Temp.

3CCT

Dimmable

3step Dimmable

Material

aluminum & acrylic

Dimension

95cm

25-205-00

60 cm

45 cm

35 cm

95 cm

163



LED
 -Κρεμαστό φωτιστικό από μαύρο μέταλλο
 -Pendant ceiling light made of black metal
IP20 | 3CCT by switch in base | 3 Step Dimmable



● No. 6107-Black

Power	50W
Lumen	5500 Lm
Temp.	3CCT
Dimmable	3 step dimmable
Material	metal
Dimension	60cm
	24-140-00





LED
-Κρεμαστό φωτιστικό οροφής από αλουμίνιο και ακρυλικό
-Pendant light made of aluminum and acrylic
IP20 | 3CCT by switch on base | 3 Step Dimmable

3CCT
by switch

3 Step Dimmable

● No. 6097-Black

Power54W

Lumen5900Lm

Temp.3CCT

Dimmable3step Dimmable

Materialaluminum & acrylic

Dimension60cm
25-120-00

25 cm



60 cm

165

LED
-Κρεμαστό φωτιστικό οροφής από αλουμίνιο και ακρυλικό
-Pendant light made of aluminum and acrylic
IP20 | 3CCT by switch on base | 3 Step Dimmable



3CCT

by switch

3 Step Dimmable

● No. 6105-Black

Power70W

Lumen7700Lm

Temp.3CCT

Dimmable3step Dimmable

Materialaluminum & acrylic

Dimension60cm

25-175-00



60 cm

166



LED
-Φωτιστικά οροφής από μαύρο αλουμίνιο και ακρυλικό
-Lighting fixtures in black aluminum and acrylic
IP20 | 3CCT by switch on base | 3 Step Dimmable

● No. 6085-Black

Power	40W
Lumen	3600Lm
Temp.	3CCT
Material	metal
Dimension	120cm 25-135-00

3CCT
by switch

3 Step Dimmable

150cm

120cm

167



LED
-Φωτιστικά οροφής από μαύρο αλουμίνιο και ακρυλικό
-Lighting fixtures in black aluminum and acrylic
IP20 | 3CCT by switch on base | 3 Step Dimmable

● No. 6083-Black

Power40W

Lumen3600Lm

Temp.3CCT

Materialaluminum and acrylic

Dimension120cm
25-135-00

3CCT
by switch

3 Step Dimmable

120cm

150cm

168




LED
-Φωτιστικά οροφής από μαύρο αλουμίνιο και ακρυλικό
-Lighting fixtures in black aluminum and acrylic
IP20 | 3CCT by switch on base | 3 Step Dimmable




● No. 6084-Black

Power	40W
Lumen	3600Lm
Temperature	3CCT
Material	aluminum and acrylic
Dimension	120cm 25-130-00





LED
-Κρεμαστά φωτιστικά
-Pendant lights
IP20 | 3CCT by switch on base | Non Dimmable



● No. 6075-Black

○ No. 6075-White

Power

Lumen

Temp.

Material

Dimension

40W

3600Lm

3CCT

aluminum and acrylic

120cm

25-123-00

3CCT

By switch

3 Step Dimmable

150cm

120cm

LED
-Κρεμαστά φωτιστικά κυκλικά
-Round pendant light
IP20 | 3CCT by switch on base | Non Dimmable



● No. 6076-Black

○ No. 6076-White

Power

Lumen

Temp.

Material

Dimension

40W

3600Lm

3CCT

aluminum and acrylic

60cm

25-140-00

3CCT

By switch

3 Step Dimmable

150cm

60cm



IP20
-Φωτιστικά οροφής από μαύρο αλουμίνιο και ακρυλικό
-Lighting fixtures in black aluminum and acrylic
IP20 | 3CCT by switch on base | 3 Step Dimmable

3CCT

by switch

3 Step Dimmable

● No. 6080-Black

Power

Lumen

Temp.

Material

Dimension

40W

4000Lm

3CCT

aluminum and acrylic

38cm

25-125-00

150cm

28cm

38cm




LED
-Φωτιστικό οροφής από αλουμίνιο και ακρυλικό
-Ceiling light made of aluminum and acrylic
IP20 | 3CCT by switch on base | Non Dimmable




● No. 6111-A

Power	100W
Lumen	11000Lm
Temp.	3CCT
Material	Aluminum & acrylic
Dimension	95x95cm
	25-230-00



● No. 6111-B

Power	46W
Lumen	5060Lm
Temp.	3CCT
Material	Aluminum & acrylic
Dimension	60x60cm
	25-150-00





LED
-Φωτιστικά από αλουμίνιο και ακρυλικό κάλυμμα
-Lighting fixtures in aluminum and acrylic
IP20 | Non Dimmable



● No. 43034-Black

Power	16W
Lumen	1600Lm
Temp.	3000K
Material	aluminum and acrylic
Dimension	25x25cm
	25-54-00

25cm

22cm

6cm

25cm

● No. 6158-Black

Power	40W
Lumen	4000Lm
Temp.	3CCT
Material	aluminum and acrylic
Dimension	40x100cm
	25-155-50

100 cm

40 cm

3CCT

By switch

3 Step Dimmable

LED
-Φωτιστικά από αλουμίνιο και ακρυλικό κάλυμμα
-Lighting fixtures in aluminum and acrylic
IP20 | 3000K | Non Dimmable

● No. 45022-Black

Power	30W
Lumen	3300Lm
Temp.	3000K
Material	aluminum and acrylic
Dimension	22x150cm
	25-136-00

20cm

150cm

10cm

22cm

● No. 3020-Black

Power	16W
Lumen	1800Lm
Temp.	3000K
Material	aluminum and acrylic
Dimension	14,5x40cm
	25-64-00

13,5cm

40cm

8cm

14,5cm





LED
-Επιδαπέδιο φωτιστικό από αλουμίνιο και ακρυλικό
-Floor lamp of aluminum and acrylic
IP20 | 3CCT by switch | Non Dimmable

● No. 45025-Black

● No. 45025-Golden

● No. 45025-Chrome

Power

Lumen

Temp.

Dimmable

Material

Dimension

20W

2000Lm

3CCT

No

aluminum & acrylic

25x160cm

25-115-00

160cm

25cm



3CCT

by switch

176



LED
-Επιτραπέζιο φωτιστικό από αλουμίνιο και ακρυλικό
-Table lamp of aluminum and acrylic
IP20 | 3CCT by switch | Non Dimmable



● No. 3047-Black

● No. 3047-Golden

● No. 3047-Chrome

Power

Lumen

Temp.

Dimmable

Material

Dimension

10W

1000Lm

3CCT

No

aluminum & acrylic

15x38cm

25-55-00

38cm

15cm

3CCT

by switch

177



LED
-Φωτιστικό οροφής από χρώμιο μέταλλο και κρύσταλλα
-Ceiling lamp in chrome metal and crystal part
IP20 | 4000K | Non Dimmable

No. 6038-Chrome

Power

72W

Lumen

5800Lm

Temperature

4000K

Material

aluminum and crystal

Dimension

80x60cm

25-365-00

απόσταση από το ταβάνι 14cm

60cm

80cm


178



LED
-Φωτιστικό οροφής από χρώμιο μέταλλο και κρύσταλλα
-Ceiling lamp in chrome metal and crystal part
IP20 | 4000K | Non Dimmable


● No. 42013-A

Power	80W
Lumen	6400Lm
Temp.	4000K
Material	aluminum and crystal
Dimension	80x15cm
	25-485-00




● No. 42013-B

Power	48W
Lumen	3450Lm
Temp.	4000K
Material	aluminum and crystal
Dimension	60x15cm
	25-300-50



● No. 42013-C

Power	30W
Lumen	2400Lm
Temp.	4000K
Material	aluminum and crystal
Dimension	40x15cm
	25-180-50





LED
-Κρεμαστά φωτιστικά από χρώμιο μέταλλο και κρύσταλλα
-Pendant lights in chrome metal and crystal part
IP20 | 4000K | Non Dimmable

● **No. 6181-Chrome**

Power	52W
Lumen	5700Lm
Temp.	4000K
Material	aluminum and crystal
Dimension	60cm
	25-225-00

60cm



LED
-Κρεμαστά φωτιστικά από χρώμιο μέταλλο και κρύσταλλα
-Pendant lights in chrome metal and crystal part
IP20 | 4000K | Non Dimmable

● No. 6182-Chrome

Power	52W
Lumen	5700Lm
Temp.	4000K
Material	aluminum and crystal
Dimension	90x120cm 25-225-00

120cm
28cm
90cm
22cm



LED
-Φωτιστικό οροφής από αλουμίνιο και ακρυλικό
-Ceiling light made of aluminum and acrylic
IP20 | 3CCT by switch on base | 3 Step Dimmable



● No. 6091-Chrome

Power

Lumens

Temp.

Dimmable

Material

Dimension

50W

5500Lm

3CCT

3 step dimmable

aluminum & acrylic

60x17cm

25-131-00

3CCT

by switch

3 Step Dimmable

17cm

60cm

183



LED
-Κρεμαστό φωτιστικό από αλουμίνιο και ακρυλικό
-Pendant light made of aluminum and acrylic
IP20 | 3CCT by switch on base | 3 Step Dimmable

3CCT

by switch

3 Step Dimmable

● No. 6092-A-Chrome

Power58W

Lumen5800Lm

Temp.3CCT

Dimmable3step Dimmable

Materialaluminum & acrylic

Dimension60cm

25-180-00

60 cm

3CCT

by switch

3 Step Dimmable

● No. 6092-B-Chrome

Power40W

Lumen4000Lm

Temp.3CCT

Dimmable3step Dimmable

Materialaluminum & acrylic

Dimension45cm

25-135-00


45 cm

LED
-Κρεμαστό φωτιστικό οροφής από αλουμίνιο και ακρυλικό
-Pendant light made of aluminum and acrylic
IP20 | 3CCT by switch on base | 3 Step Dimmable



● **No. 6093–Chrome**

Power	50W
Lumen	5500Lm
Temp.	3CCT
Dimmable	3step Dimmable
Material	aluminum & acrylic
Dimension	120cm
	25-180-00



LED
-Κρεμαστό φωτιστικό οροφής από αλουμίνιο και ακρυλικό
-Pendant light made of aluminum and acrylic
IP20 | 3CCT by switch on base | 3 Step Dimmable





No. 6101-Chrome

Power	40W
Lumen	4400Lm
Temp.	3CCT
Dimmable	3step Dimmable
Material	aluminum & acrylic
Dimension	60cm
	25-155-00




60cm



No. 6102-Chrome

Power	50W
Lumen	5500Lm
Temp.	3CCT
Dimmable	3step Dimmable
Material	aluminum & acrylic
Dimension	60cm
	25-143-00



40cm
60cm



LED
-Κρεμαστό φωτιστικό οροφής από αλουμίνιο και ακρυλικό
-Pendant light made of aluminum and acrylic
IP20 | 3CCT by switch on base | 3 Step Dimmable



3CCT

By switch

3 Step Dimmable

No. 6098-Golden

Power40W

Lumen4400Lm

Temp.3CCT

Dimmable3step Dimmable

Materialaluminum & acrylic

Dimension80cm

25-151-00

188



LED
-Κρεμαστό φωτιστικό οροφής από αλουμίνιο και ακρυλικό
-Pendant light made of aluminum and acrylic
IP20 | 3CCT by switch on base | 3 Step Dimmable



No. 6100–Golden

Power	40W
Lumen	4400Lm
Temp.	3CCT
Dimmable	3step Dimmable
Material	aluminum & acrylic
Dimension	60cm
	25–131–00




60cm





No. 6102–Golden

Power	50W
Lumen	5500Lm
Temp.	3CCT
Dimmable	3step Dimmable
Material	aluminum & acrylic
Dimension	60cm
	25–120–50



40cm
60cm

LED
-Φωτιστικά από αλουμίνιο και ακρυλικό κάλυμμα
-Lighting fixtures in aluminum and acrylic
IP20 | 3CCT by switch on base | 3 step Dimmable






●No. 42027-Black

Power	36W
Lumen	3600Lm
Temp.	3CCT
Material	aluminum and acrylic
Dimension	55x18cm 25-92-50

●No. 42028-Golden

●No. 42028-Chrome

Power	36W
Lumen	3600Lm
Temp.	3CCT
Material	aluminum and acrylic
Dimension	55x18cm 25-121-50







LED
-Κρεμαστά φωτιστικά από αλουμίνιο και ακρυλικό
-Pendant lights in aluminum and acrylic
IP20 | 3CCT by switch on base | 3step Dimmable



● No. 6081-Black		● No. 6082-Golden		
● No. 6082-Chrome				
Power	45W	Power	45W	
Lumen	4500Lm	Lumen	4500Lm	
Temp.	3CCT	Temp.	3CCT	
Material	aluminum and acrylic	Material	aluminum and acrylic	
Dimension	60cm	Dimension	25-150-00	
	25-126-00			



LED
-Κρεμαστά φωτιστικά από αλουμίνιο και ακρυλικό
-Pendant lights in aluminum and acrylic part
IP20 | 3CCT by switch on base | 3step Dimmable




● **No. 6150-Black**


Power 56W
Lumen 5600Lm
Temp. 3CCT
Material aluminum and acrylic
Dimension 100cm
25-170-00

● **No. 6151-Golden**
● **No. 6151-Chrome**

Power 56W
Lumen 5600Lm
Temperature 3CCT
Material aluminum and acrylic
Dimension 100cm
25-190-00



LED
-Φωτιστικό από αλουμίνιο και ακρυλικό κάλυμμα
-Lighting fixture in aluminum and acrylic part
IP20 | 3CCT by switch on base | 3step Dimmable



● No. 6052-Black

Power	38W
Lumen	3800Lm
Temp.	3000K
Material	aluminum and acrylic
Dimension	115cm
	25-91-00

3CCT
by switch

3 Step Dimmable

45cm

80cm

80cm

115cm

197



LED
-Φωτιστικό από αλουμίνιο και ακρυλικό κάλυμμα
-Lighting fixture in aluminum and acrylic part
IP20 | 3CCT by switch on base

● No. 6057-Black

Power	16W
Lumen	1600Lm
Temp.	3CCT
Material	aluminum and acrylic
Dimension	20x20cm 25-52-00

7cm
12cm
20cm

3CCT
by switch





LED
-Κρεμαστό φωτιστικό από αλουμίνιο και ακρυλικό
-Pendant light in aluminum and acrylic
IP20 | 3CCT by switch on base | 3step Dimmable



● No. 6058-Black

Power

Lumen

Temp.

Material

Dimension

14W

1400Lm

3CCT

aluminum and acrylic

17x52cm

25-59-00

● No. 6059-Golden

● No. 6059-Chrome

Power

Lumen

Temp.

Material

Dimension

14W

1400Lm

3CCT

aluminum and acrylic

17x52cm

25-68-00

3CCT by switch

3 Step Dimmable

15cm

52cm

17cm

199



LED
-Κρεμαστό φωτιστικό από μέταλλο
-Pendant light in metal
IP20 | 3000K | Non Dimmable



- No. 4018-Black
- No. 4018-White
- No. 4019-Golden

Power	5W
Lumen	450Lm
Temp.	3000K
Material	metal
Dimension	3,5x50cm
	25-40-00





LED
-Επιτοίχιο φωτιστικό από αλουμίνιο
-Wall light made of aluminum
IP20 | 3000K | Non Dimmable

● No. 43061-Black

○ No. 43061-White

● No. 43061-Golden

Power

Lumen

Temperature

Material

Dimension

2*5W

1180Lm

3000K

aluminum

30x6cm


25-34-00

5cm

6cm

30cm





LED
-Επιτοίχια φωτιστικά από μέταλλο
-Wall lamps in metal
IP20 | 3000K | Non Dimmable



● No. 43014-Black		● No. 43015-Golden	
○ No. 43014-White		● No. 43015-Chrome	
Power	7W	Power	7W
Lumen	700Lm	Lumen	700Lm
Temp.	3000K	Temp.	3000K
Material	metal	Material	metal
Dimension	60x6cm	Dimension	60x6cm
	25-42-50		25-50-00

60cm
6cm




LED
-Φωτιστικά από μέταλλο και ακρυλικό
-Lighting fixtures in metal and acrylic
IP20 | 3000K | Dimmable

● No. 6023-Black

○ No. 6023-White

Power	7W
Lumen	700Lm
Temp.	3000K
Material	metal
Dimension	60cm
	25-42-50

60cm



LED
-Φωτιστικά από μαύρο μέταλλο και ακρυλικό
-Lighting fixtures in black metal and acrylic
IP20 | 3000K | Dimmable

No. 45012-Black

Power

Lumen

Temp.

Material

Dimension

24W

2400Lm

3000K

metal

150cm

25-86-00

150cm

No. 3012-Black

Power

Lumen

Temp.

Material

Dimension

7W

700Lm

3000K

metal

46cm

25-75-00

46cm

LED
-Κρεμαστό φωτιστικό από μέταλλο
-Pendant light in metal
IP20 | 3000K | Non Dimmable



● No. 4051-Black

Power	7W
Lumen	650Lm
Temp.	3000K
Material	metal
Dimension	8x60cm 25-47-50

8cm
60cm





LED
-Επιδαπέδιο φωτιστικό από αλουμίνιο και ακρυλικό
-Floor lamp made in aluminum and acrylic
IP20 | 3CCT | 3 Step Dimmable

3CCT

by switch

3 Step Dimmable

●No. 45032-Black

Power

32W

Lumen

3520Lm

Temp.

3CCT

Dimmable

3step Dimmable

Material

metal & acrylic

Dimension

25x153cm

25-150-00

153cm

25cm

3cm

208



LED
-Επιτραπέζιο φωτιστικό από αλουμίνιο και ακρυλικό
-Table lamp made in aluminum and acrylic
IP20 | 3CCT | 3 Step Dimmable



3CCT

by switch

3 Step Dimmable

● No. 3062-Black

Power14W

Lumen1540Lm

Temp.3CCT

Dimmable3step Dimmable

Materialmetal & acrylic

Dimension15x46cm

25-76-00

3cm

15cm

46cm

209



LED
-Επιτραπέζιο φωτιστικό από μέταλο
-Table lamp made in metal
IP20 | 3000K | 3 Step Dimmable

● No. 3063-Black

Power	10W
Lumen	1180Lm
Temp.	3000K
Dimmable	Yes
Material	metal
Dimension	28x45cm 25-82-00

28cm

45cm

3cm


15cm



LED
-Επιδαπέδιο φωτιστικό από μέταλλο
-Floor lamp made in metal
IP20 | 3000K | 3 Step Dimmable

● No. 45033-Black

Power	14W
Lumen	1650Lm
Temp.	3000K
Dimmable	Yes
Material	metal
Dimension	48x142cm 25-175-00




LED
-Κρεμαστά φωτιστικά από μέταλλο και γυαλί
-Pendant lights in metal and glass
IP20 | 3000K




● **No. 4077-1**

Power	10W
Lumen	1100Lm
Temp.	3000K
Material	Glass
Dimension	10x200cm 25-38-00




● **No. 4077R-5-Golden**

Power	5*10W
Lumen	5500Lm
Temp.	3000K
Material	Glass
Dimension	60x200cm 25-160-00



● **No. 4077-5-Golden**

Power	5*10W
Lumen	5500Lm
Temp.	3000K
Material	Glass
Dimension	30x200cm 25-163-00





LED
-Κρεμαστό φωτιστικό από μέταλλο και γυαλί
-Pendant light in metal and glass
IP20 | 3000K

● No. 4077-10-Golden

Power

Lumen

Temp.

Material

Dimension

10*10W

11000Lm

3000K

Glass

30x200cm

25-285-00

30cm

200cm

12cm

10cm



LED
-Φωτιστικά από γυαλί
-Lighting fixtures in glass
IP20 | 3CCT



No. 43060-Black/smoky

Power

Lumen

Temp.

Material

Dimension

12W

1320Lm

3CCT

glass

10x20cm


25-39-00

3CCT

by switch

20cm

10cm



No. 4075-3R-Black/smoky

Power

Lumen

Temp.

Material

Dimension

3x12W

3960Lm

3CCT

glass & metal

70x200cm

25-122-00

3CCT

by switch

70cm

3.5cm

200cm

20cm

10cm

No. 4075-1-Black/smoky

Power

Lumen

Temp.

Material

Dimension

12W

1320Lm

3CCT

glass & metal

20x200cm

25-43-00

3CCT

by switch

8cm

3.5cm

200cm

20cm

10cm



LED
-Φωτιστικά από γυαλί
-Lighting fixtures in glass
IP20 | 3CCT

No. 4075-3-Black/smoky

Power

Lumen

Temp.

Material

Dimension

3x12W

3960Lm

3CCT

glass & metal

35x200cm

25-117-00

35cm

3.5cm

200cm

20cm

10cm

3CCT

3x 12W



LED
-Φωτιστικά από γυαλί
-Lighting fixtures in glass
IP20 | 3000K

No. 4071-Smoky/white

Power

Lumen

Temp.

Material

Dimension

25W

2500Lm

3000K

glass

15x39,5m

25-87-00

170cm

13cm

24cm

15,5cm

39,5cm

15cm




LED

-Κρεμαστό φωτιστικό από γυαλί
-Pendant lighting fixture in glass

IP20 | 3000K

● No. 4078-Smoky

Power	50W
Lumen	5500Lm
Temp.	3000K
Material	Glass
Dimension	80x20cm 25-180-00





Power	12W
Lumen	1644Lm
Temp.	3000K
Material	glass
Dimension	45x11cm
	25-150-00







LED
-Φωτιστικά από γυαλί
-Lighting fixtures in glass
IP20 | 3000K



 **No. 4070-Smoky**

Power

Lumen

Temp.

Material

Dimension

12W

1644Lm

3000K

glass

45x33cm

25-275-00

2m

25cm

35cm

45cm

11cm

11cm

11cm

33cm



LED
-Φωτιστικά από γυαλί και μέταλλο
-Lighting fixtures in glass and metal
IP20 | 3000K

○No. 4072

Power	24W
Lumen	2784Lm
Temp.	3000K
Material	glass & black metal
Dimension	20x50cm
	25-96-00

50cm
10cm
13cm
20cm



LED
-Φωτιστικά από γυαλί και μέταλλο
-Lighting fixtures in glass and metal
IP20 | 3000K

○ No. 3061

Power

Lumen

Temp.

Material

Dimension

24W

2784Lm

3000K

glass & black metal


15x53m

25-100-00

53cm

15cm

LED
-Φωτιστικά από γυαλί και μέταλλο
-Lighting fixtures in glass and metal
IP20 | 3000K




○ No. 4073

Power	28W
Lumen	3408Lm
Temp.	3000K
Material	glass & black metal
Dimension	100x200cm
	25-133-00

14cm
3cm
200cm
100cm




LED
-Φωτιστικά με μεταλλική βάση και υφασμάτινο καπέλο
-Lights with metal base and fabric shade
IP20 | 3000K | Non Dimmable




●No. 45031-Black

Power	28W
Lumen	3200Lm
Temp.	3000K
Material	metal & fabric shade
Dimension	170x45cm
	25-136-00



●No. 3050-Black

Power	24W
Lumen	2780Lm
Temp.	3000K
Material	metal & fabric shade
Dimension	30x40cm
	25-100-00





LED
-Κρεμαστό φωτιστικό με μεταλλική ανάρτηση και υφασμάτινο καπέλο
-Pendant light with metal suspension and fabric shade
IP20 | 3000K | Non Dimmable

●No. 4055-Black

Power	32W
Lumen	3700Lm
Temp.	3000K
Material	metal & fabric shade
Dimension	50cm
	25-95-00

LED
-Επιτοίχιο φωτιστικό από μέταλλο και ακρυλικό
-Wall light made of metal and acrylic
IP20 | 3CCT by switch on base | Non Dimmable



● No. 43056-Black

● No. 43056-Golden

Power	12W
Lumens	1260Lm
Temp.	3CCT
Material	metal & acrylic
Dimension	12x50cm
	25-43-00


50cm

12cm

3CCT

by switch





LED
-Επίτοιχο μεταλλικό φωτιστικό
-Wall Lamp in metal
IP20 | 3CCT by switch in base | Non Dimmable

3CCT

by switch

● No. 43046-Black

Power	10W
Lumen	1100 Lm
Temp.	3CCT
Dimmable	No
Material	metal
Dimension	60cm
	25-31-00




3CCT

by switch

● No. 43048-Black


Power	15W
Lumen	1500 Lm
Temp.	3CCT
Dimmable	No
Material	metal
Dimension	60cmx40cm
	25-53-00







LED
-Επίτοιχο μεταλλικό φωτιστικό
-Wall Lamp in metal
IP20 | 3CCT by switch in base | Non Dimmable



3CCT
by switch

● **No. 43043-Black**

Power	7W & 2*3W
Lumen	1400 Lm
Temp.	3CCT
Dimmable	No
Material	metal
Dimension	60cm 25-30-00

60 cm



LED
-Επίτοιχο μεταλλικό φωτιστικό
-Wall Lamp in metal
IP20 | 3CCT by switch in base | Non Dimmable



● No. 43047-Black

Power	7W & 3W
Lumen	900 Lm
Temp.	3CCT & 3000K
Dimmable	No
Material	metal
Dimension	23x60cm
	25-54-00

23 cm

60 cm




LED
-Επίτοιχο μεταλλικό φωτιστικό
-Wall Lamp in metal
IP20 | 3000K | Non Dimmable



● No. 43042-Black

Power	10W
Lumen	1100 Lm
Temp.	3000K
Dimmable	No
Material	metal
Dimension	60cm
	25-26-00





LED
-Επίτοιχο μεταλλικό φωτιστικό
-Wall Lamp in metal
IP20 | 3CCT by switch in base | Non Dimmable

● No. 43045-Black

Power	7W
Lumen	700 Lm
Dimmable	No
Temp.	3CCT
Material	metal
Dimension	60cm
	25-24-00

60 cm



LED
-Επιτοίχια φωτιστικό από μέταλλο και ακρυλικό
-Wall lights with metal and acrylic frame
IP20 | 3000K | Non Dimmable

● No. 43062

Power	7W
Lumen	770Lm
Temp.	3000K
Material	Metal & acrylic
Dimension	22x14cm
	25-39-00





LED
-Επιτοίχια φωτιστικά με μεταλλικό σκελετό
-Wall lights with a metal frame
IP20 | 3000K | Non Dimmable




Usb Type C

● No. 43041-Black
○ No. 43041-White

Power	3W Led (front) 9W Led (back)
Temperature	3000K
Material	metal
Dimension	8x15cm 25-42-80



LED
-Επιτοίχια μεταλλικά φωτιστικά
-Metal wall lamps
IP20 | 3000K | Non Dimmable



● No.43418-Black

○ No.43418-White

Power	3W (front) 9W (back)
Temp.	3000K
Material	metal
Dimension	13x13cm 25-39-00





LED
-Επιτοίχια μεταλλικά φωτιστικά
-Metal wall lamps
IP20 | 3000K | Non Dimmable



● No.43037-Black

○ No.43037-White

Power

Temp

Material

Dimension

3W

3000K

metal

6x17cm

25-39-00

6cm

17cm

Usb

LED
-Επιτοίχια μεταλλικά φωτιστικά
-Metal wall lamps
IP20 | 3000K | Non Dimmable



● No.43036-Black

○ No.43036-White

Power	A-3W B-6W
Temp.	3000K
Material	metal
Dimension	16x18cm 25-59-00

A

B

16cm

18cm

Usb

LED
-Επιτοίχια μεταλλικά φωτιστικά
-Metal wall lamps
IP20 | 3000K | Non Dimmable



●No.43040-Black

○No.43040-White

Power

Lumens

Temp.

Material

Dimension

3W

250Lm

3000K

metal

7x38cm

25-22-00

38cm

7cm

Usb





LED
-Φωτιστικό οροφής από μέταλλο και ακρυλικό
-Ceiling light made of metal and acrylic
IP20 | 3CCT by switch on base



● No. 42043-Black

○ No. 42043-White

Power

Lumen

Temp.

Material

Dimension

25W

2500Lm

3CCT

Metal & acrylic

61,5x5cm

25-145-00

3CCT

by switch



61,5cm

242

LED
-Φωτιστικό οροφής από μέταλλο και ακρυλικό
-Ceiling light made of metal and acrylic
IP20 | 3CCT by switch on base



● No. 42044-A-Black

○ No. 42044-A-White

Power

Lumen

Temp.

Material

Dimension

38W

3800Lm

3CCT

Metal & acrylic

80x5cm

25-200-00

3CCT

by switch

5cm

80cm

● No. 42044-B-Black

○ No. 42044-B-White

Power

Lumen

Temp.

Material

Dimension

28W

2800Lm

3CCT

Metal & acrylic

60x5cm

25-133-00

3CCT

by switch

5cm

60cm

243

LED
-Φωτιστικό οροφής από μέταλλο και ακρυλικό
-Ceiling light made of metal and acrylic
IP20 | 3CCT by switch on base



●No. 42040-Black

●No. 42040-Gray

○No. 42040-White

Power

Lumen

Temp.

Material

Dimension

36W

3300Lm

3CCT

Metal & acrylic

48x9cm


25-102-00


3CCT

by switch

9cm

48cm







LED
-Φωτιστικό οροφής από μέταλλο και αλουμίνιο
-Ceiling light made of metal and aluminum
IP20 | 3CCT by switch on base | 3 Step Dimmable

3CCT

by switch

3 Step Dimmable

●○ No. 42038-Black/white

Power	38W
Lumen	3600Lm
Temp.	3CCT
Dimmable	3step Dimmable
Material	metal & acrylic
Dimension	50x50cm
	25-115-00

50cm

8cm

50cm

16 Million Colors

RGBCW full color



Dimmable

Stepless adjusted



Color Temperature

2700K- 6500K



Wattage

48W



Voltage

190V-240V ,50/60Hz



APP

Magic Home APP



Wireless Connection

2.4GHz Wi-Fi





No. 42029

Power

Temp.

Material

Dimension

48W

RGBW by tuya app & controller

Plastic

37,5cm

25-86-00



Compatible With
Google Assistant

Compatible With
amazon alexa



16 Million Colors
 RGBCW full color



Dimmable
 Stepless adjusted



Color Temperature
 2700K- 6500K



Wattage
 48W



Voltage
 190V-240V ,50/60Hz



APP
 Magic Home APP




Wireless Connection
 2.4GHz Wi-Fi



● **No. 45023-Black**

Power	24W
Temp.	RGBW by tuya app & controller
Material	Metal & acrylic
Dimension	25x170cm 25-90-00



90° flexible
 angle light



1. Shortpress: On/Off
 2. Longpress: adjust the brightness (1%-100%)



LED
-Φωτιστικό οροφής από πλαστικό. Υπάρχει δυνατότητα τοποθέτησης ως κρεμαστό με τη χρήση των κατάλληλων εξαρτημάτων
-Ceiling light made of plastic. Can be installed as pendant with the use of the right accessories
IP20 | 3CCT by switch on base | Non Dimmable



Rear View



Pendant accessories



- No. AN003-Black
- No. AN003-White

Description | Hanging kit for 42036-E/42036-D/42036-A 25-06-70



- No. AN004-Black
- No. AN004-White

Description | Hanging kit for 42036-C/42036-B 25-06-70


- No. 42036-A-Black
- No. 42036-A-White

Power | 50W
Lumen | 6000Lm
Temp. | 3CCT
Dimension | 60x2,5cm 25-66-50




- No. 42036-B-Black
- No. 42036-B-White

Power | 40W
Lumen | 4800Lm
Temp. | 3CCT
Dimension | 50x2,5cm 25-49-50




- No. 42036-C-Black
- No. 42036-C-White

Power | 32W
Lumen | 3840Lm
Temp. | 3CCT
Dimension | 40x2,5cm 25-33-50




- No. 42036-D-Black
- No. 42036-D-White

Power | 24W
Lumen | 2880Lm
Temp. | 3CCT
Dimension | 30x2,5cm 25-23-50



- No. 42036-E-Black
- No. 42036-E-White

Power | 18W
Lumen | 2160Lm
Temp. | 3CCT
Dimension | 23x2,5cm 25-18-50







LED
-Φωτιστικό οροφής από μέταλλο και ακρυλικό
-Ceiling lights in metal and acrylic
IP20 | 3CCT & dimmable by controller | Tuya App



Powered by





● No. 42033-Black

● No. 42033-Gray

○ No. 42033-White

Power

Lumen

Temperature

Material

Dimension

36W

3600Lm

3CCT

metal & acrylic

52x9cm

25-125-80



LED
-Φωτιστικό οροφής από μέταλλο και ακρυλικό
-Ceiling lights in metal and acrylic
IP20 | 3CCT & dimmable by controller | Tuya App



Powered by

3CCT
& Dimmable
by controller

● No. 42030-Black

○ No. 42030-White

Power	40W
Lumen	4000Lm
Temp.	3CCT
Material	metal & acrylic
Dimension	45x8cm
	25-120-00

45cm8cm

Powered by

3CCT
& Dimmable
by controller

● No. 42031-Golden



Power	40W
Lumen	4000Lm
Temp.	3CCT
Material	metal & acrylic
Dimension	45x8cm
	25-130-00

45cm8cm




LED
-Φωτιστικό led από μέταλλο και ακρυλικό
-Lighting fixtures in metal and acrylic
IP20 | 3CCT & dimmable by controller | Tuya App




● No. 42024-A-Golden <table><tr><td>Power</td><td>36W</td></tr><tr><td>Lumen</td><td>3600Lm</td></tr><tr><td>Temp.</td><td>3CCT</td></tr><tr><td>Material</td><td>metal & acrylic</td></tr><tr><td>Dimension</td><td>60x8cm 25-182-00</td></tr></table>	Power	36W	Lumen	3600Lm	Temp.	3CCT	Material	metal & acrylic	Dimension	60x8cm 25-182-00	● No. 42023-A-Black ○ No. 42023-A-White <table><tr><td>Power</td><td>36W</td></tr><tr><td>Lumen</td><td>3600Lm</td></tr><tr><td>Temp.</td><td>3CCT</td></tr><tr><td>Material</td><td>metal & acrylic</td></tr><tr><td>Dimension</td><td>60x8cm 25-168-00</td></tr></table>	Power	36W	Lumen	3600Lm	Temp.	3CCT	Material	metal & acrylic	Dimension	60x8cm 25-168-00	Powered by tuya 3CCT & Dimmable by controller 
Power	36W																					
Lumen	3600Lm																					
Temp.	3CCT																					
Material	metal & acrylic																					
Dimension	60x8cm 25-182-00																					
Power	36W																					
Lumen	3600Lm																					
Temp.	3CCT																					
Material	metal & acrylic																					
Dimension	60x8cm 25-168-00																					
● No. 42024-B-Golden <table><tr><td>Power</td><td>24W</td></tr><tr><td>Lumen</td><td>2400Lm</td></tr><tr><td>Temp.</td><td>3CCT</td></tr><tr><td>Material</td><td>metal & acrylic</td></tr><tr><td>Dimension</td><td>40x8cm 25-130-00</td></tr></table>	Power	24W	Lumen	2400Lm	Temp.	3CCT	Material	metal & acrylic	Dimension	40x8cm 25-130-00	● No. 42023-B-Black ○ No. 42023-B-White <table><tr><td>Power</td><td>24W</td></tr><tr><td>Lumen</td><td>2400Lm</td></tr><tr><td>Temp.</td><td>3CCT</td></tr><tr><td>Material</td><td>metal & acrylic</td></tr><tr><td>Dimension</td><td>40x8cm 25-123-00</td></tr></table>	Power	24W	Lumen	2400Lm	Temp.	3CCT	Material	metal & acrylic	Dimension	40x8cm 25-123-00	Powered by tuya 3CCT & Dimmable by controller 
Power	24W																					
Lumen	2400Lm																					
Temp.	3CCT																					
Material	metal & acrylic																					
Dimension	40x8cm 25-130-00																					
Power	24W																					
Lumen	2400Lm																					
Temp.	3CCT																					
Material	metal & acrylic																					
Dimension	40x8cm 25-123-00																					

LED
-Φωτιστικό led από μέταλλο και ακρυλικό
-Lighting fixtures in metal and acrylic
IP20 | 3CCT & dimmable by controller | Tuya App



● No. 42021-A-Golden		● No. 42020-A-Black ○ No. 42020-A-White		Powered by  3CCT & Dimmable by controller 
Power	360W	Power	36W	
Lumen	3600Lm	Lumen	3600Lm	
Temp.	3CCT	Temp.	3CCT	
Material	metal & acrylic	Material	metal & acrylic	
Dimension	60x8cm 25-165-00	Dimension	60x8cm 25-150-00	

● No. 42021-B-Golden		● No. 42021-B-Black ○ No. 42021-B-White		Powered by  3CCT & Dimmable by controller 
Power	24W	Power	24W	
Lumen	2400Lm	Lumen	2400Lm	
Temp.	3CCT	Temp.	3CCT	
Material	metal & acrylic	Material	metal & acrylic	
Dimension	40x8cm 25-116-00	Dimension	40x8cm 25-105-00	

LED
-Φωτιστικό οροφής από μέταλλο και ακρυλικό
-Metal and acrylic ceiling light
IP20 | 3CCT by switch on base | Non Dimmable



3CCT
by switch

● No. 42035-D-Black

● No. 42035-D-Gray

○ No. 42035-D-White

Power

Lumen

Temp.

Material

Dimension

20W

2000Lm

3CCT

metal & acrylic

30x5cm

25-31-50

5cm

30cm



3CCT
by switch

● No. 42035-C-Black

● No. 42035-C-Gray

○ No. 42035-C-White

Power

Lumen

Temp.

Material

Dimension

28W

2800Lm

3CCT

metal & acrylic

40x5cm

25-44-80

5cm

40cm



3CCT
by switch

● No. 42035-B-Black

● No. 42035-B-Gray

○ No. 42035-B-White

Power

Lumen

Temperature

Material

Dimension

36W

3600Lm

3CCT

metal & acrylic

60x5cm

25-96-00

5cm

60cm

3CCT
by switch

● No. 42035-A-Black

● No. 42035-A-Gray

○ No. 42035-A-White

Power

Lumen

Temperature

Material

Dimension

50W

5000Lm

3CCT

metal & acrylic

80x5cm

25-152-00

5cm

80cm

LED
-Φωτιστικό οροφής από μέταλλο και ακρυλικό
-Ceiling lights in metal and acrylic
IP20 | 3CCT by switch on base | Non Dimmable



● No. 42034-Black

● No. 42034-Gray

○ No. 42034-White

Power

Lumen

Temp.

Material

Dimension

32W

3200Lm

3CCT

metal & acrylic

50x50cm

25-67-80

3CCT

by switch

50cm

50cm



LED
-Φωτιστικό οροφής ακρυλικό
-Acrylic ceiling light
IP20 | 3CCT by switch on base | Non Dimmable

● No. 42179-A-Black

Power

Lumen

Temp.

Material

Dimension

36W

2900Lm

3CCT

acrylic

50x8cm

25-63-20

3CCT

by switch

8cm

50cm

● No. 42179-B-Black

Power

Lumen

Temp.

Material

Dimension

27W

2200Lm

3CCT

acrylic

40x8cm

25-48-80

3CCT

by switch

8cm

40cm

260

LED
-Φωτιστικά από μαύρο μέταλλο και ακρυλικό
-Ceiling lights in black metal and acrylic part
IP20 | 3CCT by switch on base | Non Dimmable



3CCT

by switch

● No. 42171-Black

Power	30W
Lumen	3000Lm
Temp.	3CCT
Material	alluminum & acrylic
Dimension	43x43cm
	25-83-00

43cm

43cm

3CCT

by switch

● No. 42172-Black

Power	30W
Lumen	3000Lm
Temp.	3CCT
Material	alluminum & acrylic
Dimension	43cm
	25-83-00

43cm

LED
-Φωτιστικά από ακρυλικό
-Ceiling fixtures on acrylic
IP20 | 3CCT & Dimmable by controller | Tuya App



Powered by
tuya

3CCT
& Dimmable
by controller

● **No. 42016-A**

Power	36W
Lumen	3600Lm
Temp.	3CCT
Material	metal & acrylic
Dimension	50x7cm 25-84-00

50cm

7cm

Powered by
tuya

3CCT
& Dimmable
by controller

● **No. 42016-B**

Power	27W
Lumen	2700Lm
Temp.	3CCT
Material	metal & acrylic
Dimension	40x7cm 25-62-00

40cm

7cm

Powered by
tuya


3CCT
& Dimmable
by controller

● **No. 42016-C**

Power	20W
Lumen	2000Lm
Temp.	3CCT
Material	metal & acrylic
Dimension	32x6,5cm 25-47-00

32cm

7cm






LED
-Φωτιστικό οροφής από σχοινί
-Ceiling light with rope
IP20 | 3CCT by switch on base

No. 42042

Power	25W
Lumen	2500Lm
Temp.	3CCT
Material	rope
Dimension	50x9,5cm 25-125-00





LED
-Κρεμαστό φωτιστικό από σχοινί
-Pendant light with rope
IP20 | 3CCT by switch on base

No. 42041

Power	32W
Lumen	3200Lm
Temp.	3CCT
Material	rope
Dimension	60x8cm
	25-170-00

60cm

8cm

3CCT
by switch



LED
-Φωτιστικό οροφής από σχοινί και ακρυλικό
-Ceiling light with rope and acrylic
IP20 | 3CCT by switch on base



No. 42039-A

Power

Lumen

Temp.

Material

Dimension

45W

3600Lm

3CCT

rope & acrylic

53x10cm

25-77-00

10cm

53cm

No. 42039-B

Power

Lumen

Temp.

Material

Dimension

36W

2880Lm

3CCT

rope & acrylic

43x10cm

25-58-00

10cm

43cm

No. 42039-C

Power

Lumen

Temp.

Material

Dimension

24W

1920Lm

3CCT

rope & acrylic

33x10cm

25-43-00

10cm

33cm



-Κρεμαστό φωτιστικό με πλεγμένα φύλλα
-Pendant light made in braided wheat
IP20 | E27



No. 4076

Bulb

Material

Dimension

1xE27

Braided wheat

20x32cm

25-75-00

max 2m

32cm

20cm

-Κρεμαστό φωτιστικό με πλεγμένα φύλλα
-Pendant light made in braided wheat
IP20 | E27



● No. 4058	
Bulb	1xE27
Material	braided wheat
Dimension	40x25cm 25-87-00






-Κρεμαστά καπέλα από σχοινί
-Pendant rope shades
IP20 | E27



No. 4041-A

Bulb 1xE27
Material Rope
Dimension 60x45cm
25-91-00




No. 4041-B

Bulb 1xE27
Material Rope
Dimension 45x30cm
25-61-00



No. 4041-C

Bulb 1xE27
Material Rope
Dimension 35x20cm
25-52-00





-Κρεμαστά καπέλα από σχοινί
-Pendant rope shades
IP20 | E27

No. 4042	
Bulb	1xE27
Material	Rope
Dimension	40x35cm 25-64-50






-Κρεμαστά καπέλα από σχοινί
-Pendant rope shades
IP20 | E27


No. 4047-A

Bulb	1xE27
Material	Rope
Dimension	40x40cm 25-64-50



No. 4047-B

Bulb	1xE27
Material	Rope
Dimension	25x25cm 25-52-00





-Κρεμαστά καπέλα από σχοινί
-Pendant rope shades
IP20 | E27



No. 4048-A

Bulb

Material


Dimension

1xE27

Rope

50x90cm

25-117-00



No. 4048-B

Bulb

Material


Dimension

1xE27

Rope

35x60cm

25-88-00



No. 4048-C

Bulb

Material

Dimension

1xE27

Rope

20x40cm

25-51-00





-Κρεμαστά καπέλα από σχοινί
-Pendant rope shades

IP20 | E27



No. 4030	
Bulb	1xE27
Material	Rope
Dimension	40x38cm
	25-95-00

max 150cm

38cm

25cm


40cm

-Κρεμαστά καπέλα από σχοινί
-Pendant rope shades
IP20 | E27




No. 4029-A

Bulb	1xE27
Material	Rope
Dimension	70x23cm 25-130-00



No. 4029-B


Bulb	1xE27
Material	Rope
Dimension	45x17cm 25-65-00





-Κρεμαστά καπέλα από σχοινί
-Pendant rope shades
IP20 | E27

No. 4502	
Bulb	1xE27
Material	Rope
Dimension	32x28cm 25-48-00



-Κρεμαστά καπέλα από σχοινί
-Pendant rope shades
IP20 | E27



No. 4504

Bulb1xE27

MaterialRope

Dimension24x29cm25-48-00

max 70cm

29cm

24cm



No. 4503

Bulb1xE27

MaterialRope

Dimension35x24cm25-48-00

max 70cm

24cm

35cm





-Κρεμαστά καπέλα από σχοινί και μαύρο μέταλλο
-Pendant light with rope and metal
IP20 | E27

●No. 4421-Black

Bulb	1xE27
Material	Metal & rope
Dimension	40x27cm 25-45-00



●No. 4382-Black

○No. 4382-White

Bulb

Material

Dimension

1xE27

Metal & rope

36x120cm

25-34-80



●No. 43351-Black

○No. 43351-White

Bulb

Material


Dimension

1xE27

Metal & rope

20x35cm

25-26-90



●No. 3438-Black

○No. 3438-White

Bulb

Material


Dimension

1xE27

Metal & rope

20x40cm

25-51-50





-Φωτιστικά από σχοινί
-Lighting fixtures in rope
IP20 | E27



●No. 4381-1-Black

○No. 4381-1-White

Bulb

Material

Dimension

1xE27

Metal and rope

10x130cm

25-13-00

10cm

max 130cm

Ø3cm

●No. 4381-2-Black

○No. 4381-2-White

Bulb

Material

Dimension

2xE27

Metal and rope

25x160cm

25-39-00

10cm

max 160cm

Ø3cm

●No. 43367-Black

○No. 43367-White

Bulb

Material

Dimension

1xE27

Metal and rope

25x20cm

25-20-90

10cm

10cm

25cm

●No. 3439-Black

○No. 3439-White

Bulb

Material

Dimension

1xE27

Metal and rope

17x46cm

25-46-00

12cm

38cm

17cm


46cm




-Φωτιστικά από σχοινί και bamboo
-Lighting fixtures in rope and bamboo
IP20 | E27



No. 5307-4
Bulb 4xE27
Material Bamboo & rope
Dimension 60x105cm
25-63-00



No. 5307-6
Bulb 6xE27
Material Bamboo & rope
Dimension 90x105cm
25-80-00





●No. 43368-Black
○No. 43368-White

Bulb	1xE27
Material	Metal, rope & fabric shade
Dimension	30x26cm 25-36-70



●No. 3433-Black
○No. 3433-White

Bulb	1xE27
Material	Metal, rope & fabric shade
Dimension	14x50cm 25-51-50



-Φωτιστικά από σχοινί και υφασμάτινο καπέλο
-Lighting fixtures in rope and shade
IP20 | E27



●No. 45364-Black

○No. 45364-White

Bulb

Material

Dimension

1xE27

Metal, rope & fabric shade

27x138cm

25-99-00





-Κρεμαστό φωτιστικό από μέταλο,ξύλο και σχοινί
-Pendant lighting fixture with metal,wood and rope

IP20 | E27

● No. 4025-B-Black

Bulb

Material

Dimension

1xE27

Metal.wood & rope

41x30cm

25-63-00

max 150cm

41cm

30cm


17cm

-Κρεμαστά φωτιστικά από μέταλλο,ξύλο και σχοινί
-Pendant lighting fixtures with metal,wood and rope
IP20 | E27




● No. 4027-B-Black

Bulb	1xE27
Material	Metal.wood & rope
Glass color	35x90cm
Dimension	20x30cm
	25-57-00



● No. 4027-A-Black

Bulb	1xE27
Material	Metal.wood & rope
Glass color	35x90cm
Dimension	35x39cm
	25-82-00





-Φωτιστικά από ξύλο και λεπτομέρειες σχοινιού
-Lighting fixtures in wood and rope details
IP20 | E27

No. 5318-1

Bulb

Material

Dimension

1xE27

wood & rope

10x80cm

25-24-00

max 80cm

10cm

No. 43402

Bulb

Material

Dimension

1xE27

wood & rope

14x26cm

25-45-00

26cm

14cm





No. 5318-5

Bulb

Material

Dimension

5xE27

wood & rope

90x80cm

25-90-00

-Φωτιστικά από ξύλο και λεπτομέρειες σχοινού
-Lighting fixtures in wood and rope details
IP20 | E27

No. 5318-3

Bulb

Material

Dimension

3xE27

wood & rope

90x80cm

25-70-00




-Φωτιστικά από μαύρο μέταλλο και λεπτομέρειες ξύλου
-Lighting fixtures in black metal wood details
IP20 | E27




●No. 4388

Bulb 1xE27
Material Metal & wood
Dimension 25x28cm
25-42-00



●No. 4389

Bulb 1xE27
Material Metal & wood
Dimension 40x30cm
25-42-00



-Φωτιστικά από μαύρο μέταλλο και λεπτομέρειες ξύλου
-Lighting fixtures in black metal wood details
IP20 | E27



●No. 4387-Black

○No. 4387-White

Bulb

Material

Dimension

1xE27

Metal & wood

35x35cm
25-55-20

10cm


max 80cm

35cm

32cm

35cm

-Κρεμαστό φωτιστικό από μέταλλο και ξύλο
-Pendant light in metal and woof part
IP20 | GU10



● No. 4017-Black

○ No. 4017-White

Bulb

Material

Dimension

1xGU10

metal & wood

6x50cm

25-50-50

8cm

50cm

6cm

15cm

-Φωτιστικό από μαύρο και λευκό μέταλλο
-Lighting fixture in black and white metal
IP20 | GU10



● No. 4505-Black

○ No. 4505-White

Bulb

Material

Dimension

1xGU10

metal

6x50cm

25-35-00



-Φωτιστικά από μαύρο και λευκό μέταλλο
-Lighting fixtures in black and white metal
IP20 | E27



●No. 4052-Black

○No. 4052-White

Bulb

Material

Dimension

1xE27

Metal

36x24cm
25-49-00

150cm

36cm

24cm





-Φωτιστικό από μαύρο και λευκό μέταλλο
-Lighting fixtures in black and white metal
IP20 | E27



● No. 4418-Black

○ No. 4418-White

Bulb

Material

Dimension

1xE27

Shade

30x37cm

25-52-00

10cm

100cm

18cm

30cm

37cm

A technical drawing of the pendant light fixture. It shows the fixture hanging from a ceiling. The dimensions are indicated: the chain length is 100cm, the diameter of the chain is 10cm, the diameter of the light cage is 30cm, and the height of the light cage is 37cm. The drawing also shows the light bulb inside the cage.




-Φωτιστικά από μαύρο και λευκό μέταλλο
-Lighting fixtures in black and white metal
IP20 | E27




- No. 4400-2/Rail Black
- No. 4400-2/Rail White

Bulb 2xE27
Material Metal
Dimension 40cm
25-43-60




- No. 4400-Black
- No. 4400-White

Bulb 1xE27
Material Metal
Dimension 26x26cm
25-15-80



- No. 4400-3/Rail Black
- No. 4400-3/Rail White

Bulb 3xE27
Material Metal
Dimension 60cm
25-69-40



-Φωτιστικά από μαύρο και λευκό μέταλλο
-Lighting fixtures in black and white metal
IP20 | E27

● No. 4400-2/Rosette Black

○ No. 4400-2/Rosette White

Bulb

Material

Dimension

2xE27

Metal

20cm

25-43-60



● No. 4400-3/Rosette Black

○ No. 4400-3/Rosette White

Bulb

Material

Dimension

3xE27

Metal

20cm

25-69-40



-Φωτιστικά από μαύρο και λευκό μέταλλο
-Lighting fixtures in black and white metal
IP20 | E27



● No. 4024-3/Rosette Black

○ No. 4024-3/Rosette White

Bulb

Material

Dimension

3xE27

Metal

30x176cm

25-76-00

30cm

max 150cm

26cm

● No. 4024-2/Rosette Black

○ No. 4024-2/Rosette White

Bulb

Material

Dimension

2xE27

Metal

20x176cm

25-46-00

20cm

max 150cm

26cm



● No. 4024-Black

○ No. 4024-White

Bulb

Material

Dimension

1xE27

Metal

26x16cm



25-18-00

max 150cm


26cm

16cm

-Φωτιστικά από μαύρο και λευκό μέταλλο
-Lighting fixtures in black and white metal
IP20 | E27




-Μεταλλικά φωτιστικά
-Metal lamps
IP20 | E27



● No. 45029-Black


Bulb	1xE27
Dimmable	Metal
Material	150x34cm
	25-37-50



● No. 3051-Black

Bulb	1xE27
Material	Metal
Dimension	23x38cm
	25-28-50






-Επιδαπέδιο φωτιστικό με μεταλλική βάση και υφασμάτινο καπέλο
-Floor lamp with metal base and fabric shade
IP20 | E27

● No. 45027-Black

Bulb	1xE27
Material	Metal & fabric shade
Dimension	36x170cm 25-153-50






-Κρεμαστό φωτιστικό με καπέλο από ίνα
-Pendant light with a fiber lampshade
IP20 | E27




● No. 4057-A

Bulb 1xE27
Material Shade
Dimension 60x37cm
25-85-00



● No. 4057-B

Bulb 1xE27
Material Shade
Dimension 45x30cm
25-70-00



● No. 4057-C

Bulb 1xE27
Material Shade
Dimension 25x30cm
25-40-00





● No. 4056-B

Bulb	1xE27
Material	Shade
Dimension	40x17cm
	25-50-00

17 cm

40 cm

-Κρεμαστό φωτιστικό με καπέλο από ίνα
-Pendant light with a fiber lampshade
IP20 | E27



● No. 4056-A

Bulb	1xE27
Material	Shade
Dimension	60x25cm
	25-75-00

25 cm

60 cm



-Επιτραπέζιο φωτιστικό με μεταλλική βάση και υφασμάτινο καπέλο
-Table lamp with metal base and fabric shade
IP20 | E27

No. 3052-Golden

Bulb

Material

Dimension

1xE27

Metal & fabric shade

24,5x60cm
25-70-00

24.5 cm

60 cm

15 cm

306



-Επιδαπέδιο φωτιστικό με μεταλλική βάση και υφασμάτινο καπέλο
-Floor lamp with metal base and fabric shade
IP20 | E27

No. 45030-Golden

Bulb

Material

Dimension


1xE27

Metal &
fabric shade


30x165cm
25-120-00

30 cm

165 cm



307



LED
-Επίτοιχο μεταλλικό φωτιστικό
-Wall Lamp in metal
IP20 | 3CCT by switch in base | Non Dimmable



● No. 43044-Black

Bulb	1xG9
Power	10W
Lumen	1100 Lm
Temp.	3CCT
Dimmable	No
Material	metal
Dimension	60cm 25-39-50

3CCT
By switch

60 cm



-Φωτιστικά από μαύρο μέταλλο και γυαλί οπαλίνα
-Lighting fixtures in black metal and opal glass
IP20 | G9

● No. 4514-3/rosette

Bulb

Material

Dimension

3xG9

metal & white opal

30x110cm

25-97-90

max 110cm

30cm



● No. 4514-1

Bulb

Material

Dimension

1xG9

metal & white opal

13cm

25-25-50

max 110cm

13cm

13cm

● No. 4514-4/Rosette

Bulb

Material

Dimension

4xG9

metal & white opal

30x110cm

25-121-00

max 110cm

30cm

-Φωτιστικά από μαύρο μέταλλο και γυαλί οπαλίνα
-Lighting fixtures in black metal and opal glass
IP20 | G9

● No. 4514-3/Rail

Bulb

Material


Dimension

3xG9

metal & white opal

60cm

25-97-90



max 110cm

60cm



● No. 4514-4/Rail

Bulb

Material


Dimension

4xG9

metal & white opal

80cm

25-121-00



max 110cm

80cm




-Φωτιστικά από μέταλλο και γυαλί οπαλίνα
-Lighting fixtures in metal and opal glass
-IP20 | G9




● No. 5315-3-Black
○ No. 5012-3-White

Bulb	3xG9
Material	metal & white opal
Dimension	45x70cm 25-78-80



● No. 5315-4-Black
○ No. 5012-4-White


Bulb	4xG9
Material	metal & white opal
Dimension	90x70cm 25-103-50



-Φωτιστικά από μέταλλο και γυαλί οπαλίνα
-Lighting fixtures in metal and opal glass
-IP20 | G9


● No. 5315-6-Black
○ No. 5012-6-White

Bulb	6xG9
Material	metal & white opal
Dimension	55x70cm 25-155-00



● No. 5315-8-Black
○ No. 5012-8-White

Bulb	8xG9
Material	metal & white opal
Dimension	75x70cm 25-208-40





-Φωτιστικά από μέταλλο και γυαλί οπαλίνα
-Lighting fixtures in metal and opal glass
-IP20 | G9

● No. 5315-12-Black

○ No. 5012-12-White

Bulb

Material

Dimension

12xG9

metal & white opal

90cm

25-334-80

13cm

26cm

90cm

min 70cm-max 100cm



-Φωτιστικά από μέταλλο και γυαλί οπαλίνα
-Lighting fixtures in metal and opal glass
-IP20 | G9



● No. 5016-3-Black
○ No. 5013-3-White

Bulb
Material
Dimension

3xG9
metal & white opal
45x25cm
25-71-30

Technical drawing of the No. 5016-3-Black light fixture. It shows a top-down view with a central mounting plate and three arms extending outwards. The dimensions are: 45cm width, 25cm height, 10cm arm length, and 13cm sphere diameter.



● No. 5016-4-Black
○ No. 5013-4-White

Bulb
Material
Dimension


4xG9
metal & white opal
50x25cm
25-95-60

Technical drawing of the No. 5016-4-Black light fixture. It shows a top-down view with a central mounting plate and four arms extending outwards. The dimensions are: 50cm width, 25cm height, and 13cm sphere diameter.





● No. 5016-6-Black ○ No. 5013-6-White	
Bulb Material	6xG9 metal & white opal
Dimension	55x25cm 25-147-50




Technical drawing of the chandelier showing dimensions: 10cm for the central hub, 13cm for the arm length, 55cm for the width, and 25cm for the height.



-Φωτιστικά από μέταλλο και γυαλί οπαλίνα
-Lighting fixtures in metal and opal glass
-IP20 | G9


● No. 4023-Black

Bulb	2xG9
Material	metal & white opal
Dimension	15x40cm
	25-54-00




● No. 43030-Black
○ No. 43030-White

Bulb	1xG9
Material	metal & white opal
Dimension	40x15cm
	25-34-00




-Φωτιστικά από μέταλλο και γυαλί οπαλίνα
-Lighting fixtures in metal and opal glass
-IP20 | G9




● No. 4021-Black
○ No. 4050-White

Bulb	1xG9
Material	metal & white opal
Dimension	15x40cm 24-35-00




● No. 3016-Black
No. 3041-White

Bulb	1xG9
Material	metal & white opal
Dimension	15x40cm 25-46-00



● No. 45015-Black

Bulb	1xG9
Material	metal & white opal
Dimension	22x160cm 25-90-00






-Φωτιστικά από μέταλλο με χρυσές ματ/νίκελ λεπτομέρειες
και γυαλί σπαλίνα
-Lighting fixtures in black metal, gold matte/nickel details and
opal glass
-IP20 | G9




- No. 6167-2-Black & golden
- No. 6167-2-Black & nickel

Bulb	2xG9
Material	metal & white opal
Dimension	40x40cm 25-80-90



- No. 6167-4-Black & golden
- No. 6167-4-Black & nickel

Bulb	4xG9
Material	metal & white opal
Dimension	60x50cm 25-145-50





-Φωτιστικά από μέταλλο με χρυσές ματ/νίκελ λεπτομέρειες
και γυαλί οπαλίνα
-Lighting fixtures in black metal, gold matte/nickel details and
opal glass
-IP20 | G9



●● No. 6167-6-Black & golden	
●● No. 6167-6-Black & nickel	
Bulb	6xG9
Material	metal & white opal
Dimension	90x75cm
	25-189-40


90cm

max 75cm



● No. 6062-Black

Bulb	7xG9
Power	14W
Lumen	1100Lm
Temperature	3000K
Material	metal, acrylic & opal glass
Dimension	100x70cm 25-200-00





LED
-Φωτιστικό από μέταλλο,ακρυλικό και λευκή οπαλίνα
-Pendant light in metal, acrylic and opal glass
IP20 | G9 | 3000K | Non Dimmable

●● No. 6063-Black

Bulb	4xG9
Power	20W
Lumen	1600Lm
Temperature	3000K
Material	metal,acrylic & opal glass
Dimension	50x40cm 25-170-00



LED
-Φωτιστικό από μέταλλο,ακρυλικό και λευκή οπαλίνα
-Pendant light in metal, acrylic and opal glass
IP20 | G9 | 3000K | Non Dimmable

● **No. 6089-Black**

Bulb	3xG9
Power	30W
Lumen	2700Lm
Temperature	3CCT by switch on base
Material	aluminum,glass & acrylic
Dimension	50cm 24-126-00

50cm

-Φωτιστικό από μαύρο μέταλλο και γυαλί οπαλίνα
-Lighting fixture in black metal and opal glass
IP20 | G9



● No. 6061-Black

Bulb	1xG9
Power	14W
Lumen	1100Lm
Temperature	4000K
Material	metal, acrylic & opal glass
Dimension	30cm 25-95-00

15cm

13cm

30cm



-Φωτιστικό από μαύρο μέταλλο και γυαλί οπαλίνα
-Lighting fixture in black metal and opal glass
IP20 | G9

● No. 6036-6

Bulb

Material

Dimension

6xG9

metal & white opal

100x40cm

25-150-00

40cm



100cm

-Φωτιστικά από μαύρο μέταλλο και γυαλί οπαλίνα
-Lighting fixtures in black metal and opal glass
IP20 | G9



● No. 6087-6-Black

Bulb	6xG9
Material	aluminum,glass
Dimension	38cm
	25-126-00





-Φωτιστικά από μέταλλο και γυαλί οπαλίνα
 -Lighting fixtures in metal and opal glass
 -IP20 | G9



● No. 4016-3/Rosette Golden ● No. 4515-3/Rosette Chrome		
Bulb	3xG9	
Material	metal & white opal	
Dimension	30x110cm	
	25-102-50	

● No. 4016-4/Rosette Golden ● No. 4515-4/Rosette Chrome		
Bulb	4xG9	
Material	metal & white opal	
Dimension	30x110cm	
	25-132-00	




-Φωτιστικά από μέταλλο και γυαλί οπαλίνα
-Lighting fixtures in metal and opal glass
-IP20 | G9




● No. 4016-1-Golden
● No. 4515-1-Chrome

Bulb	1xG9
Material	metal & white opal
Dimension	13x110cm 25-28-00




● No. 4016-3/Rail Golden
● No. 4515-3/Rail Chrome

Bulb	3xG9
Material	metal & white opal
Dimension	60x110cm 25-102-50



No. 4016-4/Rail Golden
No. 4515-4/Rail Chrome

Bulb	4xG9
Material	metal & white opal
Dimension	80x110cm 25-132-00





-Φωτιστικά από μέταλλο και γυαλί οπαλίνα
-Lighting fixtures in metal and opal glass
-IP20 | G9



No. 5316-4-Golden

No. 5321-4-Chome

Bulb

4xG9


Material

metal & white opal

Dimension

45cm

25-132-00



No. 5316-6-Golden

No. 5321-6-Chome

Bulb

6xG9


Material

metal & white opal

Dimension

55cm

25-183-60





-Φωτιστικά από μέταλλο και γυαλί οπαλίνα
-Lighting fixtures in metal and opal glass
-IP20 | G9



-Φωτιστικά από μέταλλο και γυαλί οπαλίνα
-Lighting fixtures in metal and opal glass
-IP20 | G9



No. 5015-3-Golden

No. 5014-3-Chrome

Bulb	3xG9
Material	metal & white opal
Dimension	45cm 25-86-90

25cm

Ø45cm



No. 5015-6-Golden

No. 5014-6-Chrome

Bulb	6xG9
Material	metal & white opal
Dimension	55cm 25-175-00

25cm

Ø55cm



-Φωτιστικά από μέταλλο και γυαλί οπαλίνα
-Lighting fixtures in metal and opal glass
-IP20 | G9




No. 5015-4-Golden No. 5014-4-Chrome		
Bulb	4xG9	
Material	metal & white opal	
Dimension	45cm	
	25-123-50	

-Φωτιστικά από μέταλλο και γυαλί οπαλίνα
-Lighting fixtures in metal and opal glass
-IP20 | G9




● No. 4022-Golden
● No. 4022-Chrome

Bulb	1xG9
Material	metal & white opal
Dimension	15x40cm 25-46-00



● No. 3017 Golden
● No. 3017 Chrome

Bulb	1xG9
Material	metal & white opal
Dimension	15x40cm 25-50-00



-Φωτιστικά από μέταλλο και γυαλί οπαλίνα
-Lighting fixtures in metal and opal glass
-IP20 | G9



No. 45016–Golden

No. 45016–Chrome

Bulb	1xG9
Material	metal & white opal
Dimension	22x160cm 25-135-50

160cm

22cm

13cm



No. 4023–Golden

No. 4023–Chrome

Bulb	2xG9
Material	metal & white opal
Dimension	15x40cm 25-45-00


40cm

15cm

13cm



-Φωτιστικά από λευκή οπαλίνα
-Lighting fixtures in white opal glass
-IP20 | E27



○No. 4253-B

Bulb	1xE27
Material	opal
Dimension	40x40cm
	25-88-00



○No. 4253-C

Bulb	1xE27
Material	opal
Dimension	30x30cm
	25-60-00



○No. 4253-D

Bulb	1xE27
Material	opal
Dimension	25x25cm
	25-43-00





-Φωτιστικά από μαύρο μέταλλο με χρυσές ματ λεπτομέρειες και γυαλί σε δύο αποχρώσεις
-Lighting fixtures in black metal, gold matte details and glass part in two shades
-IP20 | E27

No. 6129-2-Golden

Bulb	2xE27
Material	metal & glass
Glass color	transparent & fime
Dimension	60x55cm
	25-84-70

60cm

55cm




No. 6129-3-Golden

Bulb	3xE27
Material	metal & glass
Glass color	transparent & fime
Dimension	70x70cm
	25-118-60

max 70cm

max 70cm



-Φωτιστικά από μαύρο μέταλλο με χρυσές ματ λεπτομέρειες
και γυαλί σε δύο αποχρώσεις
-Lighting fixtures in black metal, gold matte details and glass
part in two shades
-IP20 | E27




No. 6129-4-Golden

Bulb	4xE27
Material	metal & glass
Glass color	transparent & fime
Dimension	120x70cm
	25-152-50

max 120cm

max 70cm




No. 6129-6-Golden

Bulb	6xE27
Material	metal & glass
Glass color	transparent & fime
Dimension	140x85cm
	25-198-50

max 140cm

max 85cm



-Φωτιστικά από μαύρο μέταλλο με νίκελ ματ λεπτομέρειες και
γυαλί σε δύο αποχρώσεις
-Lighting fixtures in black metal, nickel matte details and glass
part in two shades
IP20 | E27




●●No. 6129-3-Nickel

Bulb	3xE27
Material	metal & glass
Glass color	transparent fime
Dimension	70x70cm
	25-118-60

max 70cm

max 70cm



●●No. 6129-2-Nickel

Bulb	2xE27
Material	metal & glass
Glass color	transparent fime
Dimension	60x55cm
	25-84-70

55cm

60cm



-Φωτιστικά από μαύρο μέταλλο με νίκελ ματ λεπτομέρειες και
γυαλί σε δύο αποχρώσεις
-Lighting fixtures in black metal, nickel matte details and glass
part in two shades
IP20 | E27



●●No. 6129-4-Nickel

Bulb

Material

Glass color

Dimension

4xE27

metal & glass


transparent fine

120x70cm

25-152-50


max 120cm

max 70cm



●●No. 6129-6-Nickel

Bulb 6xE27
Material metal & glass
Glass color transparent fine
Dimension 140x85cm
25-198-50



-Φωτιστικά από νίκελ μέταλλο με νίκελ ματ λεπτομέρειες και
γυαλί σε δύο αποχρώσεις
-Lighting fixtures in nickel metal, nickel matte details and glass
part in two shades
IP20 | E27

●●No. 4474-Nickel satin

Bulb 1xE27
Material metal & glass
Glass color transparent fime
Dimension 16x20cm
25-35-50



Option of smoky glass



●●No. 4474-3-Nickel satin

Bulb 3xE27
Material metal & glass
Glass color transparent fime
Dimension 30x90cm
25-130-50



Option of smoky glass



●●No. 4474-4-Nickel satin

Bulb 4xE27
Material metal & glass
Glass color transparent fime
Dimension 30x90cm
25-173-50



Option of smoky glass



-Φωτιστικά από νίκελ μέταλλο με νίκελ ματ λεπτομέρειες και
γυαλί σε δύο αποχρώσεις
-Lighting fixtures in nickel metal, nickel matte details and glass
part in two shades
IP20 | E27




●●No. 4474-5-Nickel satin

Bulb	5xE27
Material	metal & glass
Glass color	transparent fine
Dimension	30x90cm
	25-215-80



●●No. 4474-4/Rail Nickel satin

Bulb	4xE27
Material	metal & glass
Glass color	transparent fine
Dimension	80x90cm
	25-173-50



-Φωτιστικά από μαύρο μέταλλο και γυαλί σε δύο αποχρώσεις
-Lighting fixtures in black metal and glass part in two shades
IP20 | E27



● No. 4474-4-Black

Bulb	4xE27
Material	metal & glass
Glass color	transparent fime
Dimension	35x90cm
	25-158-40



Option of smoky glass



● No. 4474-5-Black

Bulb	5xE27
Material	metal & glass
Glass color	transparent fime
Dimension	35x90cm
	25-198-00



Option of smoky glass



-Φωτιστικά από μαύρο μέταλλο και γυαλί σε δύο αποχρώσεις
-Lighting fixtures in black metal and glass part in two shades
IP20 | E27

●No. 4474-4/Rail Black

Bulb

Material

Glass color

Dimension

4xE27

metal & glass

transparent fine

80x90cm

25-158-40





●No. 4474-3 Black

Bulb

Material

Glass color

Dimension

3xE27

metal & glass

transparent fine

30x90cm

25-118-80



●No. 4474-Black

Bulb

Material

Glass color

Dimension

1xE27

metal & glass

transparent fine

16x20cm

25-33-00






-Φωτιστικά από γυαλί και μέταλλο
-Lighting fixtures in glass and metal
IP20 | G9



● No. 43059-Black

Bulb. 1xG9
Material glass & metal
Dimension 12x33cm
25-30-80




Επιλέξτε συνδιασμό σε ροζέτα ή ράγα.
Choose compination in rosette or rail.



● No. 4074-Black

Bulb. 1xG9
Material glass & metal
Dimension 49x200cm
25-24-00







● No. 4079

Bulb 1xE27
Material Glass
Dimension 18x36cm
25-55-00



● No. 4080

Bulb 1xE27
Material Glass
Dimension 20x36cm
25-55-00



● No. 4081

Bulb 1xE27
Material Glass
Dimension 18x36cm
25-55-00



Επιλέξτε συνδιασμό σε ροζέτα ή ράγα.
Choose compination in rosette or rail.



-Φωτιστικά από γυαλί
-Lighting fixtures in glass
IP20 | 3000K



 **No. 3060-Smoky/transparent**

Bulb

Material

Dimension

1xE27

glass

20x55cm

25-103-00







-Φωτιστικά από φιμέ γυαλί
-Lighting fixtures in fime glass part
IP20 | E27

● No. 4355-A-Fime

Bulb	1xE27
Material	glass
Dimension	30x30cm
	25-64-00

10cm

max 120cm

30cm

● No. 4355-B-Fime

Bulb	1xE27
Material	glass
Dimension	25X25cm
	25-49-00

10cm

max 80cm

25cm



-Φωτιστικά από φινέ γυαλί
-Lighting fixtures in fine glass part
IP20 | E27

● No. 4040-Fime

Bulb	1xE27
Material	glass
Dimension	26x30cm
	25-88-00

150cm
30cm
26cm



-Φωτιστικά από γυαλί σε φιμέ,μελί και διάφανο
-Lighting fixtures in fime,amber and transparent
IP20 | E27



No. 3043-Fime

No. 3043-Amber

No. 3043-Transparent

Bulb

Material

Dimension

1xE27

metal & glass

18x30cm

25-45-00

18cm

30cm

No. 4039-A-Fime

No. 4039-A-Amber

No. 4039-A-Transparent

Bulb

Material

Dimension

1xE27

metal & glass

30cm

25-63-50

30cm

150cm

352

-Φωτιστικά από γυαλί σε φινιρίσματα, μέλι και διάφανο
-Lighting fixtures in fine, amber and transparent
IP20 | E27



- No. 4039-B-Fine
- No. 4039-B-Amber
- No. 4039-B-Transparent

Bulb 1xE27
Material metal & glass
Dimension 18cm
25-32-00



Επιλέξτε συνδυασμό σε ροζέτα ή ράγα.
Choose compination in rosette or rail.



-Φωτιστικά από γυαλί
-Lighting fixtures in glass
IP20 | E27



No. 4409-B-White

No. 4409-B-Silver

No. 4409-B-Brown

Bulb

Material

Dimension

1xE27

glass

30x16cm

25-18-90

10cm
max 80cm
16cm
30cm



No. 4409-C-White

No. 4409-C-Silver

No. 4409-C-Brown

Bulb

Material

Dimension

1xE14

glass

18x13cm

25-15-70

10cm
max 80cm
13cm
18cm

-Φωτιστικά από γυαλί
-Lighting fixtures in glass
IP20 | E27



No. 4409-A-White

No. 4409-A-Silver

No. 4409-A-Brown

Bulb

Material

Dimension

1xE27

glass-metal

35x18cm

25-30-50

10cm

max 80cm

18cm

35cm



No. 3432-White

No. 3432-Silver

No. 3432-Brown

Bulb

Material

Dimension

1xE14

glass-metal

18x34cm

25-39-50

34cm

18cm

13cm



-Φωτιστικά με καπέλο
-Lighting fixtures in shade

IP20 | E27



No. 3024

Bulb

1xE27


Material

Plastic & shade

Dimension

25x30cm

25-30-50



No. 4034

Bulb

1xE27

Material

Shade

Dimension

31x23cm

25-28-50



No. 4035

Bulb

1xE27

Material

Shade

Dimension

31x23cm

25-28-50



No. 3025

Bulb

1xE27

Material

Plastic & shade

Dimension

25x30cm

25-30-50





-Φωτιστικά με καπέλο
-Lighting fixtures in shade
IP20 | E27




No. 4036
Bulb
Material
Dimension

1xE27
Shade
31x23cm
25-28-50



No. 3026
Bulb
Material
Dimension

1xE27
Plastic & shade
25x30cm
25-30-50






-Φωτιστικά με καπέλο
-Lighting fixtures in shade
IP20 | E27



No. 4037
Bulb 1xE27
Material Shade
Dimension 31x23cm
25-28-50



No. 3027
Bulb 1xE27
Material Plastic & shade
Dimension 25x30cm
25-30-50





-Φωτιστικά με καπέλο
-Lighting fixtures in shade
IP20 | E27



No. 4038

Bulb
Material
Dimension


1xE27
Shade
31x23cm
25-28-50



No. 3028

Bulb
Material
Dimension

1xE27
Plastic & shade
25x30cm
25-30-50





-Φωτιστικά από μαύρο και λευκό μέταλλο
-Lighting fixtures in black and white metal
IP20 | GU10





● No. 9081-6-Black

○ No. 9086-6-White

Bulb

Material


Dimension

6xGU10


metal

110x22cm

25-99-00



-Φωτιστικά από μαύρο και λευκό μέταλλο
-Lighting fixtures in black and white metal
IP20 | GU10



-Φωτιστικά σπότ από χρυσαφί/ασημί μέταλλο
-Spot lights in gold/silver metal
IP20 | GU10



No. 9082-1

No. 9087-1

Bulb

Material

Dimension

1xGU10

Metal

6x15cm

25-12-50

max 15 cm

6 cm



No. 9082-4-Golden

No. 9087-4-Silver

Bulb

Material

Dimension

4xGU10

Metal


70x22cm

25-65-00



- No. 9082-6-Golden
- No. 9087-6-Silver

Bulb 6xGU10
 Material Metal
 Dimension 110x22cm
 25-99-00



-Σπότ από μαύρο και λευκό μέταλλο
-Spots in black and white metal
IP20 | GU10




● No. 9077-1-Black
○ No. 9077-1-White

Bulb	1xGU10
Material	metal
Dimension	8x7cm 25-08-90




● No. 9077-2-Black
○ No. 9077-2-White

Bulb	2xGU10
Material	metal
Dimension	17x7cm 25-17-38



● No. 9077-3-Black
○ No. 9077-3-White

Bulb	3xGU10
Material	metal
Dimension	25x7cm 25-25-00



-Σπότ από μαύρο και λευκό μέταλλο
-Spots in black and white metal
IP20 | GU10



●No. 9078-2-Black
○No. 9078-2-White

Bulb	2xGU10
Material	metal
Dimension	23x7cm 25-21-80



●No. 9078-3-Black
○No. 9078-3-White

Bulb	3xGU10
Material	metal
Dimension	32x7cm 25-29-50

-Σπότ από νίκελ ματ και οξυντέ μέταλλο
-Spots in nickel mat and brass metal
IP20 | GU10




● No. 9075-1 Brass
● No. 9075-1 Nickel satin

Bulb	1xGU10
Material	metal
Dimension	8x7cm 25-10-20




● No. 9075-2-Brass
● No. 9075-2-Nickel satin

Bulb	2xGU10
Material	metal
Dimension	17x7cm 25-22-50




● No. 9075-3-Brass
● No. 9075-3-Nickel satin

Bulb	3xGU10
Material	metal
Dimension	25x7cm 25-37-00



● No. 9075-4-Brass
● No. 9075-4-Nickel satin

Bulb	4xGU10
Material	metal
Dimension	30x7cm 25-44-00



-Σπότ από νίκελ ματ και οξυντέ μέταλλο
-Spots in nickel mat and brass metal
IP20 | GU10



No. 9076-2 Brass

No. 9076-2 Nickel satin

Bulb

Material

Dimension

2xGU10

metal

40x15cm

25-22-50

8cm
29cm
8cm
6cm
40cm
Απόσταση από το ταβάνι 15cm



No. 9076-3-Brass

No. 9076-3-Nickel satin

Bulb

Material

Dimension

3xGU10

metal

60x15cm

25-32-20

8cm
24cm
8cm
6cm
60cm
Απόσταση από το ταβάνι 15cm



No. 9076-4-Brass

No. 9076-4-Nickel satin

Bulb

Material

Dimension

4xGU10

metal

80x15cm

25-42-50

8cm
24cm
8cm
6cm
80cm
Απόσταση από το ταβάνι 15cm

-Σπότ από χρώμιο και λευκή πατίνα μέταλλο και γυαλί
-Spots in and white patine metal and glass
IP20 | E14



No. 9079-1-Chrome

No. 9079-1-White patina

Bulb

Material

Dimension

1xE14

metal & glass

12x7cm
25-14-50



No. 9079-2-Chrome

No. 9079-2-White patina

Bulb

Material

Dimension

2xE14

metal & glass


27x7cm
25-31-20

-Σπότ από χρώμιο και λευκή πατίνα μέταλλο και γυαλί
-Spots in and white patine metal and glass
IP20 | E14




- No. 9079-3-Chrome
- No. 9079-3-White patina

Bulb	3xE14
Material	metal & glass
Dimension	45x8cm
	25-38-10



- No. 9079-4-Chrome
- No. 9079-4-White patina

Bulb	4xE14
Material	metal & glass
Dimension	62x7cm
	25-52-00



-Σπότ από νίκελ ματ και οξυντέ μέταλλο και γυαλί
-Spots in nickel satin and brass metal and glass
IP20 | E14



No. 9064-1-Brass

No. 9064-1-Nickel satin

Bulb

Material


Dimension

1xE14

metal & glass

12x8cm

25-13-00





No. 9064-2-Brass

No. 9064-2-Nickel satin

Bulb

Material


Dimension

2xE14

metal & glass

20x16cm

25-25-50





No. 9064-3-Brass

No. 9064-3-Nickel satin

Bulb

Material


Dimension

3xE14

metal & glass

25x16cm

25-44-00



-Σπότ από νίκελ ματ και οξυντέ μέταλλο και γυαλί
-Spots in nickel satin and brass metal and glass
IP20 | E14



● No. 9065-2-Brass

● No. 9065-2-Nickel satin

Bulb

Material

Dimension

2xE14

metal & glass

30x16cm

25-25-50



● No. 9065-3-Brass

● No. 9065-3-Nickel satin

Bulb

Material

Dimension

3xE14

metal & glass

60x9cm

25-36-50

-Φωτιστικά από χρώμιο μέταλλο και γυαλί
-Lighting fixtures in chrome metal and glass
IP20 | E27



No.42154-B-Chrome

Bulb 1xE27
Material metal & glass
Dimension 30cm
25-23-80



Απόσταση από τον τοίχο 8cm

No.42154-A-Chrome

Bulb 2xE27
Material metal & glass
Dimension 40cm
25-34-80



Απόσταση από τον τοίχο 12cm




No.43366-Chrome

Bulb 1xE27
Material metal & glass
Dimension 30x14cm
25-19-80



Απόσταση από τον τοίχο 8cm



-Φωτιστικό από χρώμιο μέταλλο και λευκή οπαλίνα
-Lighting fixtures in chrome metal and white opal
IP20 | G9



No.43420-1-Chrome

Bulb	1xG9
Material	metal & white opal
Dimension	10cm 25-17-80

10cm

9cm

9cm



No.43420-2-Chrome

Bulb	2xG9
Material	metal & white opal
Dimension	31x4cm 25-33-40

10cm

4cm

31cm



No.43420-3-Chrome

Bulb	3xG9
Material	metal & white opal
Dimension	46x4cm 25-49-00

4cm

46cm



No.43420-4-Chrome

Power	4xG9
Material	metal & white opal
Dimension	61x4cm 25-63-00

10cm


4cm

61cm



● No.43422-4-Black

Bulb	4xG9
Material	metal & white opal
Dimension	61cm 25-62-70




-Φωτιστικό από μαύρο μέταλλο και λευκή οπαλίνα
-Lighting fixtures in black metal and white opal
IP20 | G9



● No.43422-2-Black

Bulb	2xG9
Material	metal & white opal
Dimension	40cm 25-31-90



● No.43422-1-Black


Bulb	1xG9
Material	metal & white opal
Dimension	10cm 25-17-40




LED
-Φωτιστικό από χρώμιο και λευκό πλαστικό
-Lighting fixtures in chrome and white paster
IP44 | 4000K | Non Dimmable



Τρεις τρόποι τοποθέτησης



Τοποθέτηση πάνω σε έπιπλο καθρέφτη



Τοποθέτηση πάνω στον τοίχο




Τοποθέτηση πάνω στον καθρέφτη




● No.1047-A-Black

Power	12W
Lumens	960Lm
Temp.	4000K
Material	plastic
Dimension	60cm
	25-27-90



● No.1047-B-Black

Power	8W
Lumens	640Lm
Temp.	4000K
Material	plastic
Dimension	40cm
	25-23-80




LED
-Φωτιστικό από χρώμιο και λευκό πλαστικό
-Lighting fixtures in chrome and white paster
IP44 | 4000K | Non Dimmable




● **No.1043-A-Black**

Power	15W
Lumens	1200Lm
Temp.	4000K
Material	plastic
Dimension	60cm
	25-27-90




● **No.1043-B-Black**


Power	10W
Lumens	800Lm
Temp.	4000K
Material	plastic
Dimension	40cm
	25-23-80



Τρεις τρόποι τοποθέτησης



Τοποθέτηση πάνω σε έπιπλο καθρέφτη



Τοποθέτηση πάνω στον τοίχο



Τοποθέτηση πάνω στον καθρέφτη

LED
-Φωτιστικό από χρώμιο και λευκό πλαστικό
-Lighting fixtures in chrome and white paster
IP44 | 4000K | Non Dimmable




● **No.1045-Chrome**


Power	6W
Lumens	540Lm
Temp.	4000K
Material	Plastic
Dimension	40cm
	25-18-00



Τρεις τρόποι τοποθέτησης



Τοποθέτηση πάνω σε έπιπλο καθρέφτη



Τοποθέτηση πάνω στον τοίχο



Τοποθέτηση πάνω στον καθρέφτη



-Φωτιστικά από μέταλλο και γυαλί
-Lighting fixtures in metal and glass part
IP20 | G9



No.1046-Chrome

No.1046-Brass

No.1046-Nickel satin

Bulb.

Material

Dimension

2xG9

Metal & glass

31,5x16cm

25-35-80

No.1049-Black

Bulb.

Material

Dimension

2xG9

Metal & glass

31,5x16cm

25-32-40



No.1041-Chrome

No.1041-Brass

No.1041-Nickel satin

Bulb.

Material

Dimension

2xG9

Metal & glass

31,5x16cm

25-36-80

No.1048-Black

Bulb.

Material

Dimension

2xG9

Metal & glass

31,5x16cm

24-33-40



-Φωτιστικά από μέταλλο και γυαλί
-Lighting fixtures in metal and glass part
IP20 | G9



● No. 1039–Chrome
● No. 1039–Brass
● No. 1039–Nickel satin

Bulb.	2xG9
Material	Metal & glass
Dimension	31,5x10cm 25–34–90

● No. 1050–Black

Bulb.	2xG9
Material	Metal & glass
Dimension	31,5x10cm 25–32–20




LED
-Φωτιστικά από μέταλλο και λευκό ακρυλικό
-Lighting fixtures in metal and white acrylic part
IP44 | 3000K | Non Dimmable




- No.1044-A-Brass
- No.1044-A-Black
- No.1044-A-Nickel satin
- No.1044-A-White

Power	12W
Lumens	800Lm
Temp.	3000K
Material	Metal
Dimension	60x19cm
	25-52-00




- No.1044-B-Brass
- No.1044-B-Black
- No.1044-B-Nickel satin
- No.1044-B-White

Power	8W
Lumens	550Lm
Temp.	3000K
Material	Metal
Dimension	45x19cm
	25-48-00



- No.1044-C-Brass
- No.1044-C-Black
- No.1044-C-Nickel satin
- No.1044-C-White

Power	4W
Lumens	290Lm
Temp.	3000K
Material	Metal
Dimension	30x19cm
	25-41-50






-Φωτιστικά από μέταλλο
-Lighting fixtures in metal
IP20 | G9



Bulb.	2xG9
	Metal & glass
Material	30x20cm
	24-30-90



-Φωτιστικά από μέταλλο και υφασμάτινο καπέλο
-Lighting fixtures in metal and shade
IP20 | E14



○ No. 43022-White

● No. 43022-Black

● No. 43022-Chrome

● No. 43022-Nickel satin

● No. 43022-Brass

● No. 43022-Gold

● No. 43022-Gold satin

Bulb.

Material

Dimension

1xE14

Metal & cloth hat

19x25cm

25-35-40

-Φωτιστικά από μέταλλο και υφασμάτινο καπέλο
-Lighting fixtures in metal and shade
IP20 | E14



- No. 3425-White
- No. 3425-Black
- No. 3425-Chrome
- No. 3425-Nickel satin
- No. 3425-Brass
- No. 3425-Gold
- No. 3425-Gold satin

Bulb.	1xE14
Material	Metal & cloth hat
Dimension	40cm
	25-39-70




-Φωτιστικά από χρώμιο μέταλλο, κρύσταλλα και γυαλιά
-Lighting fixtures in chrome metal, crystals and glasses
IP20 | G9




● **No.6120-4-Chrome**


Bulb.	4xG9
Material	Metal,glass & crystal
Dimension	47x20cm 25-85-00



● **No.6120-6-Chrome**

Bulb.	6xG9
Material	Metal,glass & crystal
Dimension	54x20cm 25-125-00








-Φωτιστικά από οξυντέ και χρώμιο μέταλλο, κρύσταλλα και γυαλιά
-Lighting fixtures in chrome and brass metal, crystals and glasses
IP20 | G9 | E27




● No.43348-Chrome
● No.43348-Brass

Bulb.	1xE14
Material	Metal,glass & crystal
Dimension	28x25cm 25-43-50



● No.5300-5-Chrome
● No.5300-5-Brass

Bulb.	5xE14
Material	Metal,glass & crystal
Dimension	60x40cm 25-139-50




-Φωτιστικά από οξυντέ και χρώμιο μέταλλο, κρύσταλλα και γυαλιά
-Lighting fixtures in chrome and brass metal, crystals and glasses
IP20 | G9 | E27




● No.5300-3-Chrome
● No.5300-3-Brass

Bulb.	5xE14
Material	Metal,glass & crystal
Dimension	60x25cm 25-108-90



● No.3427-Chrome
● No.3427-Brass

Bulb.	1xE27
Material	Metal,glass & crystal
Dimension	25x38cm 25-52-00





-Φωτιστικά από μέταλλο σε πατίνα,κρύσταλλα και υφασμάτινα καπέλα
 -Lighting fixtures in patina metal,crystals and fabric shades

IP20 | E14

No.5010-6

Bulb.

Material

Dimension

6xE14

metal-crystal & fabric shade

65x30cm
25-116-80

30cm

65cm

-Φωτιστικά από μέταλλο σε πατίνα,κρύσταλλα και υφασμάτινα καπέλα
-Lighting fixtures in patina metal,crystals and fabric shades
IP20 | E14




No.43023

Bulb. 1xE14
Material metal-crystal fabric shade
Dimension 25x30cm
25-41-50



No.5010-3

Bulb. 3xE14
Material metal-crystal & fabric shade
Dimension 55x30cm
25-91-80




-Φωτιστικά από μέταλλο σε λευκή πατίνα και καπέλα από λευκή οργάντζα
-Lighting fixtures in white patina,metal and white organza shades
IP20 | E14



● **No.43371**

Bulb.	1xE14
Material	metal hat extra shade 25-09-00
Dimension	30x10cm 25-47-00




Shades are not included



● **No.5311-8**

Bulb.	8xE14
Material	metal hat extra shade 25-09-00
Dimension	83x52cm 25-285-00



Shades are not included




-Φωτιστικά από μέταλλο σε λευκή πατίνα και καπέλα από λευκή οργάντζα
-Lighting fixtures in white patina, metal and white organza shades
IP20 | E14



No.3445


Bulb. 1xE14
Material metal
extra shade 25-09-00
Dimension 15x37cm
25-60-00



Shades are not included

No.5311-3


Bulb. 3xE14
Material metal
extra shade 25-09-00
Dimension 60x50cm
25-127-00



Shades are not included

No.5311-6

Bulb. 6xE14
Material metal
extra shade 25-09-00
Dimension 70x50cm
25-221-50



Shades are not included




-Φωτιστικά από μέταλλο σε οξυντέ. Τα καπέλα είναι επιπρόσθετα
-Lighting fixtures in brass metal. The shades are extra
IP20 | E14



No.5309-8

Bulb.	8xE14
Material	metal hat extra shade 25-09-00
Dimension	83x50cm 25-285-00




Shades are not included



No.5309-6

Bulb.	6xE14
Material	metal hat extra shade 25-09-00
Dimension	70x50cm 25-221-50



Shades are not included




-Φωτιστικά από μέταλλο σε οξυντέ. Τα καπέλα είναι επιπρόσθετα
-Lighting fixtures in brass metal. The shades are extra
IP20 | E14



No.43369


Bulb. 1xE14
Material metal hat
extra shade 25-09-00
Dimension 30x10cm
25-47-00



Shades are not included

No.3443

Bulb. 1xE14
Material metal hat
extra shade 25-09-00
Dimension 15x37cm
25-60-00




Shades are not included



No.5309-3

Bulb. 3xE14
Material metal hat
extra shade 25-09-00
Dimension 60x50cm
25-127-00




Shades are not included

-Φωτιστικά από μπέζ, κρύσταλλα και υφασμάτινα καπέλα
-Lighting fixtures in beige metal,crystals and fabric shades
IP20 | E14 | E27



● No.43308-1

Bulb. 1xE14
Material metal, crystal & fabric shade
Dimension 25x41cm
25-56-80



● No.3404

Bulb. 1xE27
Material metal, crystal & fabric shade
Dimension 12x40cm
24-66-20



● No.5276-8

Bulb. 8xE14
Material metal crystal & fabric shade
Dimension 75x80cm
25-455-70




-Φωτιστικά από μπέζ, κρύσταλλα και υφασμάτινα καπέλα
-Lighting fixtures in beige metal,crystals and fabric shades
IP20 | E14




● **No.5276-6**

Bulb. 6xE14
Material metal, crystal & fabric shade
Dimension 65x80cm
25-319-00



● **No.5276-3**

Bulb. 3xE14
Material metal, crystal & fabric shade
Dimension 50x80cm
25-189-00



-Φωτιστικά με μέταλλο σε πατίνα,κρύσταλλα. Τα υφασμάτινα καπέλα είναι επιπρόσθετα
-Lighting fixtures in patina metal,crystals. The shades are extra
IP20 | E14



● **No.43356-2**

Bulb. 2xE14
Material metal, crystal
extra fabric shade 25-09-00
Dimension 30x30cm
25-75-00



Shades are not included

● **No.5304-5**

Bulb. 3xE14
Material metal, crystal
extra fabric shade 25-09-00
Dimension 60x45cm
25-245-20



Shades are not included



-Φωτιστικά με μέταλλο σε πατίνα,κρύσταλλα. Τα υφασμάτινα καπέλα είναι επιπρόσθετα
-Lighting fixtures in patina metal,crystals. The shades are extra
IP20 | E14



No.43356-1

Bulb. 1xE14
Material metal, crystal
extra fabric shade 25-09-00
Dimension 25x30cm
25-61-00



No.3468

Bulb. 1xE14
Material metal, crystal
& fabric shade
Dimension 20x40cm
25-87-00



No.5304-3

Bulb. 3xE14
Material metal, crystal
extra fabric shade 25-09-00
Dimension 55x45cm
25-165-00



Shades are not included



-Φωτιστικά με μέταλλο σε πατίνα. Τα υφασμάτινα καπέλα είναι επιπρόσθετα
-Lighting fixtures in patina metal,crystals. The shades are extra
IP20 | E14

No.5304-6

Bulb.

6xE14

Material

metal, crystal
extra fabric shade 25-09-00

Dimension

60x45cm
25-285-80



60cm

45cm

Shades are not included

400

-Φωτιστικά με μέταλλο σε πατίνα,κρύσταλλα. Τα υφασμάτινα καπέλα είναι επιπρόσθετα
-Lighting fixtures in patina metal,crystals. The shades are extra
IP20 | E14



● **No.5304-8**

Bulb.	8xE14
Material	metal, crystal
Dimension	extra fabric shade 25-09-00 65x45cm 25-365-80



Shades are not included



-Φωτιστικά με κρύσταλλα
-Lighting fixtures with crystals
IP20 | E14

No.6069-12

Bulb.

Material

Dimension

12xE14

aluminum & crystal

100x30cm

25-430-00

30cm

100cm





No.43035

Bulb.

Material

Dimension

1xE14

aluminum & crystal

23x35cm

25-59-00

35cm

23cm





-Φωτιστικά από χρυσαφί μέταλλο και κρύσταλλα
-Lighting fixtures in golden metal and crystal part
IP20 | E14

● No.6068-12

Bulb.	12xE14
Material	aluminum & crystal
Dimension	80x47cm 25-490-50



-Φωτιστικά από χρυσαφί μέταλλο και κρύσταλλα
-Lighting fixtures in golden metal and crystal part
IP20 | E14



No.6068-8

Bulb.

Material

Dimension

8xE14

aluminum & crystal

60x43cm

25-300-00

43cm

60cm

No.6068-4

Bulb.

Material

Dimension

4xE14

aluminum & crystal

40x35cm

25-160-50


35cm

40cm




No.43391-2-Amber

Bulb.	2xE14
Material	glass
Dimension	35x37,5cm 25-63-50




No.5314-3-Amber

Bulb.	3xE14
Material	glass & crystal
Dimension	55x40cm 25-138-60



No.5314-6-Amber

Bulb.	6xE14
Material	glass
Dimension	68x40cm 25-187-80





-Φωτιστικό από μελί γυαλί και κρύσταλλα
-Lighting fixture by amber glass and crystals
IP20 | E14

 **No.5314-8-Amber**

Bulb.

Material

Dimension

8xE14

glass-crystal

75x40cm

25-269-80

40cm

75cm





-Φωτιστικό από φινέ γυαλί και κρύσταλλα
-Lighting fixture by fine glass and crystals
IP20 | E14



 **No.5314-3-Fine**

Bulb.

Material

Dimension

3xE14


glass & crystal

55x40cm

25-138-60

40cm

55cm



-Φωτιστικά από φιμέ γυαλί και κρύσταλλα
-Lighting fixtures by fime glass and crystals
IP20 | E14



No.43391-2-Fime

Bulb.

Material

Dimension

2xE14

glass

35x37,5cm

25-63-50

37,5cm

35cm



No.5314-6-Fime

Bulb.

Material

Dimension

6xE14

glass

68x40cm

25-187-80

40cm

68cm

No.5314-8-Fime

Bulb.

Material

Dimension

8xE14

glass-crystal

75x40cm

25-269-80

40cm

75cm

-Φωτιστικά από διάφανο γυαλί και κρύσταλλα
-Lighting fixtures by clear glass and crystals
IP20 | E14



No.43391-2 Clear

Bulb.

2xE14

Material

glass

Dimension

35x37,5cm
25-63-50

37,5cm

35cm



No.5314-3-Clear

Bulb.

3xE14

Material

glass & crystal

Dimension

55x40cm
25-138-60

40cm

55cm

No.5314-8-Clear

Bulb.

8xE14

Material

glass-crystal

Dimension

75x40cm
25-269-80

40cm

75cm



-Φωτιστικό από διάφανο γυαλί και κρύσταλλα
-Lighting fixture by clear glass and crystals
IP20 | E14

 **No.5314-6-Clear**

Bulb.

Material

Dimension

6xE14

glass

68x40cm

25-187-80

40cm



68cm



No.5201-A-Chrome

Bulb.

Material


Dimension

8xG9

metal & crystal

50x70cm

25-275-00



No.5201-B-Chrome

Bulb.

Material


Dimension

5xG9

metal & crystal

40x65cm

25-220-00



No.5201-C-Chrome

Bulb.

Material

Dimension

4xG9

metal & crystal

30x60cm


25-170-00






● **No.5292-A-Chrome**

Bulb.	8xG9
Material	metal & crystal
Dimension	50x30cm 25-260-00




● **No.5292-B-Chrome**

Bulb.	5xG9
Material	metal & crystal
Dimension	40x25cm 25-210-00




● **No.5292-C-Chrome**

Bulb.	4xG9
Material	metal & crystal
Dimension	30x20cm 25-155-00



● **No.43218-Chrome**

Bulb.	3xG9
Material	metal & crystal
Dimension	28x20cm 25-85-00




-Κρεμαστό φωτιστικό με κρυστάλλινες διακοσμήσεις
-Crystal chandelier
IP20 | E14



- No. 5244-3-Gold
- No. 5244-3-Brass
- No. 5244-3-Chrome


Bulb 3xE14
Dimension 70x45cm
25-195-00



Ασυναρμολόγητα σε κουτί.
Unassembled in a box.
25-165-00

- No. 43250-Gold
- No. 43250-Brass
- No. 43250-Chrome

Bulb 2xE14
Dimension 35x23cm
25-103-00



Ασυναρμολόγητα σε κουτί.
Unassembled in a box.
25-85-00



-Κρεμαστό φωτιστικό με κρυστάλλινες διακοσμήσεις
-Crystal chandelier
IP20 | E14




No. 5244-8-Gold No. 5244-8-Brass No. 5244-8-Chrome		
Bulb Dimension	8xE14 80x45cm 25-430-00	
Ασυναρμολόγητα σε κουτί. Unassembled in a box. 25-360-00		

-Κρεμαστό φωτιστικό με κρυστάλλινες διακοσμήσεις
-Crystal chandelier
IP20 | E14



- No. 5244-6-Gold
- No. 5244-6-Brass
- No. 5244-6-Chrome

Bulb 6xE14
Dimension 70x45cm
25-350-00



Ασυναρμολόγητα σε κουτί.
Unassembled in a box.
25-280-00

-Κρεμαστό φωτιστικό με κρυστάλλινες διακοσμήσεις
-Crystal chandelier
IP20 | E14



No. 5244-12+6-Gold No. 5244-12+6-Chrome		 57cm 95cm
Bulb Dimension	18xE14 95x57cm 25-1100-00	
Ασυναρμολόγητα σε κουτί. Unassembled in a box. 25-795-00		




-Επιτραπέζιο φωτιστικό με μέταλλο και γυαλί
-Table lamp in metal and glass part
IP20 | E27



- No.3431-Nickel/white
- No.3431-Brass/green

Bulb. 1xE27
Material Metal & glass
Dimension 27x38cm
25-47-80





LED
-Επιτραπέζιο φωτιστικό για μελέτη
-Table lamps for reading
IP20 | 3CCT | Dimmable



● No. 3045-Black
○ No. 3045-White

Power	7W
Lumen	650Lm
Temp.	CCT
Dimmable	Yes
Material	plastic
Dimension	18x39cm
	25-35-40

3CCT
by switch

Dimmable

Usb

Wireless
Charger

Touch
control

Eye
Protector

3,5cm

32,5cm

39cm

18cm

18cm

421



LED
-Επιτραπέζιο μεταλλικό φωτιστικό
-Metal table lamp
IP20 | GU10



- No. 3015-Black
- No. 3015-White

Bulb	1xGU10
Material	Metal
Dimension	13x33cm
	25-37-00



LED
-Επιτραπέζιο μεταλλικό φωτιστικό
-Metal table lamp
IP20 | 3CCT by switch on base



● No. 3044-Black

○ No. 3044-White

Power

Lumen

Temp.

Dimmable

Material

Dimension

7W

650Lm

3CCT

Yes

plastic

9x38cm

25-17-50

DIMMABLE

3CCT

by switch

9 cm

38 cm

11 cm

11 cm



Rechargeable



No. 3055-Black

No. 3055-Nickel Satin

No. 3055-Brass

Power

3W

Lumens

250Lm

Temp.

3CCT

Dimmable

Yes

Material

Metal

Dimension

13x28cm

Charging

3-4 hours

Duration

8-10 hours

25-44-00

3CCT

by switch

3 Step Dimmable

Rechargeable

13 cm

28 cm

No. ATL0001

25-04-00

No. MC001

10-port charger

Total current

20A

Total power

100W

USB single port output

2.4A (MAX)

25-35-00

424

Rechargeable



● No. 3033-Black

● No. 3033-Copper

● No. 3033-Golden

Power

Temp.

Dimmable

Material

Dimension

Duration

1W

3CCT

Yes

Metal

9x21cm

8-10 hours

25-30-00

3CCT

By switch

Rechargeable

9cm

21cm

No. ATL0001

25-04-00

No. MC001

10-port charger

Total current

Total power

USB single port output

20A

100W

2.4A (MAX)

25-35-00

425

Rechargeable



3 Step Dimmable

Rechargeable

● No. 3058-Brown

○ No. 3058-White

Power	3W
Lumens	240Lm
Temp.	3000K
Dimmable	3 Step Dimmable
Material	Metal
Dimension	10x38cm
Charging	3-4 hours
Duration	8-11 hours
	25-34-00

10 cm

38 cm

No. ATL0001

25-04-00

No. MC001

10-port charger

Total current

Total power

USB single port output

20A

100W

2.4A (MAX)


25-35-00

Rechargeable



- No. 3035-Black
- No. 3035-White
- No. 3035-Green

Power	1W
Temp.	3000K
Dimmable	Yes
Material	Metal
Dimension	8x34cm
Duration	8-10 hours
	25-30-00



No. ATL0001
25-04-00



No. MC001
10-port charger
Total current 20A
Total power 100W
USB single port output 2.4A (MAX)
25-35-00



Rechargeable



● No. 3056-Black

○ No. 3056-White

3 Step Dimmable

Rechargeable

Power	1,5W
Lumens	120Lm
Temp.	3000K
Dimmable	3 Step Dimmable
Material	Metal
Dimension	10x37cm
Charging	3-4 hours
Duration	8-10 hours
	25-34-00

10 cm

37 cm

No. ATL0001

25-04-00

No. MC001

10-port charger

Total current20A

Total power100W

USB single port output2.4A (MAX)

25-35-00



Rechargeable



No. 3037-Brass

No. 3037-Nickel

Power	3W
Temp.	3CCT
Dimmable	Yes
Material	Metal
Dimension	13x30cm
Duration	8-10 hours
	25-25-00

3CCT
By switch

Rechargeable

13cm

30cm

No. ATL0001

25-04-00

No. MC001

10-port charger	
Total current	20A
Total power	100W
USB single port output	2.4A (MAX)
	25-35-00

Rechargeable



No. 3031-Gray

No. 3031-Beige

Power

Temp.

Dimmable

Material

Dimension

Duration

3W

3000K

Yes

Metal

13x27cm

8-10 hours

25-35-50

3CCT

By switch

Rechargeable

27cm

13cm

No. ATL0001

25-04-00

No. MC001

10-port charger

Total current

Total power

USB single port output

20A


100W

2.4A (MAX)

25-35-00

430

Rechargeable



No. 3030-Beige

No. 3030-Brown

No. 3030-Petrol

Power

Temp.

Dimmable

Material

Dimension

Duration

3W

3CCT

Yes

Iron & acrylic

11x34cm

8-10 hours

25-41-00

3CCT

By switch

Rechargeable

11cm

34cm

No. ATL0001

25-04-00

No. MC001

10-port charger

Total current

Total power

USB single port output

20A

100W

2.4A (MAX)

25-35-00

431



Rechargeable



● No. 3053-Black

○ No. 3053-White

Power

Lumens

Temp.

Dimmable

Material

Dimension

Charging

Duration

2W

160Lm

3CCT

Yes

Metal

22x9cm

3-4 hours

8-10 hours

3CCT

by switch

Rechargeable

9 cm

22 cm

7.5 cm



No. ATL0001

25-04-00



No. MC001

10-port charger

Total current

Total power

USB single port output

20A

100W

2.4A (MAX)

25-35-00



Rechargeable

● No. 3057-Black

3 Step Dimmable

Rechargeable

Power	1,5W
Lumens	120Lm
Temp.	3000K
Dimmable	3step Dimmable
Material	Metal
Dimension	4x35cm
Charging	3-4 hours
Duration	8-10 hours
	25-40-00

35 cm

4 cm



No. ATL0001

25-04-00



No. MC001

10-port charger

Total current

Total power

USB single port output

20A

100W

2.4A (MAX)

25-35-00

433

Rechargeable



● No. 3059-Black

○ No. 3059-White

3CCT
by switch

3 Step Dimmable

Rechargeable

Power	1,5W
Lumens	120Lm
Temp.	3CCT
Dimmable	3 step dimmable
Material	Metal
Dimension	16x24cm
Charging	3-4 hours
Duration	8-11 hours
	25-35-00

16 cm

24 cm

10 cm

No. ATL0001

25-04-00

No. MC001

10-port charger

Total current

Total power

USB single port output

20A

100W

2.4A (MAX)

25-35-00




Rechargeable



- No. 3036-Black
- No. 3036-White
- No. 3036-Gray
- No. 3036-Blue

Power 3W
Temp. 3000K
Dimmable Yes
Material Metal
Dimension 12,5x21cm
Duration 8-10 hours
25-35-00



No. ATL0001
25-04-00



No. MC001
10-port charger
Total current 20A
Total power 100W
USB single port output 2.4A (MAX)
25-35-00





Rechargeable

● No. 3038-Black

Power1W

Temp.3CCT

DimmableYes

MaterialMetal

Dimension15,5x20,5cm

Duration8-10 hours

25-25-00

3CCT

Rechargeable

15,5cm

20,5cm

No. ATL0001

24-04-00

No. MC001

10-port charger

Total current20A

Total power100W

USB single port output2.4A (MAX)

24-35-00

438



	No. ATL0001 24-04-00
---	---

INDEX

1025	383
1039	381
1041	380
1043	377
1044	382
1045	378
1046	380
1047	376
1048	380
1049	380
1050	381
13C-00011	21
13C-00021	22
13C-00031	21
13C-00041	23
13C-00051	23
13C-00061	23
13C-00071	24
13C-00081	24
13C-00091	25
13C-00101	25
13C-A001	28
13C-A002	28
13C-A003	29
13C-A004	30
13C-A005	28
13C-A006	29
13C-A007	30
13C-A008	29
13C-A009	30
13C-A010	31
13C-A011	31
13C-A012	31

13C-A013	31
13C-A014	31
13C-A015	31
13C-D001	28
13C-D002	29
13C-T001	27
13C-T002	27
3012	205
3015	422
3016	217
3017	332
3020	175
3024	356
3025	356
3026	357
3027	358
3028	359
3030	431
3031	430
3033	425
3035	427
3036	436
3037	429
3038	438
3040	439
3041	317
3043	352
3044	423
3045	421
3047	177
3050	226
3051	302
3052	306

3053	432
3055	424
3056	428
3057	433
3058	426
3059	434
3060	348
3061	223
3062	209
3063	210
3404	397
3425	385
3427	389
3431	419
3432	355
3433	284
3438	281
3439	282
3443	395
3445	393
3468	399
4016	325/326
4017	292
4018	200
4019	200
4021	316
4022	332
4023	316
4023	333
4024	300/301
4025	286
4027	287
4029	277

INDEX

4030	276
4034	356
4035	356
4036	357
4037	358
4038	359
4039	352/353
4040	351
4041	271
4042	272
4047	273
4048	275
4050	317
4051	208
4052	294
4053	126
4054	128
4055	227
4056	305
4057	303
4058	268
4059	124
4060	124
4061	125
4062	143
4063	144
4064	143
4065	145
4066	148/149
4067	127
4068	219
4069	218
4070	221

4071	216
4072	222
4073	224
4074	344
4075	314/215
4076	268
4077	212/213
4078	217
4079	346
4080	346
4081	346
42013	179
42016	261
42020	257
42021	257
42023	256
42024	256
42025	120
42026	120
42027	190
42028	190
42029	248
42030	254
42031	254
42033	253
42034	259
42035	258
42036	250
42037	246
42038	247
42039	267
42040	244
42041	265

42042	264
42043	242
42044	243
42154	372
42155	147
42171	261
42172	261
42179	260
4253	335
43014	203
43015	203
43022	384
43030	316
43031	332
43032	137
43033	140
43034	174
43035	403
43036	240
43037	239
43040	241
43041	237
43042	234
43043	232
43044	308
43045	235
43046	230
43047	233
43048	230
43049	134
43050	136
43051	141
43052	135

INDEX

43053	141
43054	142
43055	142
43056	228
43057	104
43058	104
43059	344
43060	214
43061	201
43062	236
43218	413
43250	414
43277	119
43278	118
43285	119
43308	396
43343	138
43345	136
43348	388
43351	281
43356	398/399
43366	372
43367	282
43368	284
43369	395
43371	392
43374	147
43375	137
43388	139
43389	139
43390	138
43391	405/408/410
43402	288

43404	141
43414	140
43415	136
43418	238
43420	374
43421	147
43422	375
4355	350
4381	282
4382	281
4387	291
4388	290
4389	290
4400	298/299
4409	354/355
4418	297
4421	280
4471	146
4472	146
4474	340/343
45012	205
45015	317
45016	333
4502	278
45022	175
45023	248
45025	176
45027	303
45029	302
4503	279
45030	307
45031	226
45032	205

45033	211
4504	279
4505	293
4514	309/310
4515	326/327
45364	285
5010	390/391
5012	311/312
5013	314/315
5014	330/331
5015	330/331
5016	314/315
5201	412
5244	414/417
5276	396
5292	413
5300	389
5304	398/399/400
5307	283
5309	394
5311	392
5314	406/409/410/411
5315	311/312
5316	328/329
5318	388/289
5321	328/329
6023	204
6036	324
6038	178
6043	196
6052	197
6057	198
6058	199

INDEX

6059	199
6061	323
6062	320
6063	321
6068	404
6069	403
6072	106
6072	106
6073	109
6075	170
6075	170
6076	171
6080	172
6081	193
6082	193
6083	168
6084	169
6085	167
6087	325
6089	322
6091	183
6092	184
6093	185
6094	162/163
6095	156/158/160/161
6097	165
6098	188
6099	185
6100	189
6101	187
6102	187/189
6105	166
6107	164

6108	153
6109	152
6110	155
6111	173
6112	154
6120	386
6129	336-339
6150	195
6151	195
6158	174
6167	318/319
6181	180
6182	181
9064	370
9065	371
9075	366
9076	367
9077	364
9078	365
9079	368/369
9081	360/361
9082	362/363
9086	360/361
9087	362
AN003	250
AN004	250
ATL0001	424
L001	107
L003	107
L005	107
L006	107
MC001	424
T00600	99

T00700	99
T01001	89
T01002	89
T01100	90
T01200	90
T02601	96
T02602	96
T02701	96
T02702	96
T04101	63
T04201	63
T04501	63
T04605	66
T04805	68
T04905	68
T05005	69
T05105	69
T05205	69
T05305	67
T05405	70
T1-05400	97
T1-05500	97
T1-05600	97
T1-05700	98
T1-05800	98
T1-05900	99
T1-06002	95
T1-06300	98
T3-06400	87
T3-06500	87
T3-06600	87
TB001	72
TC008	102

INDEX

TC009	92
TC010	92
TC011L	92
TC011R	92
TC012	92
TC013	93
TC014	93
TC015	93
TC016	46
TC017	47
TC018	47
TC019	46
TC020	46
TC021	46
TC022	72
TC023	73
TC024	45
TC025	45
TC027	45
TC028	74
TC029	74
TC030	73
TC031	73
TC032	73
TC033	75
TC034	39
TC035	39
TC036	39
TC037	39
TC038	47
TC039L	92
TC039R	92
TC040	92

TC1-027	101
TC1-029	101
TC1-030	102
TC1-031	102
TC1-032	102
TC1-033	102
TC1-034	102
TC1-035	101
TC3-028	93
TC3-034	93
TCM001	81
TCM002	81
TCM003	82
TCM004	82
TCM005	84
TCM006	84
TCM006	84
TCM007	83
TCM007	85
TCM008	81/82/83
TCM009	83
TD001	47
TD002	47
TD003	75
TD004	75
TD005	48
TD006	28/39/47/74/84
TD007	28/39/47/74/84
TD008	28/39/47/74/84
TD009	28/39/47/74/84
TD010	39
TDM001	85
TG001	71

TM0010	41
TM0020	41
TM0030	41
TM0040	41
TM0050	41
TM0060	41
TM0070	41
TM0080	41
TM0090	41
TM0100	42
TM0110	42
TM0120	42
TM0130	43
TM0140	44
TM0150	44
TMC001	48
TMC0011	35
TMC002	71
TMC0021	35
TMC0031	36
TMC0041	36
TMC0051	37
TMC0061	37
TMM0011	78
TMM0021	78
TMM0031	78
TMM0041	77
TMM0051	77
TMM0061	77
TMM0071	79
TMM0081	79
TMM0091	79
TMM0101	80

INDEX

TMU0020	51
TMU0030	51
TMU0040	52
TMU0050	52
TMU0060	53
TMU0070	53
TMU0080	55
TMU0090	55
TMU0100	56
TMU0110	56
TMU0120	56
TMU0130	58
TMU0140	58
TMU0150	55
TMU0160	50
TMU0170	50
TMU0180	54
TMU0190	54
TMU0200	60
TMU0210	59
TMU0220	62
TMU0230	61
TMU0240	61
TMU0250	59
TMZ0010	66
TMZ0020	65
TMZ0030	65
TMZ0040	70
TMZ0050	67
TMZ0060	67
TR0010	45
TR003	92
TR004	92

TR005	46
TR005-3	46
TR006	46
TR007	72
TR007-3	72
TR008	72
TR009	45
TR1-0011	101
TR1-0012	101
TR1-0013	101
TRC001	38
TRC002	38
TRM0010	81
TRM0020	82
TRM0030	83
TRU0011	73
TRU0012	73
TUS06205	65
X0001	133
X0002	131
X0005	133
X0006	131
X0007	133
X0008	123
X0009	123
X0010	121
X0011	130
X0012	130
X0013	130
X0014	132
X0015	132
X0016	132
X00170	110

X00180	110
X00190	111
X00200	111
X00210	111
X00220	112
X00230	112
X00240	113
X00250	113
X00260	114
X00270	114
X00280	115
X00290	115
X00300	116
X00310	116
X00320	117
X00330	117
X00340	121
X00350	122

INLIGHT INLIGHT INLIGHT INLIGHT
INLIGHT INLIGHT INLIGHT
INLIGHT INLIGHT INLIGHT INLIGHT
INLIGHT INLIGHT INLIGHT
INLIGHT INLIGHT INLIGHT INLIGHT
INLIGHT INLIGHT INLIGHT
INLIGHT INLIGHT INLIGHT INLIGHT
INLIGHT INLIGHT INLIGHT INLIGHT
INLIGHT INLIGHT INLIGHT INLIGHT
INLIGHT INLIGHT INLIGHT INLIGHT
INLIGHT INLIGHT INLIGHT INLIGHT
INLIGHT INLIGHT INLIGHT INLIGHT

INLIGHT INLIGHT INLIGHT INLIGHT
INLIGHT INLIGHT INLIGHT
INLIGHT INLIGHT INLIGHT INLIGHT
INLIGHT INLIGHT INLIGHT
INLIGHT INLIGHT INLIGHT INLIGHT
INLIGHT INLIGHT INLIGHT
INLIGHT INLIGHT INLIGHT INLIGHT
INLIGHT INLIGHT INLIGHT INLIGHT
INLIGHT INLIGHT INLIGHT INLIGHT
INLIGHT INLIGHT INLIGHT INLIGHT
INLIGHT INLIGHT INLIGHT INLIGHT
INLIGHT INLIGHT INLIGHT INLIGHT



MORAITIS LIGHTS S.A

MORAITIS LIGHTS SA.
IMPORTS-EXPORTS
Othonos 46 Str. Agios Dimitrios - Athens Greece
Tel.: 210 9760472, 210 9702003, Fax 210 9702003

www.moraitis.com
Πληροφορίες/Information: info@moraitis.com
Παραγγελίες/Orders: sales@moraitis.com
Λογιστήριο/Accounting: accounting@moraitis.com

Εθνική Τράπεζα: 115.470279.43
IBAN: GR5101101150000011547027943

Τράπεζα Πειραιώς: 6555147497354
IBAN: GR9601715550006555147497354

Alpha Bank: 156002002014154
IBAN: GR1401401560156002002014154

Eurobank: 00260008370201617581
IBAN: GR0702600080000370201617581

INLIGHT
2025-2026