
Product Catalog

2025 - 2026



IT Lighting | *Catalog*
2025

PRODUCT OVERVIEW

FANS08 - 25

				
Teton 08	Denali 10	Nitinat 12	Alamo 14	Elsinor 16
				
Trent 18	Zephyr 20	Almanor 21	Chilko 22	

SOLAR26 - 39

				
Faber 26	Eagle 27	Grenada 28	Selwyn 28	Mirror 29
				
Amistad 30	Melville 31	Narlay 32	Juniper 32	Annecy 33
				
Meribel 33	Montbel 34	Moon 34	Seneca 35	Teal 36
				
Tortoise 37	Baikal 38	Lobelia 39		

PRODUCT OVERVIEW

OUTDOOR 42 - 113

				
Allatoona 42	Folsom 43	Barton 43	Caror 44	Niskey 45
				
Emerald 46	Flathead 47	Martin 48	Martin 49	Gio 50
				
Yellowstone 52	Lanier 53	Erie 54	Louise 56	Athabasca 57
				
Geneva 58	Geneva 59	Echo 60	Echo 61	Torch 62
				
Hemlock 63	Willoughby 64	George 65	Jocassee 66	Maroon 67
				
Mono 68	Salmon 69	Horseshoe 70	Kentucky 71	Blue 72
				
Blue 73	Blue 73	Silver 74	Jay 75	Pueblo 76
				
Keowee 78	Keowee 79	Isabella 80	Zar 81	Caddo 82

				
Annie 83	Evelyn 84	Evelyn 85	Rabun 86	Winona 87
				
Shasta 88	Shasta 88	Canyon 89	Avalanche 90	Avalanche 91
				
Avalanche 91	Redfish 92	Redfish 93	Redfish 93	Redfish 93
				
Champlain 94	Wilson 95	Clear 96	Wildwood 97	Candler 98
				
Winnipeg 99	Elarbee 100	Palmyra 101	Cowart 102	Reindeer 103
				
Chelan 104	Crescent 105	Ouachita 106	Eklutna 107	Havasut 108
				
Norman 109	Michigan 110	Powell 111	Erling 112	Shafer 113



FANS

TETON

Λεπτομέρειες | Details

Material	ABS & PMMA
Power	LED 56W
Colour temperature	3CCT by remote control & memory
Lumen	5900
Blades	Bladeless
Motor	18W DC
Revolutions/minute	490 rpm
Speeds	6
Timer	1 2 4 8 h
App	Yes
Area coverage	15-20 m²
Noise level	Class 1
Classification	IP 20
Dimensions	18 x 45 cm



- White

101001020
- Black

101001010



25-155-00

increases airflow ~10x

- no buffetting
- smooth air






DENALI

Λεπτομέρειες | Details

Material	Metal & ABS
Power	LED 24W
Colour temperature	3CCT by remote control & memory
Lumen	2800
Blades	5
Motor	45W DC
Revolutions/minute	150 rpm
Speeds	6
Dual-Season mode	Yes
Timer	2h
App	Yes
Area coverage	15-20 m²
Noise level	Class 1
Classification	IP 20
Dimensions	132 cm

25-208-00



White + Wooden 102000710

Grey + Wooden 102000730

Total White 102000790



SUMMER MODE WINTER MODE



CONTROL BY APP



NITINAT



Λεπτομέρειες | Details

Material	Metal & ABS
Power	LED 25W
Colour temperature	3CCT by remote control & memory
Lumen	2500
Blades	3
Motor	45W DC
Revolutions/minute	191 rpm
Speeds	6
Dual-Season mode	Yes
Timer	2h
App	Yes
Area coverage	15-20 m²
Noise level	Class 1
Classification	IP 20
Dimensions	132 cm




- White + Wooden

102000210
- Grey + Wooden

102000230
- Black + Wooden

102000220
- Total White

102000290



25-202-50






ALAMO

Λεπτομέρειες | Details

Material	Metal & ABS
Power	LED 15W
Colour temperature	3CCT by remote control & memory
Lumen	1500
Blades	3
Motor	35W DC
Revolutions/minute	180 rpm
Speeds	6
Dual-Season mode	Yes
Timer	2h
App	Yes
Area coverage	15-20 m²
Noise level	Class 1
Classification	IP 20
Dimensions	137 x 45 cm

25-180-50



White + Wooden 102000510

Total Black 102000520




EL SINOR


Λεπτομέρειες | Details

Material	Metal & ABS
Power	LED 15W
Colour temperature	3CCT by remote control & memory
Lumen	1500
Blades	3
Motor	35W DC
Revolutions/minute	320 rpm
Speeds	6
Dual-Season mode	Yes
Timer	2h
App	Yes
Area coverage	15-20 m²
Noise level	Class 1
Classification	IP 20
Dimensions	56 x 30 cm

25-142-00



- White + Wooden 102000410
- Black + Wooden 102000480






TRENT


Λεπτομέρειες | Details

Material	Metal & ABS
Blades	3
Motor	40W DC
Revolutions/minute	200 rpm
Speeds	6
Dual-Season mode	Yes
Timer	2h
Area coverage	15-20 m²
Noise level	Class 1
Classification	IP 20
Dimensions	130 cm



- White + Wooden 102000615
- Black + Wooden 102000685
- Total Black 102000625

25-170-00



ZEPHYR

Λεπτομέρειες | Details

Material	ABS & PMMA
Power	LED 36W
Colour temperature	3CCT by remote control & memory
Lumen	3600
Blades	5
Motor	15W DC
Revolutions/minute	950 rpm
Speeds	6
Dual-Season mode	Yes
Timer	2h
App	Yes
Area coverage	15-20 m²
Noise level	Class 1
Classification	IP 20
Dimensions	50 x 19 cm



25-135-00



ALMANOR



Λεπτομέρειες | Details

Material	Metal & PMMA
Power	LED 36W
Colour temperature	3CCT by remote control & memory
Lumen	3600
Blades	5
Motor	15W DC
Revolutions/minute	950 rpm
Speeds	6
Dual-Season mode	Yes
Timer	2h
App	Yes
Area coverage	15-20 m²
Noise level	Class 1
Classification	IP 20
Dimensions	50 x 19 cm



25-123-50


CHILKO




Λεπτομέρειες | Details

Material	Metal & PMMA
Power	LED 36W
Colour temperature	3CCT by remote control & memory
Lumen	3600
Blades	5
Motor	15W DC
Revolutions/minute	950 rpm
Speeds	6
Dual-Season mode	Yes
Timer	2h
App	Yes
Area coverage	15-20 m²
Noise level	Class 1
Classification	IP 20
Dimensions	50 x 19 cm

25-118-00



White	101000310
Grey	101000330
Black	101000320
Gold	101000360





SOLAR

FABER

Λεπτομέρειες | Details

● Black	80204411S
Material	PC
Power	LED 3W
Battery	5,5V
Duration	8-10 h
Charging time	6-8 h
Dimming	Yes (2 step)
Colour temperature	3000K
Lumen	200
Classification	IP65
Dimensions	170 x 120 x 60 mm

25-10-00



EAGLE



Λεπτομέρειες | Details

● Black	80206411S
Material	PC
Power	LED 2W
Battery	1,2V
Duration	8-10 h
Charging time	6-8 h
Dimming	No
Colour temperature	3000K
Lumen	20
Classification	IP65
Dimensions	133 x 86 x 58 mm

25-12-00




GRENADA

Λεπτομέρειες | Details

● Black	80204410S
Material	PC
Power	LED 2W
Battery	5V
Duration	8-10 h
Charging time	6-8 h
Dimming	No
Colour temperature	3000K 6000K
Lumen	180
Classification	IP65
Dimensions	110 x 100 x 80 mm

25-15-50




MIRROR

Λεπτομέρειες | Details

● Black	80204210S
Material	ABS & PC
Power	LED 1,5W
Battery	3,7V
Duration	8-10 h
Charging time	6-9 h
Dimming	Yes (2 step)
Colour temperature	3000K 6000K
Lumen	140
Classification	IP65
Dimensions	179 x 127 x 105 mm

25-24-50




SELWYN

Λεπτομέρειες | Details

● Black	80204510S
Material	PC
Power	LED 2W
Battery	3,7V
Duration	8-10 h
Charging time	6-8 h
Dimming	No
Colour temperature	3000K 6000K
Lumen	180
Classification	IP65
Dimensions	110 x 100 x 80 mm

25-15-50



AMISTAD

Λεπτομέρειες | Details

● Black	80204910S
Material	PC
Power	LED 2W
Battery	5,5V
Duration	8-10 h
Charging time	6-8 h
Dimming	No
Colour temperature	RGB
Lumen	180
Classification	IP65
Dimensions	360 x 84 x 92 mm

25-16-80



MELVILLE



Λεπτομέρειες | Details

● Black	80204810S
Material	PC
Power	LED 3W
Battery	5,5V
Duration	8-10 h
Charging time	6-8 h
Dimming	No
Colour temperature	3000K 6000K
Lumen	250
Classification	IP65
Dimensions	280 x 93 x 160 mm

25-16-80





NARLAY

Λεπτομέρειες | Details

● Black	80206611S
Material	ABS & PC
Power	LED 8W
Battery	3,7V
Duration	8-10 h
Charging time	6-8 h
Dimming	YES (3 step)
Colour temperature	3000K
Lumen	800
Classification	IP65
Dimensions	260 x 117 x 92 mm

25-36-50




ANNECY

Λεπτομέρειες | Details

● Black	80206910S
Material	ABS & PC
Power	LED 2W
Battery	3,7V
Duration	8-10 h
Charging time	5-6 h
Dimming	Yes (3 step)
Colour temperature	2700K 6500K
Lumen	500
Classification	IP65
Dimensions	160 x 82 x 29 mm

25-44-00




JUNIPER

Λεπτομέρειες | Details

● Black	80206711S
Material	ABS & PC
Power	LED 8W
Battery	3,7V
Duration	8-10 h
Charging time	6-8 h
Dimming	Yes (3 step)
Colour temperature	3000K
Lumen	800
Classification	IP65
Dimensions	222 x 163 x 91 mm

25-37-50




MERIBEL

Λεπτομέρειες | Details

● Black	80207011S
Material	ABS & PC
Power	LED 2W
Battery	3,7V
Duration	8-10 h
Charging time	6-8 h
Dimming	No
Colour temperature	3000K
Lumen	220
Classification	IP65
Dimensions	135 x 100 x 50 mm

25-23-50




MONTBEL

Λεπτομέρειες | Details

● Black	80206511S
Material	ABS & PC
Power	LED 12W
Battery	3,7V
Duration	8-10 h
Charging time	6-8 h
Dimming	Yes (3 step)
Colour temperature	3000K
Lumen	130
Classification	IP44
Dimensions	138 x 97 x 51,5 mm

25-13-30



SENECA

Λεπτομέρειες | Details

● Black	80204711S
Material	PC
Power	LED 0,5W (x2)
Battery	3,7V
Duration	8-10 h
Charging time	6-8 h
Dimming	No
Colour temperature	3000K
Lumen	80
Classification	IP65
Dimensions	114 x 60 x 54 mm

25-12-50




MOON

Λεπτομέρειες | Details

● Black	80206810S
Material	ABS & PC
Power	LED 0,8W
Battery	1,2V
Duration	6-8 h
Charging time	5-6 h
Dimming	No
Colour temperature	2700K 6500K
Lumen	50
Classification	IP65
Dimensions	120 x 75 x 41 mm

25-08-90




TEAL

Λεπτομέρειες | Details

● Black	80207111S
Material	ABS & PC
Power	LED 10W
Battery	3,7V
Duration	8-10 h
Charging time	6-8 h
Dimming	Yes
Colour temperature	3000K & RGB (by controller)
Lumen	1200
Classification	IP65
Dimensions	255 x 181 mm

25-49-50





TORTOISE



Λεπτομέρειες | Details

● Black	80207211S
Material	ABS & PC
Power	LED 6W
Battery	3,7V
Duration	8-10 h
Charging time	6-8 h
Dimming	No
Colour temperature	3000K
Lumen	500
Classification	IP65
Dimensions	160 x 160 x 60 mm

25-43-00



BAIKAL

Λεπτομέρειες | Details

● Black	80207310S
Material	ABS & PC
Power	LED 1W
Battery	3,7V
Duration	10-12 h
Charging time	6-8 h
Dimming	No
Colour temperature	3000K 4000K 6000K
Lumen	100
Classification	IP65
Dimensions	130 x 190 x 175 mm

25-31-50




LOBELIA



Λεπτομέρειες | Details

● Black	80600411S
Material	ABS & PC
Power	LED 1W
Battery	1,2V
Duration	8-10 h
Charging time	6-8 h
Dimming	No
Colour temperature	3000K
Lumen	80
Classification	IP44
Dimensions	107,5 x 675 mm

25-16-30





OUTDOOR

ALLATOONA



Λεπτομέρειες | Details

● Black 80205711

Material	Aluminum
Power	LED 10W
Dimming	No
Colour temperature	3000K
Lumen	214
Classification	IP54
Dimensions	45 x 80 x 600 mm

25-55-00




FOLSOM

Λεπτομέρειες | Details

● Black 80205811

Material	Aluminum
Power	LED 10W
Dimming	No
Colour temperature	3000K
Lumen	260
Classification	IP54
Dimensions	45 x 80 x 600 mm

25-55-00




BARTON

Λεπτομέρειες | Details

● Black 80205911

Material	Aluminum
Power	LED 15W
Dimming	No
Colour temperature	3000K
Lumen	345
Classification	IP54
Dimensions	45 x 80 x 600 mm

25-55-00



CAROR




NISKEY


Λεπτομέρειες | Details

- White 80204120
- Grey 80204130
- Anthracite 80204140

Material	ABS & Tempered Glass
Light output	Up & Down
Power	LED 10W
Dimming	No
Colour temperature	3000K 4000K 6000K
Lumen	460
Classification	IP54
Dimensions	175 x 90 x 128 mm



25-22-00





Λεπτομέρειες | Details

- White 80204020
- Grey 80204030
- Anthracite 80204040

Material	ABS & PC
Light output	Up & Down
Power	LED 10,5W
Dimming	No
Colour temperature	3000K 4000K 6000K
Lumen	630
Classification	IP65
Dimensions	171 x 46 x 82 mm

25-35-50



EMERALD

Λεπτομέρειες | Details

- White
- 80203121
- Grey
- 80203131
- Anthracite
- 80203141

Material

Light output

Power

Dimming

Colour temperature

Lumen

Classification

Dimensions

ABS & PC

Up & Down

LED 6W

No


3000K

250



IP65

99 x 99 x 99 mm

ADJUSTABLE



25-24-90



FLATHEAD

Λεπτομέρειες | Details

- White
- 80203520
- Grey
- 80203530
- Anthracite
- 80203540

Material

Light output

Power

Dimming

Colour temperature

Lumen

Classification

Dimensions

ABS & Tempered Glass

Up & Down

LED 6W

No

3000K | 4000K | 6000K

250

IP65

117 x 100 x 137 mm


ADJUSTABLE

3000K 4000K 6000K

3CCT

CHANGING COLOR

25-20-00



MARTIN





Λεπτομέρειες | Details

- White 80200820
- Grey 80200830
- Anthracite 80200840

Material	ABS & PC
Light output	Up & Down
Power	LED 9W
Dimming	No
Colour temperature	3000K 4000K 6000K
Lumen	600
Classification	IP65
Dimensions	46 x 171 x 83 mm

25-32-50







Λεπτομέρειες | Details

- White 80200720
- Grey 80200730
- Anthracite 80200740

Material	ABS & PC
Light output	Up & Down
Power	LED 12W
Dimming	No
Colour temperature	3000K 4000K 6000K
Lumen	580
Classification	IP65
Dimensions	90 x 230 x 102 mm

25-35-80







GIO

Λεπτομέρειες | Details

- White 80206324
- Grey 80206334
- Anthracite 80206344

Material	ABS & PC
Light output	Up & Down
Power	LED 16W
Dimming	No
Colour temperature	3000K 4000K 6000K
Lumen	900
Classification	IP65
Dimensions	46 x 83 x 331 mm

25-40-00




YELLOWSTONE

Λεπτομέρειες | Details

- White80200921
- Grey80200931
- Anthracite80200941

Material	ABS & PC
Light output	Up & Down
Power	LED 3W
Dimming	No
Colour temperature	3000K
Lumen	95
Classification	IP65
Dimensions	120 x 120 x 54 mm

25-18-90






LANIER

Λεπτομέρειες | Details

- White80201021
- Grey80201031
- Anthracite80201041

Material	ABS & PC
Light output	Up & Down
Power	LED 4W
Dimming	No
Colour temperature	3000K
Lumen	130
Classification	IP65
Dimensions	42 x 120 x 32 mm

25-10-60





ERIE

Λεπτομέρειες | Details

White	80203020
Grey	80203030
Anthracite	80203040
Material	ABS & PC
Power	LED 10W
Dimming	No
Colour temperature	3000K 4000K 6000K
Lumen	1000
Classification	IP65
Dimensions	70 x 261 x 98 mm

25-17-00




LOUISE

Λεπτομέρειες | Details

● Anthracite 80203341

Material	ABS & PC
Power	LED 10W
Dimming	No
Colour temperature	3000K
Lumen	850
Classification	IP65
Dimensions	95 x 105 x 133 mm

25-16-70




ATHABASCA

Λεπτομέρειες | Details

● Anthracite 80203241

Material	ABS & PC
Power	LED 10W
Dimming	No
Colour temperature	3000K
Lumen	800
Classification	IP65
Dimensions	105 x 135 mm Ø94 mm

25-16-70




GENEVA

Λεπτομέρειες | Details

- White80201120
- Grey80201130
- Black80201140

Material	ABS & PC
Power	LED 12W
Dimming	No
Colour temperature	3000K 4000K 6000K
Lumen	1000
Classification	IP65
Dimensions	55 mm Ø170 mm

25-26-50



Λεπτομέρειες | Details

- Anthracite80400140

Material	ABS & PC
Power	LED 12W
Dimming	No
Colour temperature	3000K 4000K 6000K
Lumen	1000
Classification	IP65
Dimensions	151 x 500 mm

25-45-50





ECHO

Λεπτομέρειες | Details

- White80202920
- Grey80202930
- Anthracite80202940

Material	ABS & PC
Power	LED 15W
Dimming	No
Colour temperature	3000K 4000K 6000K
Lumen	1000
Classification	IP65
Dimensions	105 x 230 x 55 mm

25-15-00





Λεπτομέρειες | Details

- White80300220
- Grey80300230
- Anthracite80300240

Material	ABS & PC
Power	LED 15W
Dimming	No
Colour temperature	3000K 4000K 6000K
Lumen	1800
Classification	IP65
Dimensions	60 mm Ø210 mm

25-19-50



TORCH





Λεπτομέρειες | Details

- White 80300320
- Grey 80300330
- Anthracite 80300340

Material	ABS & PC
Power	LED 18W
Dimming	No
Colour temperature	3000K 4000K 6000K
Lumen	2100
Classification	IP44
Dimensions	53 mm Ø280 mm

25-23-00





HEMLOCK

Λεπτομέρειες | Details

- Black 80300710

Material	ABS & PC
Power	LED 18W
Dimming	No
Colour temperature	3000K 4000K 6000K
Lumen	2200
Classification	IP44
Dimensions	58 mm Ø337 mm

25-36-00





WILLOUGHBY

Λεπτομέρειες | Details

- White80201320
- Grey80201330
- Anthracite80201340

Material	ABS & PC
Power	LED 4W
Dimming	No
Colour temperature	3000K 4000K 6000K
Lumen	240
Classification	IP65
Dimensions	80 x 220 x 28 mm

25-20-20





GEORGE

Λεπτομέρειες | Details

- White80201520
- Grey80201530
- Anthracite80201540

Material	ABS & PC
Power	LED 3W
Dimming	No
Colour temperature	3000K 4000K 6000K
Lumen	180
Classification	IP65
Dimensions	123 x 123 x 28 mm

25-20-20



JOCASSEE

Λεπτομέρειες | Details

- White 80201420
- Grey 80201430
- Anthracite 80201440

Material	ABS & PC
Power	LED 4W
Dimming	No
Colour temperature	3000K 4000K 6000K
Lumen	230
Classification	IP65
Dimensions	26 mm Ø148 mm

25-20-30





MAROON

Λεπτομέρειες | Details

- White 80201620
- Grey 80201630
- Anthracite 80201640

Material	ABS & PC
Power	LED 3W
Dimming	No
Colour temperature	3000K 4000K 6000K
Lumen	90
Classification	IP65
Dimensions	26 mm Ø148 mm

25-19-60



MONO





Λεπτομέρειες | Details

- White 80201720
- Grey 80201730
- Anthracite 80201740

Material	ABS & PC
Power	LED 3W
Dimming	No
Colour temperature	3000K 4000K 6000K
Lumen	90
Classification	IP65
Dimensions	80 x 220 x 28 mm

25-19-60





SALMON

Λεπτομέρειες | Details

- White 80201820
- Grey 80201830
- Anthracite 80201840

Material	ABS & PC
Power	LED 3W
Dimming	No
Colour temperature	3000K 4000K 6000K
Lumen	90
Classification	IP65
Dimensions	124 x 124 x 27 mm

25-19-60




HORSESHOE

Λεπτομέρειες | Details

White	80201920
Grey	80201930
Anthracite	80201940

Material	ABS & PC
Power	LED 2W
Dimming	No
Colour temperature	3000K 4000K 6000K
Lumen	70
Classification	IP65
Dimensions	32 mm Ø128 mm

25-20-20




KENTUCKY

Λεπτομέρειες | Details

White	80202020
Grey	80202030
Anthracite	80202040

Material	ABS & PC
Power	LED 3W
Dimming	No
Colour temperature	3000K 4000K 6000K
Lumen	180
Classification	IP65
Dimensions	80 x 221 x 35 mm

25-20-20





BLUE

Λεπτομέρειες | Details

- White80202120
- Grey80202130
- Anthracite80202140

Material	ABS
Power	LED 2W
Colour temperature	3000K 4000K 6000K
Lumen	120
Classification	IP65
Dimensions	70 x 100 x 33 mm

25-14-70






Λεπτομέρειες | Details

- White80202220
- Grey80202230
- Anthracite80202240

Material	ABS
Power	LED 3W
Colour temperature	3000K 4000K 6000K
Lumen	270
Classification	IP65
Dimensions	70 x 160 x 33 mm

25-16-60





Λεπτομέρειες | Details

- White80202320
- Grey80202330
- Anthracite80202340

Material	ABS
Power	LED 3,5W
Dimming	No
Colour temperature	3000K 4000K 6000K
Lumen	320
Classification	IP65
Dimensions	80 x 220 x 36 mm

25-18-20




SILVER

Λεπτομέρειες | Details

- White80202420
- Grey80202430
- Anthracite80202440

Material	ABS & PC
Power	LED 1,2W
Dimming	No
Colour temperature	3000K
Lumen	70
Classification	IP54
Dimensions	50 x 70 x 12 mm

25-06-70



JAY



Λεπτομέρειες | Details

- Anthracite80600211

Material	ABS & Tempered Glass
Power	LED 7W
Dimming	No
Colour temperature	3000K
Lumen	420
Classification	IP65
Dimensions	51 x 84 x 160 mm

25-11-00








PUEBLO

Λεπτομέρειες | Details

● Black 80400611

Material	Aluminum
Power	LED 6W
Dimming	No
Colour temperature	3000K
Lumen	600
Classification	IP65
Dimensions	100 x 210 x 630 mm 50 x 175 x 820 mm

25-63-00



KEOWEE





Λεπτομέρειες | Details

● Black 80400510

Material ABS & PC
Power LED 12W
Dimming No
Colour temperature 3000K | 4000K | 6000K
Lumen 600
Classification IP65
Dimensions 180 x 180 x 600 mm

25-45-50




Λεπτομέρειες | Details

● Black 80205210

Material ABS & PC
Power LED 12W
Dimming No
Colour temperature 3000K | 4000K | 6000K
Lumen 600
Classification IP65
Dimensions 180 x 210 x 240 mm

25-30-80




ISABELLA

Λεπτομέρειες | Details

● Black	80205511
Material	Aluminum & PC
Power	LED 12W
Dimming	No
Colour temperature	3000K
Lumen	800
Classification	IP65
Dimensions	100 x 145 x 245 mm



25-65-00




ZAR

Λεπτομέρειες | Details

● Black	80205614
Material	Aluminum & PC
Voltage	220-240 V
Dimming	No
Classification	IP65
Dimensions	100 x 145 x 245 mm
Bulb	E27



25-50-00




CADDO



Λεπτομέρειες | Details

● Anthracite 80400414

Material	ABS
Voltage	220-240 V
Classification	IP54
Dimensions	200 x 200 x 255 mm
Bulb	E27



25-37-00


ANNIE

Λεπτομέρειες | Details

● Black 80206114

Material	Plastic
Voltage	220-240 V
Classification	IP65
Dimensions	150 x 160 x 270 mm
Bulb	E27

25-36-50





EVELYN

Λεπτομέρειες | Details

● Black 80300914

Material	PMMA
Voltage	220-240 V
Classification	IP44
Dimensions	200 x 200 x 235 mm
Bulb	E27

25-09-00





Λεπτομέρειες | Details

● Black 80205314

Material	PMMA
Voltage	220-240 V
Classification	IP44
Dimensions	200 x 240 x 245 mm
Bulb	E27

25-11-00



RABUN




Λεπτομέρειες | Details

- Black 80202514
- White 80202524

Material	ABS
Voltage	220-240 V
Classification	IP44
Dimensions	190 x 237 x 242 mm
Bulb	E27

25-21-50




WINONA

Λεπτομέρειες | Details

- Black 80205414

Material	Aluminum
Light output	Up & Down
Voltage	220-240 V
Dimming	No
Classification	IP65
Dimensions	90 x 120 x 220 mm
Bulb	E27

25-33-00



SHASTA

Λεπτομέρειες | Details

● Black 80400714

Material	PC & PVC
Voltage	220-240 V
Dimming	No
Classification	IP54
Dimensions	150 x 230 x 600 mm
Bulb	GU10

25-43-00



Λεπτομέρειες | Details

● Black 80400814

Material	PC & PVC
Voltage	220-240 V
Dimming	No
Classification	IP54
Dimensions	150 x 305 x 600 mm
Bulb	GU10 (x2)

25-53-00




CANYON

Λεπτομέρειες | Details

● Black 80206214

Material	PC & PVC
Voltage	220-240 V
Classification	IP54
Dimensions	100 x 105 x 135 mm
Bulb	GU10

25-25-00



AVALANCHE



Λεπτομέρειες | Details

● Black 80201214

Material	ABS & PC
Voltage	220-240 V
Classification	IP44
Dimensions	185 x 220 x 300 mm
Bulb	E27

25-18-50



Λεπτομέρειες | Details

● Black 80500114

Material	ABS & PC
Voltage	220-240 V
Classification	IP44
Dimensions	190 x 190 x 1060 mm
Bulb	E27

25-33-50





Λεπτομέρειες | Details

● Black 80400214

Material	ABS & PC
Voltage	220-240 V
Classification	IP44
Dimensions	190 x 190 x 358 mm
Bulb	E27

25-19-00



REDFISH




Λεπτομέρειες | Details

● Black 80202614

Material	ABS & PC
Voltage	220-240 V
Classification	IP44
Dimensions	187 x 237 x 360 mm
Bulb	E27



25-16-60




Λεπτομέρειες | Details

● Black 80300114

Material	ABS & PC
Voltage	220-240 V
Classification	IP44
Dimensions	215 x 1000 x 1370 mm Ø110 mm
Bulb	E27

25-22-00




Λεπτομέρειες | Details

● Black 80500214

Material	ABS & PC
Voltage	220-240 V
Classification	IP44
Dimensions	187 x 216 x 1200 mm
Bulb	E27

25-29-00




Λεπτομέρειες | Details

● Black 80400314

Material	ABS & PC
Voltage	220-240 V
Classification	IP44
Dimensions	187 x 216 x 416 mm
Bulb	E27

25-17-60



CHAMPLAIN

Λεπτομέρειες | Details

- Grey 80300834
- Anthracite 80300844

Material	PC
Voltage	220-240 V
Classification	IP65
Dimensions	90 x 285 x 285 mm
Bulb	E27

25-22-00




WILSON

Λεπτομέρειες | Details

- White 80202824
- Grey 80202834
- Anthracite 80202844

Material	ABS & PC
Voltage	220-240 V
Classification	IP65
Dimensions	110 x 320 x 75 mm
Bulb	G9 (x2)

25-16-00



CLEAR

Λεπτομέρειες | Details

- White



80202724
- Grey

80202734
- Anthracite

80202744

Material	ABS & PC
Voltage	220-240 V
Classification	IP65
Dimensions	130 x 320 x 132 mm
Bulb	E27

25-20-50



WILDWOOD

Λεπτομέρειες | Details

- White


80203624
- Grey

80203634
- Anthracite

80203644

Material	ABS & PC
Voltage	220-240 V
Classification	IP65
Dimensions	130 x 130 x 320 mm
Bulb	E27

25-27-50



CANDLER




Λεπτομέρειες | Details

- White 80203724
- Grey 80203734
- Anthracite 80203744

Material	ABS
Light output	Up & Down
Voltage	220-240V
Classification	IP54
Dimensions	155 x 170 mm Ø90 mm
Bulb	E27

25-15-00




WINNIPEG

Λεπτομέρειες | Details

- White 80203424
- Grey 80203434
- Anthracite 80203444

Material	ABS & PC
Light output	Up & Down
Voltage	220-240V
Classification	IP54
Dimensions	153 x 260 mm Ø90 mm
Bulb	E27 (x2)

25-18-90




ELARBEE

Λεπτομέρειες | Details

- White80203824
- Grey80203834
- Anthracite80203844

Material	ABS
Light output	Up / Down
Voltage	220-240V
Classification	IP54
Dimensions	90 x 155 x 175 mm
Bulb	E27 (x2)

25-15-00




PALMYRA

Λεπτομέρειες | Details

- White80203924
- Grey80203934
- Anthracite80203944

Material	ABS
Light output	Up & Down
Voltage	220-240 V
Classification	IP54
Dimensions	90 x 155 x 265 mm
Bulb	E27

25-19-50




COWART

Λεπτομέρειες | Details

White	80300624
Grey	80300634
Anthracite	80300644

Material	ABS & Tempered Glass
Light output	Down
Voltage	220-240V
Classification	IP44
Dimensions	70 x 70 x 120 mm
Bulb	GU10

25-15-50




REINDEER

Λεπτομέρειες | Details

White	80300524
Grey	80300534
Anthracite	80300544

Material	ABS & PC
Light output	Down
Voltage	220-240V
Classification	IP44
Dimensions	141 mm Ø94 mm
Bulb	GU10

25-13-50



CHELAN

Λεπτομέρειες | Details

White	80300124
Grey	80300134
Anthracite	80300144

Material	ABS
Light output	Down
Voltage	220-240 V
Classification	IP65
Dimensions	130 mm Ø60 mm
Bulb	GU10

25-12-00



CRESCENT

Λεπτομέρειες | Details

White	80206024
Grey	80206034
Anthracite	80206044

Material	Aluminum
Voltage	220-240 V
Dimming	No
Classification	IP54
Dimensions	90 x 90 x 130 mm
Bulb	GU10

25-21-50



OUACHITA

Λεπτομέρειες | Details

- White

80200624
- Grey

80200634
- Anthracite

80200644

Material	ABS & Glass
Light output	Up & Down
Voltage	220-240 V
Classification	IP54
Dimensions	73 x 113 x 152 mm
Bulb	GU10 (x2)

25-10-10



EKLUTNA

Λεπτομέρειες | Details

- White

80200524
- Grey

80200534
- Anthracite

80200544

Material	ABS & Glass
Light output	Up / Down
Voltage	220-240 V
Classification	IP54
Dimensions	73 x 113 x 113 mm
Bulb	GU10

25-08-30



HAVASU




Λεπτομέρειες | Details

- White 80200324
- Grey 80200334
- Anthracite 80200344

Material	ABS & PC
Light output	Up & Down
Voltage	220-240 V
Classification	IP54
Dimensions	70 x 90 x 147 mm
Bulb	GU10 (x2)

25-10-50





NORMAN

Λεπτομέρειες | Details

- White 80200424
- Grey 80200434
- Anthracite 80200444

Material	ABS & PC
Light output	Up / Down
Voltage	220-240 V
Classification	IP54
Dimensions	70 x 80 x 90 mm
Bulb	GU10

25-08-90



MICHIGAN




Λεπτομέρειες | Details

- White 80200124
- Grey 80200134
- Anthracite 80200144

Material	ABS & PC
Light output	Up & Down
Voltage	220-240 V
Classification	IP54
Dimensions	70 x 90 x 147 mm
Bulb	GU10



25-10-50





POWELL

Λεπτομέρειες | Details

- White 80200224
- Grey 80200234
- Anthracite 80200244

Material	ABS & PC
Light output	Up / Down
Voltage	220-240 V
Classification	IP54
Dimensions	70 x 80 x 90 mm
Bulb	GU10

25-08-90



ERLING



Λεπτομέρειες | Details

● Black 80600314

Material	ABS & PC
Voltage	220-240 V
Classification	IP65
Dimensions	62 x 140 x 250 mm
Bulb	GU10

25-14-90



SHAFER




Λεπτομέρειες | Details

● Anthracite 80600144

Material	ABS & Glass
Voltage	220-240 V
Classification	IP65
Dimensions	115 x 180 x 270 mm
Bulb	GU10

25-11-50



INDEX

Item number	Name	Page	Item number	Name	Page	Item number	Name	Page	Item number	Name	Page
101000310	Chilko	22	80200434	Norman	109	80201530	George	65	80202614	Redfish	92
101000320	Chilko	22	80200444	Norman	109	80201540	George	65	80202724	Clear	96
101000330	Chilko	22	80200524	Eklutna	107	80201620	Maroon	67	80202734	Clear	96
101000360	Chilko	22	80200534	Eklutna	107	80201630	Maroon	67	80202744	Clear	96
101000410	Almanor	21	80200544	Eklutna	107	80201640	Maroon	67	80202824	Wilson	95
101000940	Zephyr	20	80200624	Ouachita	106	80201720	Mono	68	80202834	Wilson	95
101001010	Teton	08	80200634	Ouachita	106	80201730	Mono	68	80202844	Wilson	95
101001020	Teton	08	80200644	Ouachita	106	80201740	Mono	68	80202920	Echo	60
102000210	Nitinat	12	80200720	Martin	48	80201820	Salmon	69	80202930	Echo	60
102000220	Nitinat	12	80200730	Martin	48	80201830	Salmon	69	80202940	Echo	60
102000230	Nitinat	12	80200740	Martin	48	80201840	Salmon	69	80203020	Erie	54
102000290	Nitinat	12	80200820	Martin	49	80201920	Horseshoe	70	80203030	Erie	54
102000410	Elsinor	16	80200830	Martin	49	80201930	Horseshoe	70	80203040	Erie	54
102000480	Elsinor	16	80200840	Martin	49	80201940	Horseshoe	70	80203121	Emerald	46
102000510	Alamo	14	80200921	Yellowstone	52	80202020	Kentucky	71	80203131	Emerald	46
102000520	Alamo	14	80200931	Yellowstone	52	80202030	Kentucky	71	80203141	Emerald	46
102000615	Trent	18	80200941	Yellowstone	52	80202040	Kentucky	71	80203241	Athabasca	57
102000625	Trent	18	80201021	Lanier	53	80202120	Blue	72	80203341	Louise	56
102000685	Trent	18	80201031	Lanier	53	80202130	Blue	72	80203424	Winnipeg	99
102000710	Denali	10	80201041	Lanier	53	80202140	Blue	72	80203434	Winnipeg	99
102000730	Denali	10	80201120	Geneva	58	80202220	Blue	73	80203444	Winnipeg	99
102000790	Denali	10	80201130	Geneva	58	80202230	Blue	73	80203520	Flathead	47
80200124	Michigan	110	80201140	Geneva	58	80202240	Blue	73	80203530	Flathead	47
80200144	Michigan	110	80201214	Avalanche	90	80202320	Blue	73	80203540	Flathead	47
80200224	Powell	111	80201320	Willoughby	64	80202330	Blue	73	80203624	Wildwood	97
80200234	Powell	111	80201330	Willoughby	64	80202340	Blue	73	80203634	Wildwood	97
80200244	Powell	111	80201340	Willoughby	64	80202420	Silver	74	80203644	Wildwood	97
80200324	Havasu	108	80201420	Jocassee	66	80202430	Silver	74	80203724	Candler	98
80200334	Havasu	108	80201430	Jocassee	66	80202440	Silver	74	80203734	Candler	98
80200344	Havasu	108	80201440	Jocassee	66	80202514	Rabun	86	80203744	Candler	98
80200424	Norman	109	80201520	George	65	80202524	Rabun	86	80203824	Elarbee	100

INDEX

Item number	Name	Page	Item number	Name	Page	Item number	Name	Page
80203834	Elarbee	100	80206324	Gio	50	80300844	Champlain	94
80203844	Elarbee	100	80206334	Gio	50	80300914	Evelyn	84
80203924	Palmyra	101	80206344	Gio	50	80400140	Geneva	59
80203934	Palmyra	101	80206411S	Eagle	27	80400214	Avalanche	91
80203944	Palmyra	101	80206511S	Montbel	34	80400314	Redfish	93
80204020	Caror	44	80206611S	Narlay	32	80400414	Caddo	82
80204030	Caror	44	80206711S	Juniper	32	80400510	Keowee	78
80204040	Caror	44	80206810S	Moon	34	80400611	Pueblo	76
80204120	Niskey	45	80206910S	Annecy	33	80400714	Shasta	88
80204130	Niskey	45	80207011S	Meribel	33	80400814	Shasta	88
80204140	Niskey	45	80207111S	Teal	36	80500114	Avalanche	91
80204210S	Mirror	29	80207211S	Tortoise	37	80500214	Redfish	93
80204410S	Grenada	28	80207310S	Baikal	38	80600144	Shafer	113
80204411S	Faber	26	80300114	Redfish	93	80600211	Jay	75
80204510S	Selwyn	28	80300124	Chelan	104	80600314	Erling	112
80204711S	Seneca	35	80300134	Chelan	104	80600411S	Lobelia	39
80204810S	Melville	31	80300144	Chelan	104			
80204910S	Amistad	30	80300220	Echo	61			
80205210	Keowee	79	80300230	Echo	61			
80205314	Evelyn	85	80300240	Echo	61			
80205414	Winona	87	80300320	Torch	62			
80205511	Isabella	80	80300330	Torch	62			
80205614	Zar	81	80300340	Torch	62			
80205711	Allatoona	42	80300524	Reindeer	103			
80205811	Folsom	43	80300534	Reindeer	103			
80205911	Barton	43	80300544	Reindeer	103			
80206024	Crescent	105	80300624	Cowart	102			
80206034	Crescent	105	80300634	Cowart	102			
80206044	Crescent	105	80300644	Cowart	102			
80206114	Annie	83	80300710	Hemlock	63			
80206214	Canyon	89	80300834	Champlain	94			

Distributed by:

MORAITIS LIGHTS S.A

46 Othonos Str, 17343, Athens Greece
+30 210 9760472 - +30 2109702003

Contact Information:

info@moraitis.com

Orders: sales@moraitis.com / orders@moraitis.com

Accounting: accounting@morairis.com

Bank Details:

National Bank of Greece: 11547027943

IBAN: GR5101101150000011547027943

Piraeus Bank: 6555147497354

IBAN: GR9601715550006555147497354

Alpha Bank: 156002002014154

IBAN: GR1401401560156002002014154

Eurobank: 00260008370201617581

IBAN: GR0702600080000370201617581



www.it-lighting.eu



www.it-lighting.eu