

JUST LED



2024 - 2025



Η JUST LED, η οποία πρόσφατα εισήλθε στην ελληνική αγορά, είναι μία δυναμική εταιρεία που εξειδικεύεται στην καινοτομία και την ποιότητα στον τομέα των φωτιστικών λύσεων LED. Με μια πλήρη γκάμα προϊόντων που καλύπτει όλες τις ανάγκες φωτισμού, από οικιακούς χώρους μέχρι επαγγελματικά περιβάλλοντα, η JUST LED προσφέρει υψηλής ποιότητας LED λάμπες που συνδυάζουν αισθητική, απόδοση και βιωσιμότητα.

Με έδρα την τεχνολογικά προηγμένη καινοτομία, η JUST LED δεσμεύεται να προσφέρει προϊόντα υψηλής απόδοσης που συνδυάζουν μακροχρόνια διάρκεια ζωής με εξαιρετική ενεργειακή απόδοση, επιτρέποντας στους πελάτες της να εξοικονομούν ενέργεια και να μειώνουν το κόστος των ηλεκτρικών ενεργειών τους.

Ο κατάλογος προϊόντων της JUST LED αποτελεί τον πλήρη οδηγό για την επιλογή των καταλληλότερων λύσεων φωτισμού για κάθε ανάγκη, διασφαλίζοντας ότι κάθε πελάτης θα βρει την ιδανική επιλογή που ταιριάζει τόσο στις απαιτήσεις του χώρου του όσο και στις προτιμήσεις του για στυλ και απόδοση.

Με την JUST LED, ο φωτισμός γίνεται προηγμένος, οικολογικός και οικονομικά αποδοτικός, ενισχύοντας την εμπειρία φωτισμού σε κάθε χώρο και εφαρμογή.

JUST LED, which recently entered the Greek market, is a dynamic company specializing in innovation and quality in the LED lighting solutions sector. With a comprehensive range of products covering all lighting needs from residential to commercial environments, JUST LED offers high-quality LED bulbs that combine aesthetics, performance, and sustainability.

Driven by technologically advanced innovation, JUST LED is committed to providing high-performance products that combine long lifespan with exceptional energy efficiency, allowing customers to save energy and reduce electricity costs.

The JUST LED product catalog serves as a complete guide for selecting the most suitable lighting solutions for every need, ensuring that each customer finds the ideal choice that matches both their space requirements and preferences for style and performance.

With JUST LED, lighting becomes advanced, environmentally friendly, and economically efficient, enhancing the lighting experience in every space and application.



2024 - 2025

All-in-one Functions
No hub required

- 9 Watt equivalent to 80 Watt, 900 lumens, brighter than 7W bulbs
- Saving 85% on electricity bill, up to 30,000 hours working lifespan
- Preset 8 scene modes, such as reading, leisure, rainbow, etc.



RGBW - SMART

JUST LED



GU10



CODE	BARCODE	WATT	PACKING	MOQ	DIMENSION
B100005017	5207231018919	5	1/100	1	51,5 x 51,5

A60 E27



CODE	BARCODE	WATT	PACKING	MOQ	DIMENSION
B276009017	5207231018902	9	1/100	1	60 x 112

A ENERGY GLASS
SUPER VALUE

A ENERGY



A60 E27

Lifetime: 15000h
Volt: 220-240V
Start Time: Instant Full Light
Energy Class: A



NON DIMMABLE



CODE	BARCODE	WATT	=WATT	COLOR	LUMEN	PACKING	MOQ	DIMENSION
B276005101	5207231017615	5	75	3000K	1050	10/100	1	60 x 108
B276005102	5207231017622	5	75	4000K	1050	10/100	1	60 x 108

C35 E14

Lifetime: 15000h
Volt: 220-240V
Start Time: Instant Full Light
Energy Class: A



NON DIMMABLE



CODE	BARCODE	WATT	=WATT	COLOR	LUMEN	PACKING	MOQ	DIMENSION
B143504201	5207231017639	4	60	3000K	840	10/100	1	35 x 100
B143504202	5207231017646	4	60	4000K	840	10/100	1	35 x 100

EXTRA VALUE

Amber Glass

EXTRA VALUE

Amber Glass



G45 E14

Lifetime: 15000h
Volt: 220-240V
Start Time: Instant Full Light
Energy Class: E

DIMMABLE



CODE	BARCODE	WATT	=WATT	COLOR	LUMEN	PACKING	MOQ	DIMENSION
B144506301	5207231016199	6	50	3000K	660	10/100	5	45 x 75



CODE	BARCODE	WATT	=WATT	COLOR	LUMEN	PACKING	MOQ	DIMENSION
B276410301	5207231016380	10	75	3000K	1100	10/80	3	64 x 146



ST64 E27

Lifetime: 15000h
Volt: 220-240V
Start Time: Instant Full Light
Energy Class: E

DIMMABLE



G45 E14

Lifetime: 15000h
Volt: 220-240V
Start Time: Instant Full Light
Energy Class: E

DIMMABLE



CODE	BARCODE	WATT	=WATT	COLOR	LUMEN	PACKING	MOQ	DIMENSION
B143506401	5207231016205	6	50	4000K	660	10/100	5	35 x 100



CODE	BARCODE	WATT	=WATT	COLOR	LUMEN	PACKING	MOQ	DIMENSION
B279510301	5207231016434	10	75	3000K	1100	1/60	3	95 x 140



G95 E27

Lifetime: 15000h
Volt: 220-240V
Start Time: Instant Full Light
Energy Class: E

DIMMABLE



A60 E27

Lifetime: 15000h
Volt: 220-240V
Start Time: Instant Full Light
Energy Class: E

DIMMABLE



CODE	BARCODE	WATT	=WATT	COLOR	LUMEN	PACKING	MOQ	DIMENSION
B276010301	5207231016311	10	75	3000K	1100	10/100	3	60 x 108



CODE	BARCODE	WATT	=WATT	COLOR	LUMEN	PACKING	MOQ	DIMENSION
B271212201	5207231017554	12	100	3000K	1300	1/30	3	125 x 175



G125 E27

Lifetime: 15000h
Volt: 220-240V
Start Time: Instant Full Light
Energy Class: E

DIMMABLE



G45 E27

Lifetime: 15000h
Volt: 220-240V
Start Time: Instant Full Light
Energy Class: E

NON DIMMABLE



CODE	BARCODE	WATT	=WATT	COLOR	LUMEN	PACKING	MOQ	DIMENSION
B274506101	5207231016090	6	50	3000K	660	10/100	10	45 x 75
B274506102	5207231016106	6	50	4000K	660	10/100	10	45 x 75



G45 E14

Lifetime: 15000h
Volt: 220-240V
Start Time: Instant Full Light
Energy Class: E

NON DIMMABLE



CODE	BARCODE	WATT	=WATT	COLOR	LUMEN	PACKING	MOQ	DIMENSION
B144506101	5207231016113	6	50	3000K	660	10/100	10	45 x 75
B144506102	5207231016120	6	50	4000K	660	10/100	10	45 x 75



C37 E14

Lifetime: 15000h
Volt: 220-240V
Start Time: Instant Full Light
Energy Class: E

NON DIMMABLE



CODE	BARCODE	WATT	=WATT	COLOR	LUMEN	PACKING	MOQ	DIMENSION
B143504101	5207231016137	4	40	3000K	440	10/100	10	35 x 100
B143504102	5207231016144	4	40	4000K	440	10/100	10	35 x 100
B143506101	5207231016151	6	50	3000K	660	10/100	10	35 x 100
B143506102	5207231016168	6	50	4000K	660	10/100	10	35 x 100

DIMMABLE

CODE	BARCODE	WATT	=WATT	COLOR	LUMEN	PACKING	MOQ	DIMENSION
B143506201	5207231016175	6	50	3000K	660	10/100	5	35 x 100
B143506202	5207231016182	6	50	4000K	660	10/100	5	35 x 100



C35L E14

Lifetime: 15000h
Volt: 220-240V
Start Time: Instant Full Light
Energy Class: E

DIMMABLE



CODE	BARCODE	WATT	=WATT	COLOR	LUMEN	PACKING	MOQ	DIMENSION
B143506301	5207231016212	6	50	3000K	660	10/100	5	35 x 120
B143506302	5207231016229	6	50	4000K	660	10/100	5	35 x 120

EXTRA VALUE

Clear Glass



G125 E27

Lifetime: 15000h
Volt: 220-240V
Start Time: Instant Full Light
Energy Class: E

DIMMABLE



CODE	BARCODE	WATT	=WATT	COLOR	LUMEN	PACKING	MOQ	DIMENSION
B271212101	5207231016441	12	100	3000K	1300	1/30	3	125 x 175
B271212102	5207231016458	12	100	4000K	1300	1/30	3	125 x 175
B271214101	5207231017530	14	140	3000K	1540	1/30	3	125 x 175
B271214102	5207231017547	14	140	4000K	1540	1/30	3	125 x 175



T30 E27

Lifetime: 15000h
Volt: 220-240V
Start Time: Instant Full Light
Energy Class: E

DIMMABLE



CODE	BARCODE	WATT	=WATT	COLOR	LUMEN	PACKING	MOQ	DIMENSION
B273008201	5207231017561	8	60	3000K	880	1/100	1	30 x 185

EXTRA VALUE

Clear Glass



ST64 E27

Lifetime: 15000h
Volt: 220-240V
Start Time: Instant Full Light
Energy Class: E

NON DIMMABLE



CODE	BARCODE	WATT	=WATT	COLOR	LUMEN	PACKING	MOQ	DIMENSION
B276410101	5207231016328	10	75	3000K	1100	10/80	5	64 x 146
B276410102	5207231016335	10	75	4000K	1100	10/80	5	64 x 146
B276412101	5207231016342	12	100	3000K	1300	10/80	5	64 x 146
B276412102	5207231016359	12	100	4000K	1300	10/80	5	64 x 146

DIMMABLE

CODE	BARCODE	WATT	=WATT	COLOR	LUMEN	PACKING	MOQ	DIMENSION
B276410201	5207231016366	10	75	3000K	1100	10/80	3	64 x 146
B276410202	5207231016373	10	75	4000K	1100	10/80	3	64 x 146



G95 E27

Lifetime: 15000h
Volt: 220-240V
Start Time: Instant Full Light
Energy Class: E

NON DIMMABLE



CODE	BARCODE	WATT	=WATT	COLOR	LUMEN	PACKING	MOQ	DIMENSION
B279512101	5207231016397	12	100	3000K	1300	1/60	3	95 x 140
B279512102	5207231016403	12	100	4000K	1300	1/60	3	95 x 140

DIMMABLE

CODE	BARCODE	WATT	=WATT	COLOR	LUMEN	PACKING	MOQ	DIMENSION
B279510201	5207231016410	10	75	3000K	1100	1/60	3	95 x 140
B279510202	5207231016427	10	75	4000K	1100	1/60	3	95 x 140

Clear Glass

Clear Glass



A60 E27

Lifetime: 15000h
Volt: 220-240V
Start Time: Instant Full Light
Energy Class: E

IP20
RATED



NON DIMMABLE

CODE: B276008501

CODE: B276008301

CODE	BARCODE	WATT	=WATT	COLOR	LUMEN	PACKING	MOQ	DIMENSION
B276008501	5207231017608	8	60	3000K	880	10/100	1	60 x 108
B276008301	5207231017585	8	60	3000K	880	10/100	1	60 x 108



A60 E27

Lifetime: 15000h
Volt: 220-240V
Start Time: Instant Full Light
Energy Class: E

IP20
RATED



NON DIMMABLE

CODE: B276008201

CODE: B276008401

CODE	BARCODE	WATT	=WATT	COLOR	LUMEN	PACKING	MOQ	DIMENSION
B276008201	5207231017578	8	60	3000K	880	10/100	1	60 x 108
B276008401	5207231017585	8	60	3000K	880	10/100	1	60 x 108



A60 E27

Lifetime: 15000h
Volt: 220-240V
Start Time: Instant Full Light
Energy Class: E



NON DIMMABLE

CODE	BARCODE	WATT	=WATT	COLOR	LUMEN	PACKING	MOQ	DIMENSION
B276008101	5207231016236	8	60	3000K	880	10/100	10	60 x 108
B276008102	5207231016243	8	60	4000K	880	10/100	10	60 x 108
B276010101	5207231016250	10	110	3000K	1100	10/100	10	60 x 108
B276010102	5207231016267	10	110	4000K	1100	10/100	10	60 x 108
B276012101	5207231016274	12	100	3000K	1300	10/100	10	60 x 108
B276012102	5207231016281	12	100	4000K	1300	10/100	10	60 x 108
B276014101	5207231017516	14	140	3000K	1540	10/100	10	60 x 108
B276014102	5207231017523	14	140	4000K	1540	10/100	10	60 x 108

DIMMABLE

CODE	BARCODE	WATT	=WATT	COLOR	LUMEN	PACKING	MOQ	DIMENSION
B276010201	5207231016298	10	75	3000K	1100	10/100	5	60 x 108
B276010202	5207231016304	10	75	4000K	1100	10/100	5	60 x 108

3 STEP DIMMING



CODE	BARCODE	WATT	=WATT	COLOR	LUMEN	PACKING	MOQ	DIMENSION
B276008601	5207231017691	8	60	3000K	880	10/100	5	60 x 108



G9

Lifetime: 15000h
Volt: 220-240V
Start Time: Instant Full Light
Energy Class: D

NON DIMMABLE



CODE	BARCODE	WATT	=WATT	COLOR	LUMEN	PACKING	MOQ	DIMENSION
B090003011	5207231018018	3	45	3000K	460	1/100	10	49 x 16
B090003012	5207231018025	3	45	4000K	460	1/100	10	49 x 16
B090003013	5207231018032	3	45	6000K	460	1/100	10	49 x 16



G9

Lifetime: 15000h
Volt: 220-240V
Start Time: Instant Full Light
Energy Class: D

NON DIMMABLE



CODE	BARCODE	WATT	=WATT	COLOR	LUMEN	PACKING	MOQ	DIMENSION
B090005011	5207231018049	5	55	3000K	680	1/100	10	60 x 16
B090005012	5207231018056	5	55	4000K	680	1/100	10	60 x 16
B090005013	5207231018063	5	55	6000K	680	1/100	10	60 x 16



G9

Lifetime: 15000h
Volt: 220-240V
Start Time: Instant Full Light
Energy Class: D

NON DIMMABLE



CODE	BARCODE	WATT	=WATT	COLOR	LUMEN	PACKING	MOQ	DIMENSION
B090009011	5207231018070	9	80	3000K	1200	1/100	10	69 x 21
B090009012	5207231018087	9	80	4000K	1200	1/100	10	69 x 21
B090009013	5207231018094	9	80	6000K	1200	1/100	10	69 x 21

GU10

Lifetime: 15000h
Volt: 170-265V
Start Time: Instant Full Light
Energy Class: F

NON DIMMABLE



CODE	BARCODE	WATT	=WATT	COLOR	LUMEN	PACKING	MOQ	DIMENSION
B100007011	5207231015543	7	40	3000K	560	10/100	1	50 x 53
B100007012	5207231015550	7	40	4000K	560	10/100	1	50 x 53

GU10

Lifetime: 15000h
Volt: 170-265V
Start Time: Instant Full Light
Energy Class: F

NON DIMMABLE



CODE	BARCODE	WATT	=WATT	COLOR	LUMEN	PACKING	MOQ	DIMENSION
B100007021	5207231015529	7	40	3000K	560	10/100	10	50 x 53
B100007022	5207231015536	7	40	4000K	560	10/100	10	50 x 53

GU10

Lifetime: 15000h
Volt: 170-265V
Start Time: Instant Full Light
Energy Class: F

NON DIMMABLE



CODE	BARCODE	WATT	=WATT	COLOR	LUMEN	PACKING	MOQ	DIMENSION
B100006011	5207231015475	6	45	3000K	510	10/100	10	50 x 53
B100006012	5207231015482	6	45	4000K	510	10/100	10	50 x 53
B100009011	5207231015499	9	65	3000K	770	10/100	10	50 x 53
B100009012	5207231015505	9	65	4000K	770	10/100	10	50 x 53
B100009013	5207231015512	9	65	6000K	770	10/100	10	50 x 53

GU10

Lifetime: 15000h
Volt: 220-240V
Start Time: Instant Full Light
Energy Class: F

3 STEP DIMMING



CODE	BARCODE	WATT	=WATT	COLOR	LUMEN	PACKING	MOQ	DIMENSION
B100007031	5207231017677	7	40	3000K	560	10/100	10	50 x 53
B100007032	5207231017684	7	40	4000K	560	10/100	10	50 x 53



C37 E14

Lifetime: 15000h
Volt: 170-265V
Start Time: Instant Full Light
Energy Class: E

NON DIMMABLE



CODE	BARCODE	WATT	=WATT	COLOR	LUMEN	PACKING	MOQ	DIMENSION
B143706011	5207231015642	6	50	3000K	660	10/100	10	37 x 99
B143706012	5207231015659	6	50	4000K	660	10/100	10	37 x 99
B143706013	5207231015666	6	50	6000K	660	10/100	10	37 x 99
B143709011	5207231015673	9	75	3000K	990	10/100	10	37 x 106
B143709012	5207231015680	9	75	4000K	990	10/100	10	37 x 106
B143709013	5207231015697	9	75	6000K	990	10/100	10	37 x 106



R50 E14

Lifetime: 15000h
Volt: 170-265V
Start Time: Instant Full Light
Energy Class: E

NON DIMMABLE



CODE	BARCODE	WATT	=WATT	COLOR	LUMEN	PACKING	MOQ	DIMENSION
B145007012	5207231015949	7	60	4000K	770	10/100	10	50 x 80



G45 E14

Lifetime: 15000h
Volt: 170-265V
Start Time: Instant Full Light
Energy Class: E

NON DIMMABLE



CODE	BARCODE	WATT	=WATT	COLOR	LUMEN	PACKING	MOQ	DIMENSION
B144506011	5207231015765	6	50	3000K	660	10/100	10	45 x 80
B144506012	5207231015772	6	50	4000K	660	10/100	10	45 x 80
B144506013	5207231015789	6	50	6000K	660	10/100	10	45 x 80
B144509011	5207231015796	9	75	3000K	990	10/100	10	45 x 90
B144509012	5207231015802	9	75	4000K	990	10/100	10	45 x 90
B144509013	5207231015819	9	75	6000K	990	10/100	10	45 x 90



G45 E27

Lifetime: 15000h
Volt: 170-265V
Start Time: Instant Full Light
Energy Class: E

NON DIMMABLE



CODE	BARCODE	WATT	=WATT	COLOR	LUMEN	PACKING	MOQ	DIMENSION
B274506011	5207231015703	6	50	3000K	660	10/100	10	45 x 80
B274506012	5207231015710	6	50	4000K	660	10/100	10	45 x 80
B274506013	5207231015727	6	50	6000K	660	10/100	10	45 x 80
B274509011	5207231015734	9	75	3000K	990	10/100	10	45 x 90
B274509012	5207231015741	9	75	4000K	990	10/100	10	45 x 90
B274509013	5207231015758	9	75	6000K	990	10/100	10	45 x 90



A60 E27

Lifetime: 15000h
Volt: 170-265V
Start Time: Instant Full Light
Energy Class: E

NON DIMMABLE



CODE	BARCODE	WATT	=WATT	COLOR	LUMEN	PACKING	MOQ	DIMENSION
B276010011	5207231015567	10	75	3000K	1100	10/80	10	60 x 108
B276010012	5207231015574	10	75	4000K	1100	10/80	10	60 x 108
B276010013	5207231015581	10	75	6000K	1100	10/80	10	60 x 108
B276012011	5207231015598	12	95	3000K	1320	10/80	10	60 x 112
B276012012	5207231015604	12	95	4000K	1320	10/80	10	60 x 112
B276015011	5207231015611	15	105	3000K	1650	10/80	10	60 x 118
B276015012	5207231015628	15	105	4000K	1650	10/80	10	60 x 118
B276015013	5207231015635	15	105	6000K	1650	10/80	10	60 x 118

3 STEP DIMMING



CODE	BARCODE	WATT	=WATT	COLOR	LUMEN	PACKING	MOQ	DIMENSION
B276010021	5207231017653	10	65	3000K	900	10/80	10	60 x 108
B276010022	5207231017660	10	65	4000K	900	10/80	10	60 x 108



A60 B22

Lifetime: 15000h
Volt: 170-265V
Start Time: Instant Full Light
Energy Class: E

NON DIMMABLE



CODE	BARCODE	WATT	=WATT	COLOR	LUMEN	PACKING	MOQ	DIMENSION
B226015012	5207231015956	15	100	4000K	1650	10/80	3	60 x 118



G95 / G120 E27

Lifetime: 15000h
Volt: 170-265V
Start Time: Instant Full Light
Energy Class: E

NON DIMMABLE



G95 E27

CODE	BARCODE	WATT	=WATT	COLOR	LUMEN	PACKING	MOQ	DIMENSION
B279515011	5207231015826	15	100	3000K	1650	1/30	3	95 x 136
B279515012	5207231015833	15	100	4000K	1650	1/30	3	95 x 136
B279515013	5207231015840	15	100	6000K	1650	1/30	3	95 x 136

G120 E27

CODE	BARCODE	WATT	=WATT	COLOR	LUMEN	PACKING	MOQ	DIMENSION
B271220011	5207231015857	20	150	3000K	2150	1/24	3	120 x 157
B271220012	5207231015864	20	150	4000K	2150	1/24	3	120 x 157
B271220013	5207231015871	20	150	6000K	2150	1/24	3	120 x 157



R63 E27

Lifetime: 15000h
Volt: 170-265V
Start Time: Instant Full Light
Energy Class: E

NON DIMMABLE



CODE	BARCODE	WATT	=WATT	COLOR	LUMEN	PACKING	MOQ	DIMENSION
B276309012	5207231018100	9	70	4000K	900	10/100	10	63 x 99



T100 / T120 / T140 E27

Lifetime: 15000h
Volt: 170-265V
Start Time: Instant Full Light
Energy Class: F

NON DIMMABLE



T100 E27

CODE	BARCODE	WATT	COLOR	LUMEN	PACKING	MOQ	DIMENSION
B271030012	5207231015888	30	4000K	3000	1/50	1	100 x 165
B271030013	5207231015895	30	6000K	3000	1/50	1	100 x 165

T120 E27

CODE	BARCODE	WATT	COLOR	LUMEN	PACKING	MOQ	DIMENSION
B271240012	5207231015901	40	4000K	4000	1/40	1	120 x 185
B271240013	5207231015918	40	6000K	4000	1/40	1	120 x 185

T140 E27

CODE	BARCODE	WATT	COLOR	LUMEN	PACKING	MOQ	DIMENSION
B271450012	5207231015925	50	4000K	5000	1/20	1	140 x 220
B271450013	5207231015932	50	6000K	5000	1/20	1	140 x 220



IP65

Lifetime: 15000h
Volt: 220-240V
Start Time: Instant Full Light
Energy Class: E

NON DIMMABLE

3 CCT




CODE	BARCODE	WATT	COLOR	LUMEN	DIMENSION
206018000	5207231017707	18	3000K 4000K 6000K	1980	600 x 80 x 64
212036000	5207231017714	36	3000K 4000K 6000K	3960	1200 x 80 x 64
215054000	5207231017721	54	3000K 4000K 6000K	5940	1500 x 80 x 64



Lifetime: 15000h
Volt: 110-265V
Start Time: Instant Full Light
Energy Class: G

NON DIMMABLE



CODE	BARCODE	WATT	COLOR	LUMEN	DIMENSION
222001810	5207231018278	18	3CCT	1440	Ø 220



Lifetime: 15000h
Volt: 110-265V
Start Time: Instant Full Light
Energy Class: G

NON DIMMABLE



CODE	BARCODE	WATT	COLOR	LUMEN	DIMENSION
222001820	5207231018285	18	3CCT	1440	Ø 220 x 26
230002420	5207231018292	24	3CCT	1440	Ø 300 x 26



3 CCT

Lifetime: 25000h
Volt: 220-240V
Energy Class: F



NON DIMMABLE

CODE	BARCODE	WATT	COLOR	LUMEN	DIMENSION
212604810	5207231018766	48	3CCT	4500	1195 x 295 x 9



3 CCT

Lifetime: 25000h
Volt: 220-240V
Energy Class: F



NON DIMMABLE

CODE	BARCODE	WATT	COLOR	LUMEN	DIMENSION
260604810	5207231018780	48	3CCT	4500	595 x 595 x 9

LED PANEL BACKLIGHT

LED PANEL ACCESSORIES



Lifetime: 25000h
Volt: 220-240V
Start Time: Back Light
Energy Class: E

NON DIMMABLE

3 CCT

IP20
RATED

✓
RoHS

CE

WEEE

CODE	BARCODE	WATT	COLOR	LUMEN	DIMENSION
212604820	5207231018773	48	3CCT	4800	1195x295x26



Lifetime: 25000h
Volt: 220-240V
Start Time: Back Light
Energy Class: E

NON DIMMABLE

3 CCT

IP20
RATED

✓
RoHS

CE

WEEE

CODE	BARCODE	WATT	COLOR	LUMEN	DIMENSION
260604820	5207231018797	48	3CCT	4800	595 x 595 x 26



CODE	BARCODE	DESCRIPTION	DIMENSION
200002	5207231018803	mounted frame for 260604810	600 x 600 x 43



CODE	BARCODE	DESCRIPTION	DIMENSION
200003	5207231018810	mounted frame for 212604810	1200 x 300 x 43



CODE	BARCODE	DESCRIPTION	DIMENSION
200004	5207231018827	mounted frame for 260604820 & 260604810	600 x 600x 58



CODE	BARCODE	DESCRIPTION	DIMENSION
200005	5207231018834	mounted frame for 212604820 & 212604810	1200 x 300 x 58



CODE	BARCODE	DESCRIPTION
200001	5207231018841	wires hanging for LED panel 600x600 and 1200x300

CODE	BARCODE	WATT	DIMMABLE
201800	5207231018872	18	NO
202400	5207231018889	24	NO
204800	5207231018896	48	NO

CODE	BARCODE	DESCRIPTION
200006	5207231018858	Clip for recessed installation for 212604810 & 212604820

CODE	BARCODE	DESCRIPTION
200007	5207231018865	Clip for recessed installation for 260604810 & 212604820

JL STAND 01

Η JUSTLED προσφέρει ένα εντυπωσιακά λειτουργικό στάντ, ιδανικό για κάθε επαγγελματικό περιβάλλον. Αυτό μπορεί να αποτελέσει ιδανικό τρόπο προώθησης των προϊόντων μας. Για την προμήθεια του ισχύει ελάχιστη ποσότητα παραγγελίας. Για περισσότερες πληροφορίες, παρακαλούμε επικοινωνήστε με τον αρμόδιο πωλητή σας.

JUSTLED offers an impressive functional stand, for any professional environment. This can be an ideal way to promote our products. A minimum order quantity applies for procurement. For more information, please contact your sales representative.



Distributed by:
MORAITIS LIGHTS S.A.
46 Othonos Str.
Agios Dimitrios 17343
Athens, Greece

www.moraitis.com

Information: **info@moraitis.com**
Orders: **sales@moraitis.com, orders@moraitis.com**
Accounting dep.: **accounting@moraitis.com**

NBG 1154 7027 943
IBAN: GR51 0110 1150 0000 1154 7027 943

PIRAEUS BANK 65 5514 7497 354
IBAN: GR96 0171 5550 0065 5514 7497 354

ALPHA BANK 1560 0200 2014 154
IBAN: GR14 0140 1560 1560 0200 2014 154

EUROBANK 00260008370201617581
IBAN: GR0702600080000370201617581

A vertical rainbow-colored bar is located on the far left side of the image, extending from the top to the bottom. It features a gradient of colors: green, yellow, orange, red, pink, purple, and blue.

JUST
LED

2024 - 2025